

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD038	8552	58.4	59	HCORE	<0.01	0.1	2	389	7	33	1	8	0.03	100	<0.01
FTD038	8553	59	59.5	HCORE	<0.01	0.2	2	222	9	20	1	1	0.06	50	<0.01
FTD038	8554	59.5	60	HCORE	0.1	0.5	2	911	10	37	1	2	0.16	50	<0.01
FTD038	8555	60	61	HCORE	0.64	1.5	11	2830	7	51	1	1	0.65	50	<0.01
FTD038	8556	61	62	HCORE	0.05	0.5	3	438	9	35	1	0.5	0.18	100	<0.01
FTD038	8557	62	63	HCORE	0.03	0.3	2	285	6	24	1	0.5	0.14	50	<0.01
FTD038	8558	63	64	HCORE	<0.01	0.1	3	96	5	22	1	0.5	0.07	50	<0.01
FTD038	8559	64	65	HCORE	<0.01	0.2	3	191	7	25	1	1	0.05	50	<0.01
FTD038	8560	65	66	HCORE	<0.01	0.2	2	181	7	24	1	1	0.04	50	0.01
FTD038	8561	66	67	HCORE	<0.01	0.1	2	67	6	17	1	2	0.07	50	<0.01
FTD038	8562	67	68	HCORE	<0.01	0.1	1	15	4	14	1	1	0.05	50	<0.01
FTD038	8563	68	69	HCORE	<0.01	0.1	1	26	6	18	1	2	0.04	50	<0.01
FTD038	8564	69	70	HCORE	<0.01	0.1	1	5	6	24	1	0.5	0.07	50	0.01
FTD038	8565	70	71	HCORE	<0.01	0.1	2	39	4	13	1	1	0.14	50	<0.01
FTD038	8566	71	72	HCORE	<0.01	0.1	8	106	6	15	1	4	0.21	50	<0.01
FTD038	8567	72	73	HCORE	<0.01	0.2	3	177	5	29	1	1	0.21	50	<0.01
FTD038	8568	73	74	HCORE	0.04	2.6	10	4880	9	24	1	2	0.93	100	0.31
FTD038	8569	74	75	HCORE	<0.01	0.1	3	45	7	22	1	2	0.15	50	<0.01
FTD038	8570	75	76	HCORE	<0.01	0.3	2	386	8	29	1	13	0.19	50	<0.01
FTD038	8572	76	77	HCORE	0.01	0.1	5	154	6	25	1	2	0.17	50	<0.01
FTD038	8573	77	78	HCORE	0.02	1.5	8	3250	9	33	1	1	0.67	50	<0.01
FTD038	8574	78	79	HCORE	<0.01	0.3	2	298	8	40	1	0.5	0.12	50	<0.01
FTD038	8575	79	80	HCORE	<0.01	0.1	1	35	12	37	1	2	0.25	50	<0.01
FTD038	8576	80	81	HCORE	<0.01	0.1	1	15	11	22	1	0.5	0.03	50	<0.01
FTD038	8577	81	82	HCORE	<0.01	0.1	2	39	6	19	1	0.5	0.03	50	<0.01
FTD038	8578	82	82.9	HCORE	<0.01	0.1	1	6	5	27	1	2	0.04	50	<0.01
FTD038	8579	82.9	84	HCORE	<0.01	0.1	1	37	5	24	1	0.5	0.05	50	<0.01
FTD038	8580	84	85	HCORE	<0.01	0.1	1	45	6	24	1	2	0.09	50	<0.01
FTD038	8581	85	86	HCORE	<0.01	0.2	1	10	6	28	1	1	0.01	50	<0.01
FTD038	8582	86	87	HCORE	0.03	0.2	3	668	5	21	1	0.5	0.33	50	<0.01
FTD038	8583	87	88	HCORE	<0.01	0.1	1	31	5	11	1	0.5	0.04	50	<0.01
FTD038	8584	88	89	HCORE	0.01	0.3	1	230	6	24	1	0.5	0.07	50	<0.01
FTD038	8585	89	89.4	HCORE	<0.01	0.1	1	3	5	18	1	0.5	0.06	50	<0.01
FTD038	8586	89.4	90	HCORE	<0.01	0.1	3	4	5	23	1	2	0.03	50	<0.01
FTD038	8589	142	143.1	HCORE	<0.01	0.1	1	40	3	22	1	0.5	0.03	50	<0.01
FTD038	8590	143.1	144	HCORE	<0.01	0.1	3	32	5	32	1	1	0.13	50	<0.01
FTD038	8591	144	145	HCORE	<0.01	0.1	4	58	7	29	1	0.5	0.08	50	<0.01
FTD038	8592	145	146	HCORE	<0.01	0.1	1	20	5	27	1	0.5	0.04	50	0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD038	8593	146	147	HCORE	<0.01	0.1	1	15	5	37	1	0.5	0.03	100	0.01
FTD038	8594	147	148	HCORE	<0.01	0.1	1	11	4	22	1	0.5	0.04	50	<0.01
FTD038	8595	148	149	HCORE	<0.01	0.1	1	3	4	14	1	0.5	0.02	50	<0.01
FTD038	8596	149	150	HCORE	<0.01	0.1	2	10	5	20	1	0.5	0.06	50	<0.01
FTD038	8597	150	151	HCORE	<0.01	0.1	1	10	7	17	1	0.5	0.07	50	<0.01
FTD038	8598	151	152	HCORE	0.01	0.1	1	17	3	19	1	0.5	0.08	50	<0.01
FTD038	8599	152	153	HCORE	<0.01	0.1	1	59	5	20	1	0.5	0.11	50	<0.01
FTD038	8601	175	176.05	HCORE	<0.01	0.1	1	163	10	22	1	0.5	0.03	50	<0.01
FTD038	8602	176.05	177	HCORE	<0.01	0.1	1	100	3	16	1	1	0.05	50	<0.01
FTD038	8603	177	178	HCORE	<0.01	0.1	1	24	3	20	1	1	0.03	50	<0.01
FTD038	8604	178	179	HCORE	<0.01	0.1	1	70	3	20	1	1	0.08	50	<0.01
FTD038	8605	179	179.2	HCORE	<0.01	0.1	4	27	3	14	1	1	0.08	50	0.01
FTD038	8606	179.2	179.7	HCORE	<0.01	0.1	2	493	4	20	1	1	0.19	50	<0.01
FTD038	8607	179.7	180	HCORE	<0.01	0.1	1	231	4	25	1	0.5	0.07	50	<0.01
FTD038	8608	180	181	HCORE	<0.01	0.1	2	247	3	18	1	1	0.12	50	<0.01
FTD038	8609	181	182	HCORE	<0.01	0.1	1	204	2	22	1	1	0.05	50	<0.01
FTD038	8610	182	183	HCORE	<0.01	0.1	2	118	2	29	1	1	0.15	50	<0.01
FTD038	8611	183	184	HCORE	<0.01	0.1	1	33	13	34	1	1	0.03	50	<0.01
FTD038	8612	184	185	HCORE	<0.01	0.1	1	11	7	38	1	1	0.05	50	<0.01
FTD038	8613	185	186	HCORE	<0.01	0.1	1	7	4	35	1	0.5	0.02	50	<0.01
FTD038	8614	186	187	HCORE	<0.01	0.1	1	86	19	36	1	1	0.11	50	<0.01
FTD038	8615	187	188	HCORE	<0.01	0.1	1	6	3	25	1	1	0.04	50	<0.01
FTD038	8616	188	189	HCORE	<0.01	0.1	1	3	4	34	1	1	0.05	50	<0.01
FTD038	8617	189	190	HCORE	<0.01	0.1	1	7	5	28	1	1	0.02	50	<0.01
FTD038	8618	190	191	HCORE	<0.01	0.1	2	54	4	22	1	3	0.03	100	<0.01
FTD038	8619	191	192	HCORE	<0.01	0.1	1	1	5	13	1	6	0.09	50	<0.01
FTD038	8621	192	193	HCORE	0.01	0.1	1	7	7	25	1	2	0.1	50	<0.01
FTD038	8622	193	194	HCORE	<0.01	0.1	1	4	4	36	1	1	0.09	50	<0.01
FTD038	8623	194	194.4	HCORE	<0.01	0.1	1	3	4	22	1	1	0.06	50	<0.01
FTD038	8624	194.4	195	HCORE	<0.01	0.1	1	7	4	54	1	1	0.34	100	<0.01
FTD038	8625	195	195.75	HCORE	<0.01	0.1	3	24	2	114	1	0.5	0.09	300	<0.01
FTD038	8626	195.75	196	HCORE	<0.01	0.1	2	18	3	56	1	1	0.19	400	<0.01
FTD038	8627	196	197	HCORE	<0.01	0.1	1	46	3	72	1	2	0.24	100	0.02
FTD038	8628	197	198	HCORE	<0.01	0.1	4	12	5	76	1	6	0.34	50	0.01
FTD038	8629	198	199	HCORE	<0.01	0.1	1	11	5	59	1	5	0.14	50	<0.01
FTD038	8630	199	200	HCORE	<0.01	0.8	1	8	6	50	1	2	0.05	50	<0.01
FTD038	8631	200	201	HCORE	<0.01	0.1	1	70	4	58	1	1	0.16	50	<0.01
FTD038	8632	201	202	HCORE	<0.01	0.1	3	80	6	109	1	1	0.32	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD038	8633	202	203	HCORE	<0.01	0.1	1	12	6	58	1	2	0.11	50	<0.01
FTD038	8634	203	204	HCORE	<0.01	0.1	1	5	5	27	1	1	0.11	100	<0.01
FTD038	8635	204	205	HCORE	<0.01	0.1	1	7	6	22	1	2	0.09	50	<0.01
FTD038	8636	205	206	HCORE	<0.01	0.1	2	16	5	23	1	1	0.04	50	<0.01
FTD038	8637	240	241	HCORE	<0.01	0.1	1	6	4	15	1	3	0.04	50	<0.01
FTD038	8638	241	242	HCORE	<0.01	0.1	1	4	5	17	1	5	0.09	50	<0.01
FTD038	8639	242	243	HCORE	<0.01	0.1	1	8	6	24	1	7	0.2	50	<0.01
FTD038	8641	243	244	HCORE	<0.01	0.1	1	22	3	22	1	5	0.08	50	<0.01
FTD038	8642	244	245	HCORE	<0.01	0.1	1	32	3	14	1	4	0.08	100	0.01
FTD038	8643	245	246	HCORE	<0.01	0.1	1	26	4	16	1	7	0.15	50	<0.01
FTD038	8644	246	247	HCORE	<0.01	0.1	1	40	3	18	1	2	0.16	50	<0.01
FTD038	8645	247	247.9	HCORE	<0.01	0.1	1	25	5	49	1	23	0.12	50	<0.01
FTD038	8646	247.9	249	HCORE	<0.01	0.1	1	37	5	39	1	6	0.24	50	<0.01
FTD038	8647	249	250	HCORE	<0.01	0.1	2	32	4	40	1	6	0.17	50	<0.01
FTD038	8648	250	251	HCORE	<0.01	0.1	2	265	5	44	1	11	0.25	50	<0.01
FTD038	8649	251	252	HCORE	<0.01	0.1	3	162	5	56	1	10	0.51	100	<0.01
FTD038	8650	252	253	HCORE	0.01	0.1	7	703	5	57	1	31	0.43	50	<0.01
FTD038	8651	253	254	HCORE	<0.01	0.1	2	22	5	63	1	3	0.16	50	<0.01
FTD038	8652	254	255	HCORE	<0.01	0.1	1	26	5	38	1	4	0.13	100	<0.01
FTD038	8653	255	256	HCORE	<0.01	0.1	1	26	3	38	1	2	0.05	50	<0.01
FTD038	8654	256	257	HCORE	<0.01	0.1	1	34	3	29	1	4	0.15	100	0.01
FTD038	8655	257	258	HCORE	<0.01	0.1	1	18	3	24	1	3	0.11	50	<0.01
FTD038	8656	258	259	HCORE	<0.01	0.1	3	13	5	41	1	2	0.2	100	<0.01
FTD038	8657	259	260	HCORE	<0.01	0.4	1	10	4	35	1	1	0.07	50	<0.01
FTD038	8658	260	260.75	HCORE	<0.01	0.1	1	15	4	32	1	2	0.04	50	<0.01
FTD038	8659	260.75	261	HCORE	<0.01	0.1	3	6	2	26	1	1	0.08	50	<0.01
FTD038	8661	261	262	HCORE	<0.01	0.1	1	11	4	26	1	2	0.04	50	<0.01
FTD038	8662	262	263	HCORE	<0.01	0.1	1	23	5	27	1	1	0.07	100	<0.01
FTD038	8663	263	263.2	HCORE	<0.01	0.1	1	8	5	18	1	2	0.03	50	<0.01
FTD038	8664	263.2	264	HCORE	0.01	0.1	1	4	3	63	1	0.5	0.03	100	<0.01
FTD038	8665	264	265	HCORE	<0.01	0.1	1	5	3	45	1	1	0.04	50	<0.01
FTD038	8666	265	265.65	HCORE	<0.01	0.1	1	31	4	28	1	2	0.04	50	<0.01
FTD038	8667	265.65	266	HCORE	<0.01	0.1	1	33	4	20	1	1	0.07	50	0.01
FTD038	8668	266	267	HCORE	<0.01	0.1	1	11	5	30	1	1	0.06	50	<0.01
FTD038	8670	308	309	HCORE	<0.01	0.1	3	270	5	43	1	25	0.16	50	<0.01
FTD038	8671	309	309.4	HCORE	<0.01	0.4	22	963	5	43	1	108	0.85	50	<0.01
FTD038	8672	309.4	310.05	HCORE	<0.01	0.3	23	192	5	50	1	24	1.38	50	<0.01
FTD038	8673	310.05	311	HCORE	0.01	0.7	50	537	6	39	2	41	2.5	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD038	8674	311	312	HCORE	<0.01	0.3	6	993	4	34	1	37	0.4	100	0.01
FTD038	8675	312	312.9	HCORE	0.01	0.6	9	1210	5	32	1	94	0.63	50	<0.01
FTD038	8676	312.9	313.4	HCORE	0.61	12	135	37200	27	60	9	91	11.9	100	0.01
FTD038	8677	314.5	316	HCORE	<0.01	0.3	1	326	4	28	1	70	0.24	50	<0.01
FTD038	8678	316	317	HCORE	<0.01	0.2	2	309	4	29	1	63	0.27	50	<0.01
FTD038	8679	317	318	HCORE	<0.01	0.3	3	565	4	28	1	21	0.26	50	<0.01
FTD038	8680	318	319	HCORE	<0.01	0.2	1	236	4	22	1	42	0.22	50	<0.01
FTD038	8681	319	320.5	HCORE	<0.01	0.1	1	41	3	20	2	16	0.24	50	<0.01
FTD038	8682	320.5	321	HCORE	<0.01	0.1	1	159	3	28	1	28	0.17	50	<0.01
FTD038	8683	321	322	HCORE	<0.01	0.1	2	479	3	17	1	53	0.37	50	<0.01
FTD038	8684	322	323	HCORE	<0.01	0.7	5	1400	4	11	1	7	0.92	50	<0.01
FTD038	8685	323	324	HCORE	0.01	1	8	3220	3	19	1	70	1.03	50	<0.01
FTD038	8686	324	325	HCORE	<0.01	0.1	1	300	3	13	1	13	0.09	50	<0.01
FTD038	8687	325	326	HCORE	<0.01	0.2	2	242	5	23	2	45	0.4	50	<0.01
FTD038	8688	326	327	HCORE	<0.01	0.1	1	263	3	18	1	21	0.25	100	<0.01
FTD038	8690	327	328	HCORE	<0.01	0.1	1	70	6	19	1	7	0.13	50	<0.01
FTD038	8691	328	329	HCORE	<0.01	0.1	2	36	5	26	1	4	0.06	50	<0.01
FTD038	8692	329	329.9	HCORE	<0.01	0.1	1	115	5	34	1	5	0.17	50	<0.01
FTD038	8693	330.4	331.3	HCORE	0.01	0.6	4	2210	6	34	1	23	0.48	50	<0.01
FTD038	8694	331.3	332	HCORE	0.03	1.5	9	2680	6	30	1	29	0.74	50	0.01
FTD038	8695	332	333	HCORE	<0.01	0.1	1	168	4	23	1	14	0.17	50	<0.01
FTD038	8696	333	334	HCORE	<0.01	0.1	2	113	3	22	1	17	0.26	50	<0.01
FTD038	8697	334	335	HCORE	<0.01	0.3	2	882	4	21	1	50	0.25	100	<0.01
FTD038	8698	335	336	HCORE	<0.01	0.1	1	29	3	20	1	2	0.05	50	<0.01
FTD038	8699	336	337.1	HCORE	<0.01	0.1	2	73	2	17	1	3	0.08	50	<0.01
FTD038	8700	337.1	338	HCORE	<0.01	0.3	2	693	2	30	1	13	0.21	100	<0.01
FTD038	8701	338	339	HCORE	<0.01	0.1	2	24	5	26	1	56	0.12	50	<0.01
FTD038	8702	339	339.3	HCORE	<0.01	0.1	5	39	6	36	1	49	0.24	50	<0.01
FTD038	8703	341.5	342	HCORE	0.06	3.3	11	9770	8	104	7	74	2.11	50	<0.01
FTD038	8704	342	343	HCORE	0.01	0.7	3	1855	4	31	1	53	0.38	50	<0.01
FTD038	8705	343	344	HCORE	<0.01	0.5	5	1290	5	25	1	35	0.69	50	<0.01
FTD038	8706	344	345	HCORE	<0.01	0.1	2	76	5	29	1	21	0.2	50	<0.01
FTD038	8707	345	346	HCORE	<0.01	0.1	2	89	4	41	2	21	0.13	50	0.01
FTD038	8708	346	347.1	HCORE	<0.01	0.2	6	164	5	33	1	17	0.31	50	<0.01
FTD038	8710	347.1	348	HCORE	<0.01	0.3	6	204	5	40	1	13	0.21	50	<0.01
FTD038	8711	348	349	HCORE	0.01	0.2	4	165	5	25	1	5	0.11	50	<0.01
FTD038	8712	349	349.8	HCORE	0.01	0.2	5	353	6	35	2	19	0.26	50	<0.01
FTD038	8713	349.8	350.3	HCORE	<0.01	0.3	4	388	6	35	2	11	0.24	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD038	8714	350.3	351	HCORE	<0.01	0.1	4	94	5	24	1	12	0.25	50	<0.01
FTD038	8715	351	352	HCORE	<0.01	0.2	5	194	5	33	1	28	0.18	50	<0.01
FTD038	8716	352	353	HCORE	<0.01	0.2	3	421	7	31	1	26	0.23	50	<0.01
FTD038	8717	353	354.1	HCORE	0.01	0.3	15	126	8	36	1	32	0.67	50	<0.01
FTD038	8719	415	416	HCORE	0.01	0.3	7	601	3	19	1	13	0.36	50	0.01
FTD038	8720	416	417	HCORE	0.01	0.4	7	846	4	20	1	37	0.36	50	<0.01
FTD038	8721	417	417.9	HCORE	<0.01	0.1	6	155	4	23	1	14	0.26	50	<0.01
FTD038	8722	417.9	419	HCORE	0.06	3.8	62	3990	14	47	3	73	4.36	50	<0.01
FTD038	8723	419	420	HCORE	0.01	0.6	1	1040	5	66	1	62	0.28	50	<0.01
FTD038	8724	420	421	HCORE	0.08	1.5	10	4120	7	112	1	76	1.21	100	<0.01
FTD038	8725	421	422	HCORE	0.07	2.4	10	7280	7	68	4	62	1.46	50	0.01
FTD038	8726	422	423	HCORE	0.32	4.2	39	6040	12	47	1	34	2.56	50	<0.01
FTD038	8727	423	424	HCORE	<0.01	0.1	3	84	4	36	1	34	0.27	50	<0.01
FTD038	8728	424	425	HCORE	<0.01	0.1	4	57	5	23	1	17	0.2	50	<0.01
FTD038	8729	425	426	HCORE	<0.01	0.1	1	227	7	21	1	14	0.24	50	<0.01
FTD038	8730	426	427	HCORE	0.01	0.2	8	154	10	22	1	32	0.73	50	<0.01
FTD038	8731	427	428	HCORE	<0.01	0.1	3	70	4	16	1	3	0.11	50	<0.01
FTD038	8732	428	429	HCORE	0.01	0.1	1	32	3	16	1	4	0.07	50	<0.01
FTD038	8733	429	430	HCORE	<0.01	0.3	6	420	4	42	1	54	0.4	50	<0.01
FTD038	8734	430	431	HCORE	<0.01	0.1	1	158	6	39	1	77	0.25	50	<0.01
FTD038	8735	431	432	HCORE	0.01	0.2	7	558	4	32	1	110	0.59	50	<0.01
FTD038	8736	432	433	HCORE	0.02	1	10	2330	6	38	1	143	0.8	50	0.01
FTD038	8737	433	434	HCORE	0.01	0.3	7	497	5	22	1	80	0.4	50	<0.01
FTD038	8738	434	435	HCORE	<0.01	0.1	2	113	4	14	1	10	0.07	50	<0.01
FTD038	8740	435	436	HCORE	0.01	0.1	3	468	7	17	1	35	0.15	50	<0.01
FTD038	8741	436	437	HCORE	0.03	1	11	1915	9	39	1	70	1.16	50	<0.01
FTD038	8742	437	438	HCORE	0.01	0.3	7	492	4	31	1	22	0.31	100	<0.01
FTD038	8743	438	439	HCORE	<0.01	0.2	3	284	6	24	2	33	0.25	50	<0.01
FTD038	8744	439	440	HCORE	<0.01	0.1	7	65	7	32	1	31	0.24	50	<0.01
FTD038	8745	440	441	HCORE	0.01	0.1	16	87	8	23	2	62	0.6	50	<0.01
FTD038	8746	441	442	HCORE	<0.01	0.1	4	99	6	17	2	9	0.22	50	<0.01
FTD038	8747	442	443	HCORE	<0.01	0.1	1	30	5	11	1	4	0.14	50	<0.01
FTD038	8748	443	444	HCORE	<0.01	0.1	1	55	6	37	1	28	0.23	50	<0.01
FTD038	8749	444	445	HCORE	<0.01	0.2	3	484	6	57	1	36	0.33	50	<0.01
FTD038	8750	445	446	HCORE	<0.01	0.1	4	66	5	44	1	12	0.22	50	<0.01
FTD038	8751	446	447	HCORE	0.01	0.1	4	32	4	30	1	16	0.2	50	<0.01
FTD038	8752	447	448	HCORE	<0.01	0.1	1	649	6	42	1	44	0.18	50	<0.01
FTD038	8753	448	449	HCORE	0.02	0.3	6	1475	12	252	2	191	0.96	50	0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD038	8754	449	450	HCORE	0.02	0.4	2	3170	9	129	1	194	0.51	50	0.01
FTD038	8755	450	451	HCORE	0.01	0.2	1	1540	6	95	1	105	0.31	100	<0.01
FTD038	8756	451	451.4	HCORE	0.02	0.8	4	4480	10	57	2	224	0.75	100	0.01
FTD038	8757	451.4	452	HCORE	<0.01	0.1	1	53	5	41	1	15	0.02	50	<0.01
FTD038	8758	452	453	HCORE	<0.01	0.1	1	190	5	68	1	15	0.05	50	<0.01
FTD038	8760	453	454	HCORE	0.01	0.1	4	133	4	62	1	14	0.17	50	<0.01
FTD038	8761	454	455	HCORE	0.01	0.1	6	274	4	19	1	6	0.19	50	<0.01
FTD038	8762	455	456	HCORE	0.01	0.1	2	147	6	22	1	14	0.13	50	0.01
FTD038	8763	456	457	HCORE	<0.01	0.1	1	174	5	27	1	16	0.09	50	<0.01
FTD038	8764	457	457.6	HCORE	<0.01	0.1	1	122	3	23	1	15	0.07	50	<0.01
FTD038	8765	457.6	458	HCORE	<0.01	0.1	1	208	5	25	1	19	0.06	100	0.01
FTD039	8768	85	86	HCORE	<0.01	0.1	1	5	3	10	1	1	0.05	50	<0.01
FTD039	8769	86	86.8	HCORE	<0.01	0.2	7	7	3	12	1	0.5	0.11	50	<0.01
FTD039	8770	86.8	87.1	HCORE	<0.01	0.1	6	4	4	31	1	1	0.08	50	<0.01
FTD039	8771	87.1	88	HCORE	<0.01	0.3	45	18	22	974	1	10	0.14	50	<0.01
FTD039	8772	88	89	HCORE	0.01	0.5	23	18	30	385	1	30	0.32	50	<0.01
FTD039	8773	89	90	HCORE	<0.01	0.1	7	3	13	96	1	4	0.08	50	<0.01
FTD039	8774	90	91	HCORE	<0.01	0.4	10	18	7	46	1	16	0.26	50	<0.01
FTD039	8775	91	92	HCORE	<0.01	0.6	12	36	5	34	1	11	0.38	50	<0.01
FTD039	8776	92	93	HCORE	<0.01	0.8	17	128	6	12	1	4	0.85	50	<0.01
FTD039	8777	93	94	HCORE	<0.01	0.3	11	76	4	9	1	1	0.4	50	<0.01
FTD039	8778	94	95	HCORE	<0.01	0.7	17	39	9	11	1	2	0.65	50	<0.01
FTD039	8779	95	95.55	HCORE	<0.01	2	66	329	27	31	1	3	1.45	50	<0.01
FTD039	8780	95.9	97	HCORE	0.03	3.9	28	1545	12	20	1	0.5	0.69	50	<0.01
FTD039	8781	97	98	HCORE	0.02	5.7	23	2170	21	1180	1	0.5	0.72	50	<0.01
FTD039	8782	98	99	HCORE	0.05	10.1	10	5040	11	26	1	0.5	0.86	50	<0.01
FTD039	8784	99	100	HCORE	0.01	4.2	12	1920	14	21	1	0.5	0.77	50	<0.01
FTD039	8785	100	101	HCORE	0.01	3.8	17	1230	17	132	1	1	0.72	50	<0.01
FTD039	8786	101	102	HCORE	0.01	2.6	10	734	26	1100	1	2	0.49	50	<0.01
FTD039	8787	102	103	HCORE	0.01	3.5	7	1155	24	1245	1	1	0.42	50	<0.01
FTD039	8788	103	104	HCORE	0.03	2.1	12	332	11	171	1	2	0.5	50	<0.01
FTD039	8789	104	105	HCORE	0.02	2.7	28	606	19	191	1	6	0.6	50	<0.01
FTD039	8790	105	106	HCORE	0.01	2.4	23	657	68	1025	1	3	0.35	50	<0.01
FTD039	8791	106	107	HCORE	0.02	3.9	48	989	23	1170	1	2	0.82	50	<0.01
FTD039	8792	107	108	HCORE	0.05	10.6	18	5480	22	926	1	1	0.98	50	<0.01
FTD039	8793	108	109	HCORE	0.03	5	24	1535	56	2000	1	1	0.76	50	<0.01
FTD039	8794	109	110	HCORE	0.03	3.3	29	989	10	695	1	2	0.71	50	0.01
FTD039	8795	110	111	HCORE	0.02	4.2	21	1410	16	1530	1	2	0.66	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD039	8796	111	112	HCORE	0.05	7	43	2580	138	5200	1	2	1.15	50	<0.01
FTD039	8798	112	113	HCORE	0.01	1.6	64	126	22	1270	1	1	0.73	50	<0.01
FTD039	8799	113	114	HCORE	0.01	2.4	37	179	29	1040	1	1	0.54	50	<0.01
FTD039	8800	114	115	HCORE	<0.01	2.2	42	113	19	18	1	1	0.92	50	<0.01
FTD039	8801	115	116	HCORE	<0.01	1.7	22	417	17	143	1	2	0.47	50	<0.01
FTD039	8802	116	116.5	HCORE	<0.01	1.1	24	52	28	561	1	7	0.4	100	<0.01
FTD039	8804	116.5	117	HCORE	0.01	0.7	6	7	11	52	1	23	0.11	50	<0.01
FTD039	8805	117	118	HCORE	0.01	0.3	14	22	8	49	2	10	0.2	50	<0.01
FTD039	8806	118	118.5	HCORE	0.16	0.5	9	16	6	25	1	1	0.12	50	<0.01
FTD039	8807	118.5	119	HCORE	0.06	1.6	37	37	13	38	1	5	0.55	50	<0.01
FTD039	8808	119	120	HCORE	0.03	0.8	86	74	13	22	1	1	0.73	50	<0.01
FTD039	8809	120	121	HCORE	0.02	0.7	33	14	7	16	1	3	0.21	50	<0.01
FTD039	8810	121	122	HCORE	0.01	0.6	32	7	20	178	1	2	0.91	50	<0.01
FTD039	8811	122	123	HCORE	0.01	0.4	6	4	6	37	1	4	0.1	50	<0.01
FTD039	8812	123	124	HCORE	0.19	0.8	29	58	7	16	1	3	0.59	50	0.18
FTD039	8813	124	125	HCORE	0.2	0.4	59	16	9	24	1	2	0.14	50	<0.01
FTD039	8814	125	126	HCORE	0.08	0.4	122	17	12	28	1	2	0.22	50	<0.01
FTD039	8815	126	127	HCORE	0.01	0.8	86	42	10	28	1	3	0.45	100	<0.01
FTD039	8816	127	128	HCORE	0.03	3.6	27	6	13	76	9	18	0.17	50	<0.01
FTD039	8817	128	129	HCORE	0.12	0.4	17	4	6	11	1	1	0.13	100	0.01
FTD039	8818	129	130	HCORE	0.19	0.2	8	1	5	12	1	1	0.16	50	<0.01
FTD039	8819	130	131	HCORE	0.08	0.2	5	4	4	9	1	1	0.07	50	<0.01
FTD039	8820	131	131.5	HCORE	0.01	0.1	25	1	4	13	1	0.5	0.03	50	<0.01
FTD039	8821	131.5	132.2	HCORE	0.02	0.2	9	4	17	35	1	1	0.66	100	<0.01
FTD039	8822	132.2	133	HCORE	0.02	0.1	5	2	4	13	1	0.5	0.07	100	<0.01
FTD039	8824	133	134	HCORE	0.02	0.5	16	3	8	16	1	0.5	0.1	100	<0.01
FTD039	8825	134	135	HCORE	0.01	0.1	3	1	4	14	1	1	0.03	100	<0.01
FTD039	8826	135	136	HCORE	<0.01	0.1	4	3	4	10	1	1	0.06	100	<0.01
FTD039	8827	136	137	HCORE	<0.01	0.7	44	2	8	9	1	9	0.35	50	<0.01
FTD039	8828	137	138	HCORE	0.02	0.1	5	3	3	9	1	1	0.06	50	<0.01
FTD039	8829	138	139	HCORE	0.24	0.2	5	2	6	9	1	1	0.05	50	<0.01
FTD039	8830	139	140	HCORE	0.31	0.5	2	4	3	10	1	4	0.15	50	<0.01
FTD039	8831	140	141	HCORE	0.68	1.3	51	2	11	8	2	12	0.15	50	<0.01
FTD039	8832	141	142	HCORE	0.12	0.3	24	3	6	8	1	2	0.12	50	<0.01
FTD039	8833	142	143	HCORE	0.01	0.2	16	1	5	9	1	1	0.21	100	<0.01
FTD039	8834	143	144	HCORE	<0.01	0.1	11	1	3	10	1	0.5	0.07	50	<0.01
FTD039	8835	144	145	HCORE	0.03	0.3	474	4	7	17	1	0.5	0.12	50	<0.01
FTD039	8836	145	146	HCORE	0.01	0.2	85	2	6	11	1	0.5	0.08	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD039	8837	146	147	HCORE	0.12	2.2	307	29	5	56	5	1	0.26	50	<0.01
FTD039	8838	147	148	HCORE	0.08	0.4	1270	8	3	15	1	1	0.2	50	<0.01
FTD039	8839	148	149	HCORE	0.02	0.1	125	3	3	10	1	0.5	0.25	50	<0.01
FTD039	8840	149	150	HCORE	0.1	0.5	528	6	4	12	1	1	0.12	50	<0.01
FTD039	8841	150	151	HCORE	0.09	0.6	1145	8	4	10	1	1	0.11	100	<0.01
FTD039	8842	151	152	HCORE	0.1	0.5	909	13	4	9	1	1	0.3	50	<0.01
FTD039	8844	152	153	HCORE	0.1	0.7	1005	4	5	9	2	1	0.36	50	0.01
FTD039	8845	153	154	HCORE	0.03	0.4	118	5	4	11	1	1	0.38	50	<0.01
FTD039	8846	154	155	HCORE	0.06	0.8	947	5	6	9	1	1	0.57	50	<0.01
FTD039	8848	155	156	HCORE	0.46	0.7	439	13	7	10	1	0.5	0.71	100	<0.01
FTD039	8849	156	157	HCORE	0.35	0.5	787	13	5	11	1	1	0.16	100	<0.01
FTD039	8850	157	158	HCORE	0.08	0.3	1640	6	3	10	1	1	0.16	50	<0.01
FTD039	8851	158	159	HCORE	0.08	0.5	1935	3	4	16	1	1	0.13	50	<0.01
FTD039	8852	159	160	HCORE	0.05	0.2	647	17	4	95	1	0.5	0.14	50	0.01
FTD039	8853	160	161	HCORE	0.99	3	2320	1840	16	42	2	1	1.41	50	0.02
FTD039	8854	161	162	HCORE	0.12	1.2	1550	68	12	26	2	2	1.45	50	<0.01
FTD039	8855	162	163	HCORE	0.06	0.3	777	37	6	11	1	3	0.24	50	<0.01
FTD039	8856	163	164	HCORE	0.01	0.2	86	26	4	12	1	3	0.09	50	<0.01
FTD039	8857	164	165	HCORE	0.01	0.6	20	15	6	12	1	39	0.15	50	<0.01
FTD039	8858	165	166	HCORE	0.02	1.3	224	23	12	22	2	24	0.17	50	<0.01
FTD039	8859	166	167	HCORE	0.05	1.9	578	27	11	146	2	6	0.39	50	<0.01
FTD039	8860	167	168	HCORE	0.09	1.4	1115	60	11	268	2	5	1.16	50	<0.01
FTD039	8861	168	169	HCORE	0.17	1.5	1475	76	9	305	1	3	0.88	50	<0.01
FTD039	8862	169	170	HCORE	0.24	1.6	2420	87	12	157	1	2	1.52	50	<0.01
FTD039	8864	170	171	HCORE	0.02	0.2	148	45	6	92	2	3	0.57	50	<0.01
FTD039	8865	171	172	HCORE	0.04	1	1065	101	28	383	1	5	1.66	50	<0.01
FTD039	8866	172	173	HCORE	<0.01	0.5	62	51	9	160	2	3	0.55	50	<0.01
FTD039	8867	173	174	HCORE	0.14	1.1	1175	190	16	84	2	3	1.66	50	<0.01
FTD039	8868	174	175	HCORE	0.32	3	1505	1035	15	59	5	2	1.64	50	<0.01
FTD039	8869	175	176	HCORE	0.12	1.8	960	713	14	33	1	2	1.4	50	<0.01
FTD039	8870	176	177	HCORE	<0.01	0.1	117	36	4	57	1	2	0.1	50	<0.01
FTD039	8871	177	178	HCORE	0.01	0.1	199	39	6	44	1	1	0.31	50	<0.01
FTD039	8872	178	179	HCORE	0.03	0.3	541	24	10	23	1	1	0.73	50	<0.01
FTD039	8873	179	180	HCORE	<0.01	0.2	132	18	6	31	1	3	0.34	50	<0.01
FTD039	8874	180	181	HCORE	0.01	0.1	361	13	7	42	1	2	0.23	50	<0.01
FTD039	8875	181	182	HCORE	<0.01	1	43	15	6	26	2	2	0.11	50	<0.01
FTD039	8876	182	183	HCORE	0.1	1.1	1035	96	13	26	4	7	1.25	50	<0.01
FTD039	8878	183	184	HCORE	0.3	0.5	2410	77	7	27	2	5	0.82	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD039	8879	184	185	HCORE	0.24	0.8	1815	44	7	66	3	2	0.72	50	<0.01
FTD039	8880	185	186	HCORE	0.25	1.6	4020	56	14	70	4	19	1.92	50	0.01
FTD039	8881	186	187	HCORE	0.02	0.7	498	90	10	24	1	4	1.31	50	<0.01
FTD039	8882	187	188	HCORE	0.02	0.3	215	44	8	23	2	1	0.7	50	<0.01
FTD039	8883	188	189	HCORE	0.01	0.3	199	179	8	74	1	2	0.54	50	<0.01
FTD039	8885	189	190	HCORE	0.56	2.5	1620	227	32	1765	2	3	0.61	50	<0.01
FTD039	8886	190	191	HCORE	0.04	1.2	2180	66	21	1590	2	2	0.98	50	<0.01
FTD039	8887	191	192	HCORE	0.01	0.6	162	155	22	455	1	1	1.26	100	<0.01
FTD039	8888	192	193	HCORE	0.01	0.6	52	196	27	1035	1	1	1.93	50	<0.01
FTD039	8889	193	194	HCORE	0.03	0.6	57	190	21	400	1	4	1.12	50	<0.01
FTD039	8890	194	195	HCORE	0.01	0.3	29	75	28	151	1	3	0.86	50	<0.01
FTD039	8891	195	196	HCORE	0.09	0.9	63	208	377	360	1	1	1.02	50	<0.01
FTD039	8892	196	197	HCORE	0.03	0.4	60	109	87	420	1	2	1.55	50	<0.01
FTD039	8893	197	198	HCORE	<0.01	0.6	85	124	83	413	1	4	1.32	50	<0.01
FTD039	8894	198	199.25	HCORE	0.01	0.8	118	145	175	1225	1	4	1.67	50	<0.01
FTD039	8895	199.25	200	HCORE	<0.01	0.7	42	77	565	1415	1	0.5	0.28	50	<0.01
FTD039	8896	200	201	HCORE	0.01	0.6	30	227	260	2830	1	0.5	0.23	50	0.28
FTD039	8897	201	202	HCORE	<0.01	0.2	12	44	284	594	1	0.5	0.14	50	<0.01
FTD039	8898	202	202.85	HCORE	0.02	0.2	7	17	181	3050	1	0.5	0.34	50	<0.01
FTD039	8899	202.85	203.7	HCORE	<0.01	0.2	44	20	287	2170	1	0.5	0.16	50	<0.01
FTD039	8900	203.7	204	HCORE	<0.01	0.5	31	28	395	5800	1	0.5	0.36	50	<0.01
FTD039	16351	204	205	HCORE	<0.01	1.1	144	69	257	3090	1	1	1.29	50	<0.01
FTD039	16352	205	206.05	HCORE	<0.01	1	109	76	11	13	3	1	0.24	50	<0.01
FTD039	16353	206.05	207	HCORE	<0.01	0.8	18	102	49	18	3	2	4.83	50	<0.01
FTD039	16355	207	208	HCORE	0.01	0.6	24	50	116	25	2	2	4.59	50	<0.01
FTD039	16356	208	209	HCORE	0.01	1.1	34	42	24	94	5	1	0.44	50	<0.01
FTD039	16357	209	209.75	HCORE	<0.01	0.6	10	58	33	28	3	2	1.96	50	<0.01
FTD039	16359	209.75	210.5	HCORE	<0.01	1.1	7	40	31	20	1	1	2.02	50	<0.01
FTD039	16360	210.5	211.2	HCORE	<0.01	1.9	8	56	34	16	2	1	2.35	50	<0.01
FTD039	16361	211.2	212	HCORE	<0.01	1.1	7	47	48	31	3	2	2.17	50	<0.01
FTD039	16362	212	212.8	HCORE	<0.01	0.1	4	10	59	168	1	1	0.04	50	<0.01
FTD039	16363	212.8	213.6	HCORE	<0.01	0.9	9	63	61	71	1	2	1.8	50	<0.01
FTD039	16364	213.6	214	HCORE	<0.01	0.3	3	31	11	26	1	1	0.72	50	<0.01
FTD039	16365	214	215	HCORE	<0.01	0.3	3	21	19	40	1	1	0.93	50	<0.01
FTD039	16366	215	216	HCORE	<0.01	0.5	3	31	20	54	3	1	0.93	50	<0.01
FTD039	16367	216	217	HCORE	<0.01	0.4	2	26	23	61	2	1	0.71	50	<0.01
FTD039	16368	217	218	HCORE	<0.01	0.6	5	64	31	17	3	3	2.9	50	<0.01
FTD039	16369	218	219	HCORE	<0.01	0.4	7	24	24	39	2	1	1.72	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD039	16370	219	220	HCORE	<0.01	0.6	16	40	16	51	5	1	0.72	50	<0.01
FTD039	16371	220	220.9	HCORE	<0.01	0.4	38	164	28	16	14	1	1.98	50	<0.01
FTD039	16372	221.1	222	HCORE	<0.01	0.1	36	56	5	12	1	0.5	0.22	50	0.01
FTD039	16373	222	223	HCORE	<0.01	0.2	9	108	10	7	4	1	0.62	50	<0.01
FTD039	16375	223	224	HCORE	<0.01	0.2	24	45	7	14	3	0.5	0.25	50	<0.01
FTD039	16376	224	225	HCORE	<0.01	0.2	23	50	9	14	1	0.5	0.54	50	<0.01
FTD039	16377	225	226	HCORE	<0.01	0.1	24	64	5	21	1	1	0.44	50	<0.01
FTD039	16378	226	227	HCORE	0.01	0.3	40	62	9	8	3	2	1.31	50	<0.01
FTD039	16379	227	228	HCORE	<0.01	1	39	56	9	9	12	4	0.92	50	<0.01
FTD039	16380	228	229	HCORE	<0.01	0.2	25	20	3	11	2	1	0.11	50	<0.01
FTD039	16381	229	230	HCORE	<0.01	0.1	21	99	3	21	1	0.5	0.12	50	<0.01
FTD039	16382	230	231	HCORE	<0.01	0.1	45	110	1	18	1	0.5	0.12	50	<0.01
FTD039	16383	231	231.5	HCORE	0.16	6.6	1040	5400	15	36	1	3	1.18	50	<0.01
FTD039	16384	231.5	232	HCORE	0.01	0.3	218	107	26	95	1	0.5	0.18	50	<0.01
FTD039	16385	232	233	HCORE	<0.01	0.1	3	15	2	7	1	0.5	0.02	50	<0.01
FTD039	16386	233	234	HCORE	<0.01	0.1	2	38	2	8	1	0.5	0.06	50	<0.01
FTD039	16387	234	235	HCORE	<0.01	0.1	2	5	3	7	1	0.5	0.1	50	<0.01
FTD039	16388	235	236	HCORE	<0.01	0.1	2	9	3	8	1	0.5	0.14	50	<0.01
FTD039	16389	236	236.3	HCORE	<0.01	0.1	6	4	3	7	1	0.5	0.1	50	<0.01
FTD039	16390	236.3	237	HCORE	<0.01	0.1	11	13	26	108	1	0.5	0.11	50	<0.01
FTD039	16391	237	238	HCORE	<0.01	0.2	24	22	37	710	2	1	0.29	50	<0.01
FTD039	16392	238	239	HCORE	<0.01	0.3	45	48	25	185	3	3	0.97	50	<0.01
FTD039	16393	239	240	HCORE	<0.01	0.2	20	31	6	14	2	2	0.87	50	<0.01
FTD039	16395	240	241	HCORE	<0.01	0.1	12	17	6	10	2	0.5	0.51	50	<0.01
FTD039	16396	241	242	HCORE	<0.01	0.3	27	30	27	21	1	0.5	2.23	50	<0.01
FTD039	16398	242	243	HCORE	<0.01	0.4	77	69	18	8	6	5	2.36	50	<0.01
FTD039	16399	243	243.9	HCORE	<0.01	0.6	80	105	17	19	12	6	2.33	50	<0.01
FTD039	16400	243.9	245	HCORE	<0.01	0.1	27	7	5	19	1	0.5	0.24	50	<0.01
FTD039	16401	245	246	HCORE	<0.01	0.2	36	23	4	13	3	1	0.18	50	<0.01
FTD039	16402	246	247	HCORE	<0.01	0.1	7	14	2	28	5	1	0.11	50	<0.01
FTD039	16403	247	248	HCORE	<0.01	0.1	8	7	2	15	1	0.5	0.08	50	<0.01
FTD039	16404	248	249	HCORE	<0.01	0.3	31	15	8	10	9	2	0.16	50	<0.01
FTD039	16405	249	250	HCORE	<0.01	0.1	9	3	2	13	1	1	0.05	50	<0.01
FTD039	16406	250	251	HCORE	<0.01	0.1	3	4	1	15	1	0.5	0.02	50	<0.01
FTD039	16407	251	252	HCORE	<0.01	0.1	17	12	13	13	1	1	0.57	50	<0.01
FTD039	16408	252	253	HCORE	<0.01	0.1	3	3	1	14	1	0.5	0.06	100	0.01
FTD039	16409	253	254	HCORE	<0.01	0.1	7	8	4	38	2	1	0.1	50	0.01
FTD039	16410	254	255	HCORE	<0.01	0.1	10	12	5	19	1	1	0.06	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD039	16411	255	256	HCORE	<0.01	0.1	9	12	3	18	1	0.5	0.18	50	<0.01
FTD039	16412	256	257	HCORE	<0.01	0.1	8	13	4	23	1	0.5	0.08	50	<0.01
FTD039	16413	257	258	HCORE	<0.01	0.1	4	9	3	12	1	0.5	0.11	50	<0.01
FTD039	16414	258	259	HCORE	<0.01	0.1	3	10	4	16	1	0.5	0.04	50	<0.01
FTD039	16415	259	260	HCORE	<0.01	0.1	4	10	3	16	1	0.5	0.07	100	<0.01
FTD039	16416	260	261	HCORE	<0.01	0.1	6	12	5	25	1	0.5	0.1	50	0.01
FTD039	16418	261	262	HCORE	<0.01	0.1	46	12	7	23	2	0.5	0.42	50	<0.01
FTD039	16419	262	263	HCORE	<0.01	0.1	17	11	9	54	1	0.5	0.2	50	<0.01
FTD039	16420	263	264	HCORE	<0.01	0.1	6	23	23	65	2	1	0.1	100	<0.01
FTD039	16421	264	265	HCORE	<0.01	0.1	5	7	10	63	1	0.5	0.06	50	<0.01
FTD039	16422	265	266	HCORE	<0.01	0.1	7	12	68	152	1	0.5	0.11	50	<0.01
FTD039	16423	266	267	HCORE	<0.01	0.1	12	8	137	1440	1	0.5	0.25	50	<0.01
FTD039	16424	267	268	HCORE	<0.01	0.1	7	3	40	692	1	0.5	0.24	50	<0.01
FTD039	16425	268	269	HCORE	<0.01	0.1	12	7	56	1100	1	0.5	0.26	100	0.01
FTD039	16427	269	269.6	HCORE	0.01	0.1	23	15	25	342	1	0.5	0.46	50	<0.01
FTD039	16428	269.6	270	HCORE	0.02	1.7	63	1360	124	1750	1	3	1.72	50	<0.01
FTD039	16429	270	271	HCORE	<0.01	0.2	33	34	33	736	1	1	0.51	50	<0.01
FTD039	16430	271	271.5	HCORE	<0.01	0.2	15	36	67	111	2	0.5	0.55	50	<0.01
FTD039	16431	271.5	272.2	HCORE	0.01	0.2	65	117	26	32	10	6	2.62	100	<0.01
FTD039	16432	272.2	273	HCORE	<0.01	0.1	13	11	9	37	1	1	0.16	50	<0.01
FTD039	16433	273	273.65	HCORE	<0.01	0.1	3	11	31	154	1	0.5	0.06	50	<0.01
FTD039	16434	273.65	274	HCORE	<0.01	0.1	18	34	38	154	2	1	0.64	50	<0.01
FTD039	16435	274	274.8	HCORE	<0.01	0.3	32	58	25	29	4	2	1.02	50	<0.01
FTD039	16436	274.8	275.5	HCORE	<0.01	0.1	7	13	6	21	1	1	0.06	50	<0.01
FTD039	16438	275.5	276	HCORE	<0.01	0.1	7	14	6	38	1	0.5	0.12	50	<0.01
FTD039	16439	276	277	HCORE	<0.01	0.1	8	13	5	35	1	0.5	0.1	50	<0.01
FTD039	16440	277	278	HCORE	<0.01	0.1	13	21	6	24	1	1	0.18	50	<0.01
FTD039	16441	278	279	HCORE	<0.01	0.2	25	34	27	38	1	1	0.56	100	<0.01
FTD039	16442	279	280	HCORE	<0.01	0.1	6	8	6	26	1	0.5	0.06	50	<0.01
FTD039	16443	280	281	HCORE	<0.01	0.2	37	128	5	21	1	1	0.26	50	<0.01
FTD039	16444	281	282	HCORE	<0.01	0.1	28	15	5	53	1	0.5	0.16	50	<0.01
FTD039	16445	282	283	HCORE	0.01	0.5	118	277	7	108	1	0.5	0.13	50	<0.01
FTD039	16446	283	284	HCORE	0.01	0.2	31	38	6	53	1	0.5	0.21	50	<0.01
FTD039	16447	284	285	HCORE	<0.01	0.1	11	5	10	93	1	0.5	0.15	50	<0.01
FTD039	16448	285	286	HCORE	<0.01	0.1	11	18	13	681	1	0.5	0.2	50	<0.01
FTD039	16449	286	287	HCORE	<0.01	0.1	17	15	7	551	1	0.5	0.14	50	<0.01
FTD039	16450	287	288	HCORE	<0.01	0.1	13	17	13	68	1	0.5	0.07	50	<0.01
FTD039	16451	288	289	HCORE	<0.01	0.1	8	11	24	51	1	0.5	0.06	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD039	16452	289	290	HCORE	<0.01	0.2	10	36	38	229	1	0.5	0.08	50	<0.01
FTD039	16453	290	291	HCORE	<0.01	0.1	19	14	7	499	2	0.5	0.15	100	<0.01
FTD039	16454	291	291.6	HCORE	<0.01	0.1	25	47	6	184	1	1	0.17	100	<0.01
FTD039	16455	291.6	292	HCORE	<0.01	0.5	47	301	55	932	1	2	0.33	50	<0.01
FTD039	16456	292	292.45	HCORE	<0.01	2	94	114	1320	2750	1	4	1.4	50	<0.01
FTD039	16458	292.45	293	HCORE	<0.01	0.2	9	16	129	154	1	1	0.04	50	<0.01
FTD039	16459	293	294	HCORE	<0.01	0.2	20	25	101	581	1	0.5	0.07	50	<0.01
FTD039	16460	294	295	HCORE	<0.01	0.1	4	35	36	143	1	0.5	0.04	50	<0.01
FTD039	16461	295	296	HCORE	<0.01	0.2	20	19	23	52	1	0.5	0.39	50	<0.01
FTD039	16462	296	297	HCORE	<0.01	0.1	4	18	9	91	1	0.5	0.11	50	<0.01
FTD039	16463	449	450	HCORE	<0.01	0.1	7	203	1	109	1	0.5	0.29	50	<0.01
FTD039	16464	450	451.2	HCORE	<0.01	0.1	3	4	5	110	1	0.5	0.18	50	<0.01
FTD039	16465	451.2	452	HCORE	<0.01	1	45	126	49	2310	14	1	0.97	100	<0.01
FTD039	16466	452	453	HCORE	<0.01	0.8	46	48	38	683	3	2	1.06	50	<0.01
FTD039	16467	453	454	HCORE	<0.01	0.7	29	67	41	2410	12	1	1.08	50	<0.01
FTD039	16468	454	455	HCORE	<0.01	0.7	24	41	29	1150	15	1	0.76	50	<0.01
FTD039	16469	455	456	HCORE	0.01	1.9	65	106	103	6470	34	4	1.99	50	<0.01
FTD039	16470	456	457	HCORE	<0.01	1.1	72	61	57	866	8	3	1.44	50	<0.01
FTD039	16471	457	458	HCORE	<0.01	1.6	75	98	130	904	17	3	1.72	50	<0.01
FTD039	16472	458	459.5	HCORE	<0.01	0.9	42	72	118	82	2	2	1.32	50	<0.01
FTD039	16473	459.5	460	HCORE	0.01	0.7	36	62	80	44	1	1	0.82	50	<0.01
FTD039	16474	460	461	HCORE	<0.01	0.7	44	38	99	55	2	1	1.52	100	<0.01
FTD039	16475	461	462	HCORE	<0.01	0.5	18	29	84	53	2	1	0.58	50	<0.01
FTD039	16476	462	462.6	HCORE	<0.01	0.5	13	18	49	64	3	1	0.47	50	<0.01
FTD039	16478	462.6	463.4	HCORE	<0.01	0.3	6	9	56	56	1	0.5	0.19	50	<0.01
FTD039	16479	463.4	464	HCORE	<0.01	0.4	17	11	21	48	5	1	0.6	50	<0.01
FTD039	16480	464	465	HCORE	<0.01	0.3	12	20	15	45	2	1	0.42	50	<0.01
FTD039	16481	465	466	HCORE	<0.01	0.1	6	11	4	46	2	0.5	0.2	50	<0.01
FTD039	16482	466	467	HCORE	<0.01	0.1	3	5	4	43	3	0.5	0.27	50	<0.01
FTD039	16483	467	468	HCORE	<0.01	0.1	3	2	4	33	2	1	0.2	100	<0.01
FTD039	16484	468	469	HCORE	<0.01	0.1	3	2	2	33	1	1	0.19	50	<0.01
FTD039	16485	469	470	HCORE	<0.01	0.1	1	1	2	31	1	0.5	0.18	50	<0.01
FTD039	16486	470	471	HCORE	<0.01	0.1	1	1	2	33	1	1	0.12	50	<0.01
FTD039	16487	471	472	HCORE	<0.01	0.1	2	2	1	37	1	0.5	0.14	50	<0.01
FTD040	16490	107	108	HCORE	<0.01	0.1	6	16	7	27	1	1	0.12	200	<0.01
FTD040	16491	108	109	HCORE	<0.01	0.1	2	6	3	10	1	0.5	0.13	100	<0.01
FTD040	16492	109	110	HCORE	<0.01	0.1	3	4	2	13	1	0.5	0.09	100	<0.01
FTD040	16493	110	111	HCORE	<0.01	0.1	5	4	2	11	1	1	0.1	100	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD040	16494	111	112	HCORE	<0.01	0.1	6	3	1	9	1	0.5	0.15	100	<0.01
FTD040	16495	112	113	HCORE	<0.01	0.1	21	7	16	18	1	1	0.34	100	<0.01
FTD040	16496	113	114	HCORE	<0.01	0.1	27	5	7	15	1	2	0.45	100	<0.01
FTD040	16497	114	114.2	HCORE	<0.01	0.1	8	4	6	22	1	1	0.2	100	<0.01
FTD040	16498	114.4	115	HCORE	<0.01	0.1	19	3	6	31	1	1	0.31	100	<0.01
FTD040	16499	115	116	HCORE	<0.01	0.1	6	7	6	27	1	1	0.18	200	0.01
FTD040	16500	116	117	HCORE	<0.01	0.1	6	5	9	61	1	1	0.08	200	<0.01
FTD040	8901	117	118	HCORE	<0.01	0.1	14	22	13	102	1	1	0.56	200	0.01
FTD040	8902	118	118.8	HCORE	<0.01	0.1	9	16	9	25	1	2	0.26	200	<0.01
FTD040	8903	118.8	120	HCORE	<0.01	0.1	14	15	6	1430	1	3	0.34	200	<0.01
FTD040	8904	120	121	HCORE	<0.01	0.1	4	6	7	30	1	4	0.15	100	<0.01
FTD040	8905	121	122	HCORE	<0.01	0.9	4	34	13	209	1	7	0.2	200	<0.01
FTD040	8906	122	123	HCORE	<0.01	0.1	4	9	6	26	2	5	0.17	200	<0.01
FTD040	8907	123	124	HCORE	<0.01	0.1	3	3	3	13	1	9	0.09	100	<0.01
FTD040	8908	124	125	HCORE	<0.01	0.1	6	6	4	10	1	9	0.14	100	<0.01
FTD040	8910	125	126	HCORE	0.01	0.1	14	44	6	17	1	11	0.9	100	<0.01
FTD040	8911	126	127	HCORE	<0.01	0.1	13	28	6	20	1	2	0.44	100	<0.01
FTD040	8912	127	128	HCORE	<0.01	0.1	16	66	8	54	1	4	0.5	100	<0.01
FTD040	8913	128	129	HCORE	0.01	0.4	24	59	126	590	2	8	0.64	200	<0.01
FTD040	8914	129	130	HCORE	<0.01	0.1	19	21	10	218	1	2	0.62	100	<0.01
FTD040	8915	130	130.3	HCORE	0.01	0.1	18	242	5	54	1	4	0.43	200	<0.01
FTD040	8916	130.3	131	HCORE	0.12	0.3	632	170	9	26	3	4	0.55	200	<0.01
FTD040	8917	131	132	HCORE	0.2	0.1	697	7	6	158	2	1	0.13	200	0.02
FTD040	8918	132	133	HCORE	0.73	0.9	1660	641	11	176	1	3	1.22	100	0.26
FTD040	8919	133	134	HCORE	0.04	0.1	494	10	5	55	1	1	0.13	200	0.01
FTD040	8920	134	135	HCORE	0.1	0.1	623	11	10	25	1	1	0.22	200	0.02
FTD040	8921	135	136	HCORE	0.5	0.4	4740	20	12	58	2	2	0.59	100	0.36
FTD040	8922	136	137	HCORE	0.44	0.3	1220	41	13	79	4	2	0.75	200	0.02
FTD040	8923	137	138	HCORE	3.09	2.3	1985	166	28	28	5	3	2.71	200	0.08
FTD040	8924	138	139	HCORE	2.33	0.6	1870	27	2	28	5	5	0.46	200	0.06
FTD040	8925	139	140	HCORE	2.5	0.4	1055	18	4	32	6	6	0.26	200	0.47
FTD040	8926	140	140.7	HCORE	0.92	0.2	661	28	18	446	3	3	0.26	200	0.15
FTD040	8927	140.7	141	HCORE	0.1	0.1	640	7	6	49	1	2	0.07	200	0.01
FTD040	8928	141	142	HCORE	0.39	0.3	1365	13	4	208	2	3	0.15	200	<0.01
FTD040	8930	142	143	HCORE	1.97	1.5	1305	57	8	209	3	2	0.7	200	<0.01
FTD040	8931	143	144	HCORE	4.09	1.5	1545	114	12	562	3	3	1.58	200	0.01
FTD040	8932	144	145	HCORE	0.28	0.3	1015	3	3	35	1	2	0.09	200	<0.01
FTD040	8933	145	146	HCORE	0.6	0.7	1525	21	4	85	2	3	0.2	200	0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD040	8934	146	147	HCORE	0.65	1.1	2080	28	9	50	2	6	0.53	100	0.01
FTD040	8935	147	148	HCORE	0.94	2	4030	24	11	60	3	4	0.46	200	0.02
FTD040	8936	148	149	HCORE	0.67	1.4	749	57	8	177	2	1	0.7	100	<0.01
FTD040	8937	149	149.25	HCORE	0.48	3.3	490	150	12	21	4	3	3.13	100	<0.01
FTD040	8938	149.25	150	HCORE	0.51	2	192	99	7	17	4	2	1.78	100	<0.01
FTD040	8939	150	151	HCORE	0.33	0.9	488	63	8	27	1	1	1.08	100	<0.01
FTD040	8940	151	152	HCORE	0.3	1.4	316	84	8	20	1	2	1.84	100	<0.01
FTD040	8941	152	152.8	HCORE	0.25	1.9	555	152	10	39	2	1	1.86	200	0.01
FTD040	8942	152.8	153	HCORE	0.04	0.1	163	25	6	41	1	0.5	0.18	100	0.01
FTD040	8943	153	154	HCORE	0.37	2.7	444	119	7	24	3	0.5	0.84	200	0.02
FTD040	8944	154	155	HCORE	0.43	1.8	1180	76	7	20	2	0.5	0.86	100	0.01
FTD040	8945	155	156	HCORE	0.08	0.2	191	37	5	25	2	0.5	0.31	100	0.01
FTD040	8946	156	156.2	HCORE	0.17	6.9	487	95	6	20	8	0.5	1.01	200	0.01
FTD040	8947	156.2	157	HCORE	0.11	0.5	254	28	2	61	1	0.5	0.3	100	<0.01
FTD040	8948	157	157.35	HCORE	0.21	0.9	129	116	4	85	1	0.5	1.22	200	<0.01
FTD040	8951	157.35	158	HCORE	0.51	2.2	455	2000	5	18	6	1	2.35	200	0.01
FTD040	8952	158	159	HCORE	0.2	1.4	331	1880	3	21	2	0.5	1.02	200	0.01
FTD040	8953	159	160	HCORE	0.52	2.8	259	4130	5	24	4	0.5	1.64	200	0.01
FTD040	8954	160	161	HCORE	0.15	5.5	327	3140	10	18	8	1	3.55	200	0.01
FTD040	8955	161	161.9	HCORE	0.09	0.4	71	258	5	25	1	1	0.87	200	0.01
FTD040	8956	161.9	162.1	HCORE	0.02	1.1	255	306	12	19	3	1	2.51	200	0.01
FTD040	8957	162.1	163.1	HCORE	0.01	0.3	88	155	4	21	1	0.5	1	200	0.01
FTD040	8958	163.1	164	HCORE	0.1	5.9	683	824	31	84	6	12	5.69	200	<0.01
FTD040	8959	164	165	HCORE	0.14	3.8	321	796	20	25	2	7	1.85	200	0.01
FTD040	8960	165	165.55	HCORE	0.11	5.8	478	459	39	36	3	3	3.3	200	<0.01
FTD040	8961	165.55	166	HCORE	0.09	7	278	332	46	24	4	2	4.18	200	<0.01
FTD040	8962	166	167	HCORE	0.23	18.6	506	455	79	36	14	7	5.79	200	<0.01
FTD040	8963	167	168	HCORE	0.04	2.3	300	186	19	18	1	1	1.73	100	0.01
FTD040	8964	168	168.85	HCORE	0.01	1.3	123	98	9	12	1	1	1.6	200	0.01
FTD040	8965	168.85	170	HCORE	0.53	15	1020	775	45	23	18	2	6.13	200	0.02
FTD040	8966	170	171	HCORE	0.05	3.2	327	682	16	21	6	3	2.31	100	<0.01
FTD040	8967	171	172	HCORE	0.03	2.4	237	249	9	34	3	2	0.97	100	<0.01
FTD040	8968	172	172.6	HCORE	0.07	6.5	211	457	30	22	9	7	1.9	200	<0.01
FTD040	8969	172.6	172.9	HCORE	0.01	0.6	90	192	7	18	2	4	1.24	100	0.01
FTD040	8971	172.9	173.7	HCORE	0.04	2.5	92	67	9	31	3	2	0.43	100	<0.01
FTD040	8972	173.7	174	HCORE	0.03	2.5	77	217	7	19	3	2	1.26	200	0.01
FTD040	8973	174	175.1	HCORE	0.03	1.8	209	296	12	14	3	3	1.28	100	0.01
FTD040	8974	175.1	176.1	HCORE	0.22	23.2	701	886	78	48	18	2	7.35	200	0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD040	8975	176.1	177	HCORE	0.1	15.4	454	912	46	35	12	7	4.44	100	0.01
FTD040	8976	177	178	HCORE	0.08	2	439	1430	11	12	2	3	1.25	100	<0.01
FTD040	8977	178	179	HCORE	0.09	2.2	223	576	7	10	2	1	0.64	200	0.01
FTD040	8978	179	180	HCORE	0.1	3.6	295	1295	10	21	2	3	1.3	100	0.01
FTD040	8979	180	181	HCORE	0.09	1.3	143	247	6	7	2	1	1.26	100	0.01
FTD040	8980	181	182	HCORE	0.01	0.1	20	35	3	7	1	0.5	0.29	100	<0.01
FTD040	8981	182	183	HCORE	0.02	0.1	52	45	4	12	1	0.5	0.38	200	0.01
FTD040	8982	183	183.6	HCORE	0.08	0.6	122	419	5	7	1	0.5	0.39	100	<0.01
FTD040	8983	183.6	184	HCORE	0.03	0.9	209	117	10	17	1	2	1.54	100	0.01
FTD040	8984	184	185	HCORE	0.08	2	145	786	16	31	2	6	2.13	100	<0.01
FTD040	8985	185	186	HCORE	0.33	1.8	111	489	11	33	1	3	1.24	100	<0.01
FTD040	8986	186	187	HCORE	0.16	1.5	194	127	10	33	1	5	1.06	100	<0.01
FTD040	8987	187	188.1	HCORE	0.05	1	212	84	12	34	1	4	1.34	200	<0.01
FTD040	8988	188.1	189	HCORE	0.07	0.4	86	92	5	28	2	5	0.08	200	0.01
FTD040	8989	189	190	HCORE	0.07	0.5	50	174	7	69	1	6	0.32	100	0.01
FTD040	8991	190	191	HCORE	0.11	0.8	38	944	7	92	1	1	0.31	100	<0.01
FTD040	8992	191	192	HCORE	0.1	1.1	232	369	13	218	1	10	1.81	200	<0.01
FTD040	8993	192	193	HCORE	0.05	1.1	109	52	22	35	2	25	2.15	200	0.01
FTD040	8994	193	193.35	HCORE	0.13	0.7	347	15	9	53	2	3	0.75	200	<0.01
FTD040	8995	193.35	194.25	HCORE	0.04	0.3	16	8	4	111	4	5	0.09	200	<0.01
FTD040	8996	194.25	195.2	HCORE	0.03	0.7	162	166	14	239	2	9	2.03	100	0.01
FTD040	8997	195.2	196	HCORE	<0.01	0.1	39	30	2	62	1	0.5	0.26	200	0.01
FTD040	8998	196	197	HCORE	0.02	0.2	129	101	6	334	1	0.5	0.52	200	0.02
FTD040	8999	197	198	HCORE	0.13	0.4	65	35	9	164	1	10	0.27	200	0.01
FTD040	9000	198	198.25	HCORE	0.34	0.4	22	29	7	96	3	16	0.18	200	<0.01
FTD040	AA0001	198.25	199	HCORE	0.45	1.2	122	264	19	341	2	11	3.28	200	<0.01
FTD040	AA0002	199	200	HCORE	0.03	1.1	406	550	21	304	1	2	3.42	200	0.01
FTD040	AA0003	200	201	HCORE	0.01	1.2	221	1055	19	257	1	5	4.4	200	0.01
FTD040	AA0004	201	202	HCORE	<0.01	0.8	81	246	17	564	1	4	2.92	100	<0.01
FTD040	AA0005	202	203	HCORE	0.02	1.5	123	942	23	77	1	2	4.08	100	0.01
FTD040	AA0006	203	204	HCORE	<0.01	0.8	79	274	15	580	1	2	2.48	100	0.01
FTD040	AA0007	204	205	HCORE	0.01	1.1	99	762	17	258	1	3	3.27	200	0.01
FTD040	AA0008	205	206	HCORE	0.01	1.3	64	402	25	170	3	1	4.99	200	<0.01
FTD040	AA0009	206	207	HCORE	0.01	0.8	52	247	15	505	3	1	2.97	100	0.01
FTD040	AA0011	207	208	HCORE	<0.01	0.2	33	44	10	104	1	0.5	1.3	100	<0.01
FTD040	AA0012	208	209	HCORE	0.02	0.1	14	141	3	69	1	0.5	0.13	200	<0.01
FTD040	AA0013	209	210	HCORE	<0.01	0.1	37	97	4	215	1	0.5	0.09	200	0.01
FTD040	AA0014	210	211	HCORE	<0.01	0.1	27	40	25	369	1	0.5	0.12	100	0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD040	AA0015	211	212	HCORE	0.06	0.6	82	327	28	1045	1	0.5	0.26	200	<0.01
FTD040	AA0016	212	213	HCORE	<0.01	0.8	66	38	11	173	1	0.5	0.03	50	<0.01
FTD040	AA0017	213	214	HCORE	0.25	1	472	818	15	65	1	4	1.64	100	<0.01
FTD040	AA0018	214	215	HCORE	0.14	1.6	632	2630	19	41	1	6	1.34	200	0.01
FTD040	AA0019	215	216	HCORE	0.03	0.5	281	241	19	95	1	5	1.52	100	<0.01
FTD040	AA0020	216	217	HCORE	0.07	0.6	137	587	11	145	1	2	1.14	200	<0.01
FTD040	AA0022	217	218	HCORE	0.02	0.8	66	197	17	38	1	4	1.7	100	<0.01
FTD040	AA0023	218	219	HCORE	0.01	0.2	18	80	7	13	1	1	1	100	<0.01
FTD040	AA0024	219	220	HCORE	0.01	1.1	51	100	19	122	9	3	1.52	100	<0.01
FTD040	AA0025	220	221	HCORE	<0.01	0.7	90	137	16	255	6	2	1.5	100	0.01
FTD040	AA0026	221	222.1	HCORE	0.01	0.8	99	179	12	860	1	2	1.68	100	<0.01
FTD040	AA0027	222.1	223	HCORE	0.01	0.2	24	57	4	11	1	1	0.33	100	<0.01
FTD040	AA0028	223	224	HCORE	<0.01	0.1	2	27	2	12	1	0.5	0.07	50	<0.01
FTD040	AA0029	224	225	HCORE	<0.01	0.1	2	15	4	9	1	0.5	0.06	50	<0.01
FTD040	AA0030	225	226	HCORE	<0.01	0.1	3	12	2	9	1	1	0.06	100	<0.01
FTD040	AA0031	226	227	HCORE	<0.01	0.1	2	21	1	12	1	0.5	0.14	50	<0.01
FTD040	AA0032	227	228	HCORE	0.01	0.1	3	29	2	7	1	1	0.16	100	<0.01
FTD040	AA0033	228	229	HCORE	0.04	0.1	8	19	4	11	1	1	0.43	100	<0.01
FTD040	AA0034	229	230	HCORE	0.01	0.2	8	92	4	9	1	1	0.48	50	<0.01
FTD040	AA0035	230	231	HCORE	<0.01	0.1	3	11	1	15	1	0.5	0.18	100	<0.01
FTD040	AA0036	231	232	HCORE	<0.01	0.1	2	7	2	13	1	1	0.2	50	<0.01
FTD040	AA0037	232	233	HCORE	0.02	0.1	2	4	3	12	1	0.5	0.2	100	<0.01
FTD040	AA0038	233	234	HCORE	<0.01	0.2	43	7	5	9	1	1	0.66	100	0.01
FTD040	AA0039	234	235	HCORE	<0.01	0.1	6	22	4	7	1	1	0.24	50	<0.01
FTD040	AA0040	235	236	HCORE	<0.01	0.1	12	58	3	6	1	1	0.38	50	<0.01
FTD040	AA0042	236	237	HCORE	0.02	0.1	4	258	2	7	1	0.5	0.29	100	<0.01
FTD040	AA0043	237	238	HCORE	0.01	0.1	3	13	3	18	1	1	0.12	50	<0.01
FTD040	AA0044	238	239	HCORE	<0.01	0.1	1	5	2	10	1	0.5	0.14	100	<0.01
FTD040	AA0045	239	240	HCORE	<0.01	0.1	1	5	2	8	1	0.5	0.08	50	<0.01
FTD040	AA0046	240	241	HCORE	0.01	0.1	3	6	3	7	1	0.5	0.18	50	<0.01
FTD040	AA0047	241	242	HCORE	<0.01	0.1	1	7	1	12	1	0.5	0.12	100	0.01
FTD040	AA0048	242	243	HCORE	<0.01	0.1	2	9	2	5	1	0.5	0.11	100	<0.01
FTD040	AA0049	243	244	HCORE	0.01	0.1	1	5	1	4	1	0.5	0.21	100	<0.01
FTD040	AA0051	244	245	HCORE	<0.01	0.1	1	4	1	5	1	0.5	0.27	100	0.01
FTD040	AA0052	245	246	HCORE	<0.01	0.1	1	3	1	4	1	0.5	0.3	100	0.01
FTD040	AA0053	246	247	HCORE	<0.01	0.1	9	4	2	4	2	0.5	0.59	100	<0.01
FTD040	AA0054	247	248	HCORE	<0.01	0.1	1	6	1	5	1	0.5	0.58	50	<0.01
FTD040	AA0055	248	249	HCORE	<0.01	0.1	1	1	1	5	1	0.5	0.39	100	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD040	AA0056	249	250	HCORE	0.01	0.1	1	9	1	3	1	0.5	0.41	100	<0.01
FTD040	AA0057	250	251	HCORE	<0.01	0.1	1	3	1	5	1	0.5	0.45	50	<0.01
FTD040	AA0058	251	251.75	HCORE	0.01	0.1	2	5	2	5	1	0.5	0.41	100	<0.01
FTD040	AA0059	251.75	252.9	HCORE	0.01	0.1	30	33	8	126	2	1	0.58	50	<0.01
FTD040	AA0060	252.9	254	HCORE	<0.01	0.2	17	46	14	58	1	2	0.69	100	<0.01
FTD040	AA0061	254	255	HCORE	<0.01	0.1	6	12	10	219	2	1	0.32	100	<0.01
FTD040	AA0062	255	256	HCORE	<0.01	0.1	12	13	14	845	1	1	0.29	100	0.01
FTD040	AA0064	303.4	304	HCORE	0.01	0.1	52	5	8	149	1	0.5	0.12	100	<0.01
FTD040	AA0065	304	305	HCORE	0.01	0.1	4	15	4	27	1	0.5	0.34	50	<0.01
FTD040	AA0066	305	305.3	HCORE	<0.01	0.2	35	45	8	32	7	1	0.73	100	<0.01
FTD040	AA0067	305.3	306	HCORE	<0.01	0.9	83	148	26	35	26	6	2.39	100	<0.01
FTD040	AA0068	306	307	HCORE	<0.01	2	103	198	58	34	42	6	2.24	100	<0.01
FTD040	AA0069	307	307.3	HCORE	<0.01	0.1	38	24	10	82	4	1	0.31	100	<0.01
FTD040	AA0070	307.3	308	HCORE	<0.01	0.1	7	17	4	69	1	1	0.2	200	<0.01
FTD040	AA0071	308	309	HCORE	<0.01	0.1	11	26	6	80	1	4	0.14	100	<0.01
FTD041	AA0075	12	13	HCORE	<0.01	0.1	2	9	7	269	1	0.5	<0.01	100	<0.01
FTD041	AA0076	13	14	HCORE	<0.01	0.1	2	6	8	212	2	0.5	<0.01	100	<0.01
FTD041	AA0077	14	15	HCORE	<0.01	0.1	1	9	8	199	1	1	0.01	50	<0.01
FTD041	AA0078	15	16	HCORE	<0.01	0.1	3	13	9	199	1	0.5	<0.01	50	<0.01
FTD041	AA0079	16	17	HCORE	<0.01	0.1	1	11	12	231	1	0.5	0.02	100	<0.01
FTD041	AA0080	17	17.7	HCORE	<0.01	0.1	1	9	24	252	1	0.5	0.02	200	<0.01
FTD041	AA0081	17.7	18.2	HCORE	<0.01	0.1	1	15	5	204	1	0.5	0.05	50	<0.01
FTD041	AA0082	18.2	18.7	HCORE	<0.01	0.1	1	5	7	143	1	0.5	0.05	200	<0.01
FTD041	AA0083	19.9	20.5	HCORE	<0.01	0.1	2	3	6	145	1	0.5	0.11	200	<0.01
FTD041	AA0084	20.5	21	HCORE	<0.01	0.1	2	3	1	137	1	0.5	0.09	50	<0.01
FTD041	AA0085	21	22	HCORE	<0.01	0.1	1	2	3	136	1	0.5	0.1	50	<0.01
FTD041	AA0086	49	49.9	HCORE	<0.01	0.1	1	27	3	75	1	1	0.18	50	<0.01
FTD041	AA0087	49.9	51	HCORE	<0.01	0.1	5	8	7	34	1	0.5	0.31	100	<0.01
FTD041	AA0088	51	51.7	HCORE	<0.01	0.1	3	9	1	65	1	0.5	0.16	100	<0.01
FTD041	AA0089	51.7	52	HCORE	0.01	0.1	2	17	1	79	1	0.5	0.05	50	<0.01
FTD041	AA0090	52	53	HCORE	<0.01	0.1	1	18	1	90	1	0.5	0.05	50	<0.01
FTD041	AA0091	53	54.1	HCORE	<0.01	0.1	2	2	1	57	1	0.5	0.06	100	<0.01
FTD041	AA0092	54.1	54.5	HCORE	<0.01	0.1	1	8	1	44	1	0.5	0.14	100	<0.01
FTD041	AA0093	54.5	55	HCORE	<0.01	0.1	1	1	1	39	1	0.5	0.06	100	<0.01
FTD041	AA0095	55	56	HCORE	0.01	0.1	2	1	2	48	1	0.5	0.11	100	<0.01
FTD041	AA0096	167	168	HCORE	<0.01	0.1	10	27	31	118	1	1	0.16	100	<0.01
FTD041	AA0097	168	169	HCORE	<0.01	0.1	10	40	52	720	1	1	0.17	100	<0.01
FTD041	AA0098	169	170	HCORE	<0.01	0.2	12	81	48	190	1	1	0.7	100	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD041	AA0099	170	171	HCORE	0.01	0.6	25	616	107	192	1	1	0.46	100	0.01
FTD041	AA0100	171	172	HCORE	0.28	2.7	132	3450	266	659	1	1	0.69	100	0.17
FTD041	AA0101	172	172.3	HCORE	0.06	5.8	1450	782	4080	17000	9	14	5.03	100	<0.01
FTD041	AA0102	172.3	172.95	HCORE	0.39	1.9	606	1560	283	2120	1	1	0.84	100	0.03
FTD041	AA0103	172.95	174	HCORE	0.04	1.6	415	407	126	751	3	9	4.4	100	<0.01
FTD041	AA0104	174	174.5	HCORE	0.01	2	224	339	116	168	3	15	4.59	100	<0.01
FTD041	AA0105	174.5	175	HCORE	0.02	0.2	71	138	29	95	1	2	0.53	100	<0.01
FTD041	AA0106	175	176	HCORE	0.12	0.2	312	38	29	134	1	1	0.45	200	0.01
FTD041	AA0107	176	177	HCORE	0.02	0.3	316	59	31	1215	1	1	0.2	100	<0.01
FTD041	AA0108	177	178	HCORE	0.33	2	794	968	43	268	1	1	1.98	100	0.01
FTD041	AA0109	178	179	HCORE	0.13	0.6	608	311	21	97	1	1	0.42	200	0.01
FTD041	AA0110	179	180	HCORE	0.03	0.2	342	149	15	79	1	1	0.18	100	<0.01
FTD041	AA0111	180	181	HCORE	1	1.3	330	1380	8	310	1	0.5	0.87	200	0.03
FTD041	AA0112	181	182	HCORE	0.98	1.2	606	1065	11	311	1	1	0.76	100	0.1
FTD041	AA0113	182	183	HCORE	0.03	0.1	398	63	10	41	1	1	0.54	100	<0.01
FTD041	AA0115	183	184	HCORE	0.04	0.1	731	66	8	59	1	0.5	0.3	100	<0.01
FTD041	AA0116	184	185	HCORE	0.01	0.1	149	29	15	72	1	1	0.08	100	<0.01
FTD041	AA0117	185	186	HCORE	0.01	0.1	9	194	5	24	1	0.5	0.32	100	0.01
FTD041	AA0118	186	186.55	HCORE	0.01	0.2	17	177	17	123	1	0.5	0.25	100	<0.01
FTD041	AA0119	186.55	187	HCORE	0.02	1.9	190	2620	17	152	3	4	2.33	50	<0.01
FTD041	AA0120	187	188	HCORE	<0.01	0.2	74	299	9	46	2	1	1.24	50	<0.01
FTD041	AA0121	188	189	HCORE	<0.01	0.4	82	130	23	17	4	7	3.43	100	<0.01
FTD041	AA0122	189	190	HCORE	<0.01	0.6	102	174	32	21	7	9	3.95	200	0.01
FTD041	AA0123	190	191	HCORE	<0.01	0.5	75	252	28	31	4	9	3.95	100	<0.01
FTD041	AA0124	191	192.1	HCORE	0.01	0.4	84	259	17	16	1	3	2.33	100	<0.01
FTD041	AA0125	192.1	192.5	HCORE	0.02	1.2	145	1880	15	198	1	3	1.24	100	<0.01
FTD041	AA0126	192.5	192.9	HCORE	0.01	0.1	159	413	9	106	1	0.5	0.07	50	0.01
FTD041	AA0127	192.9	193.7	HCORE	0.19	0.4	192	902	9	87	1	0.5	0.24	100	<0.01
FTD041	AA0128	193.7	194	HCORE	0.02	0.1	118	58	9	88	1	0.5	0.27	200	0.01
FTD041	AA0129	194	195	HCORE	0.05	0.1	330	39	19	62	1	0.5	0.11	200	<0.01
FTD041	AA0130	195	196	HCORE	0.02	0.1	518	75	39	63	1	0.5	0.1	100	<0.01
FTD041	AA0131	196	197	HCORE	0.23	1.6	3150	908	73	109	1	1	3.12	100	0.01
FTD041	AA0132	197	197.9	HCORE	0.25	0.5	448	461	198	1140	1	0.5	0.22	200	0.01
FTD041	AA0133	197.9	198.4	HCORE	0.03	1.2	384	518	58	111	1	2	2.15	100	<0.01
FTD041	AA0135	198.4	199.2	HCORE	0.02	0.2	30	51	49	38	1	0.5	0.4	200	<0.01
FTD041	AA0136	199.2	200	HCORE	<0.01	0.4	41	87	92	224	1	2	0.61	50	<0.01
FTD041	AA0137	200	201	HCORE	<0.01	0.6	38	44	169	238	1	0.5	0.53	50	<0.01
FTD041	AA0138	201	202.1	HCORE	<0.01	0.8	84	83	160	132	1	3	2.86	100	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD041	AA0139	202.1	203.3	HCORE	0.02	2.1	384	593	1160	2660	1	4	1.3	100	<0.01
FTD041	AA0140	203.3	204	HCORE	0.08	0.9	440	525	748	1520	1	0.5	0.26	100	<0.01
FTD041	AA0141	204	205	HCORE	0.05	0.3	1175	126	430	466	1	0.5	0.18	100	<0.01
FTD041	AA0142	205	206	HCORE	0.08	0.5	987	230	646	643	1	0.5	0.22	100	<0.01
FTD041	AA0143	206	207	HCORE	0.02	0.1	424	79	214	987	1	0.5	0.14	100	<0.01
FTD041	AA0145	207	208	HCORE	0.03	0.1	565	39	41	50	1	0.5	0.08	50	<0.01
FTD041	AA0146	208	209	HCORE	0.32	1.1	567	697	31	288	1	0.5	0.18	100	0.03
FTD041	AA0147	209	210	HCORE	0.02	0.2	109	117	25	52	1	0.5	0.11	100	<0.01
FTD041	AA0148	210	211	HCORE	0.01	0.1	110	276	10	29	1	0.5	0.26	100	<0.01
FTD041	AA0149	211	212	HCORE	0.03	0.1	119	376	6	34	1	0.5	0.45	100	<0.01
FTD041	AA0150	212	213	HCORE	0.04	0.1	582	99	13	161	1	0.5	0.15	100	<0.01
FTD041	AA0151	213	214	HCORE	0.01	0.1	150	81	4	56	1	0.5	0.14	100	<0.01
FTD041	AA0152	214	215	HCORE	0.1	0.8	835	896	12	94	1	0.5	0.38	100	<0.01
FTD041	AA0153	215	216	HCORE	0.02	0.1	528	85	6	45	1	0.5	0.1	200	0.01
FTD041	AA0154	216	217	HCORE	0.12	0.3	1900	208	10	44	1	0.5	0.22	100	0.01
FTD041	AA0156	217	218	HCORE	0.22	0.4	4120	117	10	50	1	1	0.42	200	0.02
FTD041	AA0157	218	219	HCORE	0.31	0.8	1140	706	19	74	1	1	0.4	100	0.08
FTD041	AA0158	219	220	HCORE	0.24	0.8	1420	281	31	298	1	1	0.41	100	0.03
FTD041	AA0159	220	221	HCORE	0.2	0.4	2360	81	32	108	1	1	0.15	1700	0.04
FTD041	AA0160	221	222	HCORE	1.06	2.1	8100	394	131	792	1	1	1.14	600	0.57
FTD041	AA0161	222	223	HCORE	0.14	11.4	1165	319	29	142	1	24	0.31	1100	0.07
FTD041	AA0162	223	224	HCORE	0.18	2	2480	1465	8	36	1	0.5	0.44	600	0.01
FTD041	AA0163	224	225	HCORE	0.9	4.2	4960	2970	24	103	1	1	1.32	100	0.44
FTD041	AA0164	225	226	HCORE	0.3	1.3	1630	1005	19	214	1	0.5	0.33	200	0.07
FTD041	AA0165	226	227	HCORE	0.13	1	614	843	11	52	1	1	0.51	100	0.05
FTD041	AA0166	227	228	HCORE	0.02	0.4	199	227	9	30	1	0.5	0.29	100	<0.01
FTD041	AA0167	228	229	HCORE	0.11	0.8	867	551	9	40	1	0.5	0.39	100	0.01
FTD041	AA0168	229	230	HCORE	0.18	2.3	55	1905	5	44	1	1	1.12	100	0.01
FTD041	AA0169	230	231	HCORE	0.06	1.9	32	2510	7	46	1	0.5	0.46	300	<0.01
FTD041	AA0170	231	232	HCORE	0.08	0.8	996	370	10	66	1	0.5	0.66	200	0.01
FTD041	AA0171	232	233	HCORE	0.01	0.1	228	192	4	38	1	0.5	0.18	200	<0.01
FTD041	AA0172	233	234	HCORE	0.01	0.1	98	37	4	67	1	0.5	0.19	200	<0.01
FTD041	AA0173	234	235	HCORE	0.06	0.1	172	12	6	47	1	0.5	0.18	100	<0.01
FTD041	AA0174	235	236	HCORE	0.02	0.1	309	34	4	55	1	1	0.1	100	0.01
FTD041	AA0176	236	237	HCORE	0.03	0.8	103	337	33	37	1	0.5	0.59	100	0.01
FTD041	AA0177	237	238	HCORE	0.03	1.7	21	781	461	1255	1	1	0.39	100	0.01
FTD041	AA0178	238	239	HCORE	0.06	2.4	71	873	1040	3810	1	1	0.45	100	<0.01
FTD041	AA0179	239	240	HCORE	0.04	5.3	147	1845	1750	8000	1	0.5	2.25	100	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD041	AA0180	240	241	HCORE	0.04	5.9	167	831	4390	14350	3	1	1.94	200	<0.01
FTD041	AA0181	241	242	HCORE	0.02	3.1	62	1605	649	918	1	4	1.04	200	<0.01
FTD041	AA0182	242	243.1	HCORE	0.02	3.8	51	605	2820	8390	1	1	0.78	200	0.01
FTD041	AA0183	243.1	243.65	HCORE	0.02	6.2	125	371	3300	21400	3	2	2.18	200	0.01
FTD041	AA0184	243.65	244	HCORE	0.01	3.7	95	378	810	2200	4	3	1.89	200	<0.01
FTD041	AA0185	244	245	HCORE	<0.01	3.7	146	286	1630	7640	3	0.5	1.07	100	0.01
FTD041	AA0186	245	246	HCORE	0.01	4.2	89	239	1580	10800	2	4	1.22	100	<0.01
FTD041	AA0187	246	247	HCORE	<0.01	5.9	147	366	5000	9360	2	2	1.02	200	<0.01
FTD041	AA0188	247	247.8	HCORE	0.01	6.5	211	142	5920	9380	2	1	0.82	200	0.01
FTD041	AA0189	247.8	249	HCORE	0.01	2.3	26	114	1970	9160	1	0.5	0.86	100	<0.01
FTD041	AA0190	249	250	HCORE	<0.01	1.4	26	132	685	2230	2	1	0.67	100	<0.01
FTD041	AA0191	250	251	HCORE	<0.01	2.1	34	148	1200	6210	2	0.5	0.64	200	<0.01
FTD041	AA0192	251	252	HCORE	<0.01	1.9	20	92	1405	6390	1	0.5	0.64	200	<0.01
FTD041	AA0193	252	252.7	HCORE	<0.01	3.4	46	150	2220	8000	1	0.5	0.73	200	0.01
FTD041	AA0194	252.7	253	HCORE	<0.01	6.6	207	235	2040	5820	4	2	2.82	200	0.01
FTD041	AA0196	253	254	HCORE	0.01	2.9	79	112	852	3090	2	1	0.89	200	0.01
FTD041	AA0197	254	254.7	HCORE	<0.01	1.1	66	185	550	1585	1	0.5	0.24	200	0.01
FTD041	AA0198	254.7	255	HCORE	0.01	1.8	61	173	317	944	2	1	1.48	100	0.01
FTD041	AA0199	255	255.45	HCORE	0.02	6.8	91	1530	2630	8900	2	2	2.14	200	0.01
FTD041	AA0200	255.45	256	HCORE	0.02	4.8	95	827	1965	9120	3	1	1.63	200	<0.01
FTD041	AA0201	256	257	HCORE	0.05	7.6	117	4040	321	690	4	1	5.41	200	0.01
FTD041	AA0202	257	257.55	HCORE	0.12	15.8	181	7710	113	39	1	0.5	11.95	200	0.01
FTD041	AA0203	257.55	258	HCORE	0.06	10.8	290	5060	84	264	3	1	5.47	200	0.01
FTD041	AA0204	258	258.6	HCORE	0.01	2.3	26	658	90	55	1	1	1.38	100	0.01
FTD041	AA0205	258.6	259.1	HCORE	0.01	1	22	563	33	45	1	2	0.23	200	<0.01
FTD041	AA0206	259.1	260	HCORE	0.01	3.6	152	471	552	1400	1	15	1.94	200	0.01
FTD041	AA0207	260	260.4	HCORE	0.03	3.6	115	1110	747	2770	2	4	0.69	200	0.01
FTD041	AA0208	260.4	260.9	HCORE	0.01	2.2	105	389	363	1890	3	3	3.88	200	0.01
FTD041	AA0209	260.9	262	HCORE	0.01	1.4	95	356	85	32	2	5	1.5	200	<0.01
FTD041	AA0210	262	263	HCORE	0.01	1.3	86	154	197	475	4	1	1.94	200	0.01
FTD041	AA0211	263	264	HCORE	0.01	1.4	110	111	809	2400	1	1	1.02	200	<0.01
FTD041	AA0212	264	265	HCORE	0.01	3.3	84	77	275	363	9	4	0.91	100	<0.01
FTD041	AA0213	265	266	HCORE	<0.01	3.8	86	92	236	239	24	7	1.88	200	<0.01
FTD041	AA0214	266	267	HCORE	<0.01	1.1	66	68	111	483	18	7	1.16	200	<0.01
FTD041	AA0216	267	268	HCORE	0.02	5	76	132	411	999	19	3	0.83	100	<0.01
FTD041	AA0217	268	268.5	HCORE	0.05	0.8	95	99	431	2480	1	2	0.4	100	0.01
FTD041	AA0218	268.5	268.9	HCORE	0.02	0.5	106	42	518	1230	2	0.5	0.13	200	<0.01
FTD041	AA0219	268.9	270	HCORE	0.01	1.5	127	55	835	2400	1	3	0.54	100	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD041	AA0220	270	271	HCORE	<0.01	1.2	53	58	569	471	1	1	0.6	200	<0.01
FTD041	AA0221	271	272	HCORE	0.01	2.2	63	68	2150	1355	1	2	0.48	100	0.01
FTD041	AA0222	272	273	HCORE	<0.01	0.4	39	69	57	15	1	3	1.31	100	<0.01
FTD041	AA0223	273	274	HCORE	<0.01	0.5	46	50	71	40	6	3	2.04	200	<0.01
FTD041	AA0224	274	275	HCORE	<0.01	0.3	52	44	49	26	10	7	0.87	200	<0.01
FTD041	AA0225	275	276	HCORE	<0.01	0.2	60	75	47	18	9	8	1.5	200	<0.01
FTD041	AA0226	276	277	HCORE	<0.01	0.3	50	68	54	13	11	4	1.26	200	0.01
FTD041	AA0227	277	277.3	HCORE	<0.01	0.2	153	51	53	38	7	2	0.67	100	<0.01
FTD041	AA0228	277.3	277.9	HCORE	<0.01	0.1	105	38	43	2400	3	1	0.48	100	<0.01
FTD041	AA0229	277.9	279	HCORE	<0.01	0.4	40	79	72	23	23	2	1.78	100	<0.01
FTD041	AA0231	279	279.8	HCORE	<0.01	0.6	47	74	66	23	22	2	1.38	200	<0.01
FTD041	AA0232	279.8	280.1	HCORE	<0.01	0.3	30	63	45	78	20	2	0.61	200	<0.01
FTD041	AA0233	280.1	281	HCORE	<0.01	0.5	80	54	76	47	18	4	0.53	200	<0.01
FTD041	AA0234	281	282	HCORE	<0.01	1.3	194	90	114	87	33	5	0.84	200	<0.01
FTD041	AA0235	282	283	HCORE	<0.01	1.1	68	98	110	18	35	9	1.46	200	<0.01
FTD041	AA0236	283	284	HCORE	0.01	0.8	66	91	108	15	31	7	1.74	100	<0.01
FTD041	AA0237	284	284.8	HCORE	0.01	1.2	98	84	115	19	24	8	2.19	200	0.01
FTD041	AA0238	284.8	285.3	HCORE	<0.01	0.1	128	49	53	46	2	2	1.1	200	<0.01
FTD041	AA0239	285.3	286	HCORE	0.01	0.1	77	47	69	17	1	3	2.51	200	0.01
FTD041	AA0240	286	286.9	HCORE	0.01	1.6	77	90	134	614	30	8	1.32	200	<0.01
FTD041	AA0241	286.9	287.75	HCORE	<0.01	0.2	85	48	52	2010	1	4	1.02	200	<0.01
FTD041	AA0242	287.75	289	HCORE	0.01	0.2	48	57	45	25	4	2	1.21	100	<0.01
FTD041	AA0243	289	290	HCORE	<0.01	0.2	61	84	34	26	4	6	1.91	100	<0.01
FTD041	AA0244	290	291	HCORE	<0.01	0.3	82	67	56	25	11	7	1.93	200	<0.01
FTD041	AA0245	291	292	HCORE	<0.01	1.5	101	59	55	26	1	5	2.27	200	<0.01
FTD041	AA0246	292	293	HCORE	<0.01	0.6	53	49	19	11	1	6	1.5	100	<0.01
FTD041	AA0247	293	293.7	HCORE	<0.01	0.5	58	49	19	9	4	6	1.26	100	<0.01
FTD041	AA0248	293.7	294.4	HCORE	<0.01	1.3	80	62	56	41	5	4	1.6	100	<0.01
FTD041	AA0249	294.4	295	HCORE	<0.01	1.6	114	142	150	1350	1	4	1.09	100	<0.01
FTD041	AA0251	295	296	HCORE	0.01	2	126	141	142	899	1	5	1.46	50	<0.01
FTD041	AA0252	296	297.4	HCORE	<0.01	14.8	178	191	149	2110	1	7	1.29	100	0.01
FTD041	AA0253	297.4	298.3	HCORE	<0.01	1.3	103	74	126	3170	1	4	0.5	100	<0.01
FTD041	AA0254	298.3	299	HCORE	<0.01	1.3	150	136	169	2230	1	3	1.04	100	<0.01
FTD041	AA0255	299	300	HCORE	<0.01	1.3	187	156	103	2950	4	5	1.34	100	<0.01
FTD041	AA0256	300	301	HCORE	<0.01	1.2	125	356	41	967	2	4	1.12	200	<0.01
FTD041	AA0257	301	302	HCORE	<0.01	0.8	143	108	64	6420	2	4	1.28	200	<0.01
FTD041	AA0258	302	303	HCORE	<0.01	0.9	177	108	89	6610	1	4	1.38	200	<0.01
FTD041	AA0259	303	304	HCORE	<0.01	0.4	108	59	19	822	1	1	0.59	200	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD041	AA0260	304	305	HCORE	<0.01	0.2	131	48	27	1160	1	0.5	0.15	200	<0.01
FTD041	AA0261	305	306	HCORE	<0.01	0.1	70	53	14	72	1	1	0.14	200	0.01
FTD041	AA0262	306	307	HCORE	<0.01	0.2	89	27	12	43	1	0.5	0.36	200	<0.01
FTD041	AA0263	307	308	HCORE	0.02	0.1	77	43	6	26	1	0.5	0.52	200	<0.01
FTD041	AA0264	308	309	HCORE	0.02	0.2	99	76	11	39	1	0.5	0.54	200	0.01
FTD041	AA0265	309	310	HCORE	0.01	0.3	255	33	12	72	1	1	1.1	200	0.01
FTD041	AA0266	310	311	HCORE	0.01	0.1	144	40	9	33	1	2	0.89	200	<0.01
FTD041	AA0267	311	312	HCORE	0.01	0.1	140	40	8	32	1	1	0.65	200	<0.01
FTD041	AA0268	312	313	HCORE	0.01	0.1	221	30	5	53	2	1	0.28	200	<0.01
FTD041	AA0269	313	314	HCORE	0.01	0.2	207	50	10	48	2	1	0.9	100	<0.01
FTD041	AA0271	314	315	HCORE	0.01	0.1	116	37	5	41	1	1	0.85	200	<0.01
FTD041	AA0272	315	316	HCORE	0.01	0.2	39	99	16	22	2	1	1.9	200	<0.01
FTD041	AA0273	316	317	HCORE	0.01	0.2	48	86	9	28	1	2	1	100	<0.01
FTD041	AA0274	317	318	HCORE	<0.01	0.3	57	110	13	20	1	2	2.05	200	<0.01
FTD041	AA0275	318	319	HCORE	<0.01	0.2	78	93	25	411	1	1	0.44	200	<0.01
FTD041	AA0276	319	320	HCORE	<0.01	0.1	81	63	10	25	2	1	0.1	200	<0.01
FTD041	AA0277	320	321	HCORE	<0.01	0.1	73	54	7	22	1	0.5	0.36	200	<0.01
FTD041	AA0278	321	322	HCORE	<0.01	0.1	114	61	11	26	1	0.5	0.71	100	<0.01
FTD041	AA0279	322	323	HCORE	<0.01	0.1	52	45	5	30	1	0.5	0.38	200	<0.01
FTD041	AA0280	323	323.95	HCORE	<0.01	0.1	20	26	6	18	1	1	0.33	200	<0.01
FTD041	AA0281	323.95	325	HCORE	<0.01	0.1	51	41	8	19	1	1	0.82	200	<0.01
FTD041	AA0282	325	326	HCORE	<0.01	0.2	45	82	9	16	1	5	1.82	200	<0.01
FTD041	AA0283	326	327	HCORE	<0.01	0.3	29	59	8	10	1	4	1.8	200	<0.01
FTD041	AA0284	327	328	HCORE	<0.01	0.3	43	50	9	11	1	2	1.02	200	<0.01
FTD041	AA0285	328	329	HCORE	<0.01	0.3	55	51	10	13	1	1	1.04	100	<0.01
FTD041	AA0286	329	330	HCORE	<0.01	0.4	48	79	12	15	1	2	1.36	100	<0.01
FTD041	AA0287	330	331	HCORE	<0.01	0.1	37	64	9	18	1	2	1.08	200	<0.01
FTD041	AA0288	331	332.7	HCORE	<0.01	0.2	30	46	5	12	1	1	1	100	<0.01
FTD041	AA0289	332.7	334.6	HCORE	<0.01	0.3	41	63	9	16	1	3	5.37	200	0.01
FTD041	AA0291	334.6	335.2	HCORE	<0.01	0.2	32	47	5	14	1	4	1.24	100	<0.01
FTD041	AA0292	335.2	335.8	HCORE	<0.01	2	44	69	12	41	1	2	1.5	200	<0.01
FTD041	AA0293	335.8	336.4	HCORE	<0.01	0.3	36	54	8	15	1	0.5	1.2	200	<0.01
FTD041	AA0294	336.4	337.4	HCORE	<0.01	0.1	45	88	9	18	1	1	0.92	100	<0.01
FTD041	AA0295	337.4	338	HCORE	0.01	0.4	62	69	31	124	1	1	0.73	200	<0.01
FTD041	AA0296	338	339.1	HCORE	<0.01	0.5	92	79	16	20	1	3	2.25	100	<0.01
FTD041	AA0297	339.1	340	HCORE	0.06	0.1	109	17	7	21	1	0.5	0.42	200	<0.01
FTD041	AA0298	340	341	HCORE	0.27	0.6	344	9	17	16	3	0.5	0.35	200	<0.01
FTD041	AA0299	341	342	HCORE	0.09	0.2	455	7	12	15	1	1	0.3	200	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD041	AA0300	342	343	HCORE	0.03	0.1	452	5	6	18	1	0.5	0.26	200	0.01
FTD041	AA0301	343	344	HCORE	0.06	0.1	853	3	3	21	2	1	0.2	100	0.01
FTD041	AA0302	344	345	HCORE	0.02	0.1	438	21	10	41	1	0.5	0.13	200	0.01
FTD041	AA0303	345	346	HCORE	0.04	0.2	941	9	10	47	1	1	0.35	200	0.01
FTD041	AA0304	346	347	HCORE	0.02	0.1	377	11	10	53	3	1	0.33	200	<0.01
FTD041	AA0305	347	348	HCORE	<0.01	0.1	91	9	18	51	1	0.5	0.37	200	<0.01
FTD041	AA0306	348	349	HCORE	<0.01	0.1	55	4	6	29	2	2	0.26	200	<0.01
FTD041	AA0307	349	350	HCORE	<0.01	0.8	52	54	11	40	1	9	0.79	200	0.01
FTD041	AA0308	350	351	HCORE	0.01	1.4	41	389	23	210	1	4	1.56	200	0.01
FTD041	AA0309	351	351.8	HCORE	0.08	13.1	59	9150	37	358	1	9	2.8	200	0.01
FTD041	AA0312	351.8	353	HCORE	<0.01	1.6	19	902	12	109	1	2	0.61	200	<0.01
FTD041	AA0313	353	354	HCORE	0.02	2.1	20	1265	20	132	1	6	0.8	200	<0.01
FTD041	AA0314	354	354.5	HCORE	<0.01	0.5	5	110	18	285	1	6	0.16	200	<0.01
FTD041	AA0315	354.5	355	HCORE	<0.01	1.3	43	283	29	606	2	5	1.07	200	<0.01
FTD041	AA0316	355	355.5	HCORE	0.02	11	31	964	15	149	1	8	0.89	200	<0.01
FTD041	AA0317	355.5	356	HCORE	0.02	2.2	19	911	11	113	1	13	0.89	100	<0.01
FTD041	AA0318	356	357	HCORE	0.1	11.9	32	6890	29	1630	1	13	1.64	200	<0.01
FTD041	AA0319	357	358	HCORE	0.12	11.6	36	6880	43	845	1	13	1.78	200	<0.01
FTD041	AA0320	358	359	HCORE	0.09	8.8	37	4890	42	5530	3	7	2.69	100	<0.01
FTD041	AA0321	359	360	HCORE	0.05	4.8	66	1330	31	46	1	18	1.28	100	<0.01
FTD041	AA0322	360	361	HCORE	0.03	4.1	29	1130	33	202	1	12	2.11	100	<0.01
FTD041	AA0323	361	362	HCORE	0.02	2.4	19	815	23	1160	1	20	0.68	100	<0.01
FTD041	AA0324	362	362.9	HCORE	0.04	1.9	42	292	15	152	1	27	1.04	100	<0.01
FTD041	AA0325	362.9	363.5	HCORE	0.02	2.1	100	123	24	34	1	15	2.38	100	<0.01
FTD041	AA0326	363.5	364	HCORE	0.01	0.9	32	69	14	16	3	25	1.5	100	<0.01
FTD041	AA0327	364	365	HCORE	0.01	1	17	268	10	121	1	38	1.04	100	<0.01
FTD041	AA0328	365	366	HCORE	0.02	2.6	23	743	24	388	1	24	0.96	100	<0.01
FTD041	AA0329	366	367	HCORE	0.05	2.4	15	848	12	219	1	10	0.77	100	<0.01
FTD041	AA0330	367	368	HCORE	0.05	4.7	25	1720	25	563	1	13	1.16	200	<0.01
FTD041	AA0332	368	368.35	HCORE	0.01	0.7	10	177	17	49	1	7	0.24	200	<0.01
FTD041	AA0333	368.35	369	HCORE	0.01	0.8	40	86	9	16	1	9	1.58	200	<0.01
FTD041	AA0334	369	370.1	HCORE	0.03	1.7	89	31	17	16	1	59	2.93	100	<0.01
FTD041	AA0335	370.1	371	HCORE	0.01	0.7	16	170	8	64	1	11	0.48	100	<0.01
FTD041	AA0336	371	372	HCORE	<0.01	0.3	6	58	7	429	1	0.5	0.35	100	<0.01
FTD041	AA0337	372	372.4	HCORE	<0.01	0.3	30	69	6	35	2	1	0.58	100	<0.01
FTD041	AA0338	372.5	373	HCORE	<0.01	0.1	3	2	2	12	1	0.5	0.08	100	<0.01
FTD042	AA0340	23	24	HCORE	<0.01	0.1	1	2	7	159	1	0.5	0.14	200	<0.01
FTD042	AA0341	51	52	HCORE	<0.01	0.1	1	2	4	64	2	0.5	0.15	50	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD042	AA0342	56	57	HCORE	<0.01	0.1	4	10	2	21	1	0.5	0.09	50	<0.01
FTD042	AA0343	57	58	HCORE	<0.01	0.1	3	9	4	23	1	0.5	0.18	100	<0.01
FTD042	AA0344	60	61	HCORE	0.01	0.1	1	2	4	54	1	0.5	0.11	100	<0.01
FTD042	AA0345	61	62	HCORE	0.01	0.1	1	2	3	53	2	0.5	0.08	50	<0.01
FTD042	AA0346	62	63	HCORE	0.01	0.1	1	2	4	56	1	0.5	0.06	50	<0.01
FTD042	AA0347	63	64	HCORE	0.02	0.1	1	1	3	44	1	0.5	0.06	50	<0.01
FTD042	AA0348	69	70	HCORE	<0.01	0.1	2	85	3	71	1	0.5	0.13	100	0.01
FTD042	AA0349	71	72	HCORE	<0.01	0.1	2	404	5	69	1	0.5	0.13	100	<0.01
FTD042	AA0350	76	77	HCORE	<0.01	0.1	1	6	2	43	1	0.5	0.08	100	0.01
FTD042	AA0351	77	78	HCORE	<0.01	0.1	4	18	3	25	1	0.5	0.23	50	<0.01
FTD042	AA0352	148	149	HCORE	<0.01	0.2	23	22	145	1300	1	0.5	0.16	100	<0.01
FTD042	AA0353	151	152	HCORE	<0.01	0.4	25	617	49	743	4	0.5	1.87	50	<0.01
FTD042	AA0354	153	154	HCORE	0.02	2.3	798	339	708	1555	72	3	2.21	100	<0.01
FTD042	AA0355	154	155	HCORE	0.18	3.4	1995	454	700	840	38	9	4.22	100	0.01
FTD042	AA0357	155	156	HCORE	0.13	0.1	172	98	30	131	2	0.5	0.36	50	0.01
FTD042	AA0358	156	157	HCORE	0.03	0.3	486	95	142	1010	1	0.5	0.39	100	0.01
FTD042	AA0359	158	159	HCORE	0.04	0.2	307	25	24	118	1	0.5	0.37	50	0.01
FTD042	AA0361	161	162	HCORE	0.15	0.2	1765	15	35	838	1	1	0.34	100	0.01
FTD042	AA0362	166	167	HCORE	0.02	0.1	315	3	5	85	1	0.5	0.2	100	0.01
FTD042	AA0363	168	169	HCORE	0.01	0.1	136	23	28	88	1	0.5	0.08	100	0.01
FTD042	AA0364	169	170	HCORE	0.02	0.1	263	10	24	713	1	0.5	0.26	100	<0.01
FTD042	AA0365	173	174	HCORE	0.03	0.3	533	27	243	800	1	0.5	0.49	100	0.01
FTD042	AA0366	174	175	HCORE	0.03	1.1	1050	265	560	3540	7	5	3.53	100	<0.01
FTD042	AA0367	175	176	HCORE	0.03	0.9	217	434	429	941	6	7	2.71	50	<0.01
FTD042	AA0368	176	177	HCORE	0.01	0.4	111	173	153	299	1	0.5	0.62	100	0.03
FTD042	AA0369	177	178	HCORE	0.01	0.2	81	194	72	519	1	0.5	0.17	100	<0.01
FTD042	AA0370	178	179	HCORE	0.4	0.9	514	264	521	3080	1	0.5	0.84	50	<0.01
FTD042	AA0371	179	180	HCORE	0.17	1.1	232	1110	244	1650	1	1	1.34	100	0.1
FTD042	AA0372	180	181	HCORE	0.15	1.4	777	1770	121	633	1	2	1.82	100	0.01
FTD042	AA0373	183	184	HCORE	0.05	1.5	299	143	241	1430	1	2	0.96	100	0.01
FTD042	AA0374	184	185	HCORE	0.11	2	101	2100	31	34	1	1	1.04	200	0.01
FTD042	AA0375	186	187	HCORE	1.05	2.6	306	1280	32	308	1	0.5	0.67	200	0.01
FTD042	AA0376	188	189	HCORE	0.04	0.2	891	203	14	42	1	0.5	0.14	200	0.01
FTD042	AA0377	196	197	HCORE	<0.01	0.1	73	17	13	48	1	0.5	0.08	200	<0.01
FTD042	AA0378	201	202	HCORE	0.01	0.1	59	30	5	21	1	0.5	0.08	200	<0.01
FTD042	AA0379	206	207	HCORE	0.01	0.1	15	6	8	30	1	0.5	0.27	100	0.01
FTD042	AA0381	207	208	HCORE	0.01	0.1	34	4	4	20	1	0.5	0.14	200	<0.01
FTD042	AA0382	208	209	HCORE	0.01	0.1	191	3	2	30	1	0.5	0.18	100	0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD042	AA0383	210	211	HCORE	0.02	0.1	255	3	3	40	1	0.5	0.34	200	0.01
FTD042	AA0384	211	212	HCORE	0.03	0.1	238	59	5	35	1	0.5	0.29	200	0.01
FTD042	AA0385	212	213	HCORE	0.02	0.1	417	11	3	30	1	0.5	0.39	200	<0.01
FTD042	AA0386	213	214	HCORE	0.01	0.1	89	4	3	26	1	0.5	0.37	200	0.01
FTD042	AA0387	214	215	HCORE	0.01	0.1	9	18	3	32	1	0.5	0.52	200	0.01
FTD042	AA0388	231	232	HCORE	0.02	0.9	362	250	297	1345	1	0.5	0.48	200	0.01
FTD042	AA0390	232	233	HCORE	0.02	0.9	456	453	318	418	1	0.5	0.18	200	<0.01
FTD042	AA0391	234	235	HCORE	0.01	0.3	52	271	20	95	1	0.5	0.18	200	0.01
FTD042	AA0392	235	236	HCORE	0.01	0.6	79	167	55	201	1	0.5	0.23	200	0.01
FTD042	AA0393	245.9	247	HCORE	0.01	2.1	330	610	139	222	1	1	0.78	100	0.01
FTD042	AA0394	247	248	HCORE	0.01	3.8	349	1020	974	6060	2	0.5	1.82	200	0.01
FTD042	AA0395	248	249	HCORE	0.03	4.6	115	1420	613	2570	1	0.5	1.6	200	0.01
FTD042	AA0396	249	250	HCORE	<0.01	1.4	59	343	318	1915	1	1	0.33	200	0.01
FTD042	AA0397	250	251	HCORE	<0.01	0.4	15	57	96	40	1	0.5	0.12	100	<0.01
FTD042	AA0398	251	252	HCORE	<0.01	5.5	94	75	1250	912	1	0.5	5.51	200	0.01
FTD042	AA0399	252	253	HCORE	<0.01	0.5	32	51	461	1665	1	0.5	0.31	200	<0.01
FTD042	AA0400	253	254	HCORE	<0.01	0.9	37	79	658	2120	1	0.5	0.26	200	0.01
FTD042	AA0401	254	255	HCORE	<0.01	2	65	89	1400	4560	1	0.5	0.62	200	<0.01
FTD042	AA0403	255	256	HCORE	<0.01	4.5	300	332	2670	9860	1	1	0.82	200	0.01
FTD042	AA0404	256	257	HCORE	0.01	6.2	597	421	3240	13550	1	1	1.27	200	0.01
FTD042	AA0405	257	258	HCORE	<0.01	1.2	66	113	684	2500	1	0.5	0.23	100	<0.01
FTD042	AA0406	258	259	HCORE	0.01	1.1	19	315	295	2260	1	0.5	0.26	100	0.14
FTD042	AA0407	259	260	HCORE	0.01	2.4	53	477	741	4160	1	0.5	1.44	100	<0.01
FTD042	AA0408	260	261	HCORE	<0.01	1.6	34	245	898	5110	1	0.5	0.48	100	<0.01
FTD042	AA0409	261	262	HCORE	0.01	7.1	212	704	724	2270	3	1	12.55	200	0.01
FTD042	AA0410	262	263	HCORE	<0.01	3.2	56	227	445	566	2	1	4.12	200	<0.01
FTD042	AA0411	263	264	HCORE	0.02	5.5	74	1890	382	969	1	6	1.7	200	0.01
FTD042	AA0412	264	265	HCORE	0.01	5.8	123	745	1980	7720	1	4	0.97	200	0.01
FTD042	AA0413	265	266	HCORE	0.01	5.6	89	132	3910	15000	1	5	1.32	100	<0.01
FTD042	AA0414	266	267	HCORE	<0.01	5.1	63	215	1800	7750	1	7	2.19	100	0.01
FTD042	AA0415	267	268	HCORE	0.01	2	40	100	790	1720	1	3	1.48	200	<0.01
FTD042	AA0416	268	269	HCORE	0.02	1.8	39	156	366	1075	2	2	1.7	200	<0.01
FTD042	AA0417	269	270	HCORE	<0.01	2.1	44	89	560	397	1	2	2.6	100	<0.01
FTD042	AA0418	270	271	HCORE	<0.01	2.1	53	71	342	145	2	5	3.93	100	0.01
FTD042	AA0420	271	272	HCORE	<0.01	1.1	123	101	192	695	1	2	1.56	100	<0.01
FTD042	AA0421	272	273	HCORE	0.01	0.7	153	108	165	987	3	5	1.46	100	<0.01
FTD042	AA0422	273	274	HCORE	0.02	0.3	149	116	131	577	1	4	2.33	100	<0.01
FTD042	AA0424	274	275	HCORE	0.01	0.1	87	50	39	52	1	1	1.2	100	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD042	AA0425	275	276	HCORE	<0.01	0.4	102	81	122	82	19	6	1.54	100	<0.01
FTD042	AA0426	276	277	HCORE	<0.01	0.1	56	33	26	86	2	2	1.04	50	<0.01
FTD042	AA0427	277	278	HCORE	<0.01	0.1	52	42	13	12	1	1	0.49	50	<0.01
FTD042	AA0428	278	279	HCORE	<0.01	0.2	147	85	25	16	4	3	2.48	200	<0.01
FTD042	AA0429	279	280	HCORE	<0.01	0.1	135	71	17	20	2	3	1.43	100	<0.01
FTD042	AA0430	280	281	HCORE	0.02	0.1	62	44	9	21	1	1	0.47	200	<0.01
FTD042	AA0431	281	282	HCORE	<0.01	0.1	14	8	7	7	1	0.5	0.16	100	<0.01
FTD042	AA0432	282	283	HCORE	<0.01	0.1	70	63	16	85	1	1	0.5	200	<0.01
FTD042	AA0433	283	284	HCORE	<0.01	0.1	78	80	14	143	1	2	0.8	100	<0.01
FTD042	AA0434	284	285	HCORE	<0.01	0.2	94	67	30	342	1	3	1.21	200	<0.01
FTD042	AA0435	285	286	HCORE	<0.01	0.1	106	15	43	157	1	2	0.27	200	<0.01
FTD042	AA0436	286	287	HCORE	<0.01	0.5	126	82	127	1185	1	7	1.26	200	<0.01
FTD042	AA0437	287	288	HCORE	<0.01	0.1	139	46	65	270	1	2	0.52	100	<0.01
FTD042	AA0438	304	305	HCORE	<0.01	0.4	35	28	330	498	1	0.5	0.42	100	<0.01
FTD042	AA0439	305	306	HCORE	<0.01	0.9	127	64	648	4040	1	1	0.7	100	<0.01
FTD042	AA0440	306	307	HCORE	<0.01	0.4	81	57	140	897	1	2	1.2	100	<0.01
FTD042	AA0441	307	308	HCORE	<0.01	1.1	108	158	815	2710	1	5	2.03	100	<0.01
FTD042	AA0442	308	309	HCORE	<0.01	1	188	162	693	2890	1	2	1.54	100	0.01
FTD042	AA0444	309	310	HCORE	0.01	0.6	150	89	469	1960	1	2	1.41	100	<0.01
FTD042	AA0445	310	311	HCORE	0.01	1.3	115	91	939	2000	11	1	0.96	50	<0.01
FTD042	AA0446	311	312	HCORE	<0.01	0.2	84	72	188	1150	1	1	0.3	100	<0.01
FTD042	AA0447	312	313	HCORE	<0.01	0.3	106	112	97	1405	1	1	0.49	200	0.01
FTD042	AA0448	313	314	HCORE	<0.01	0.2	78	50	17	17	1	2	0.99	200	<0.01
FTD042	AA0449	314	315	HCORE	<0.01	0.2	60	38	7	21	1	1	0.76	100	<0.01
FTD042	AA0450	315	316	HCORE	<0.01	0.4	419	30	7	16	1	1	0.53	200	<0.01
FTD042	AA0451	316	317	HCORE	<0.01	0.1	296	24	6	11	1	2	0.56	100	<0.01
FTD042	AA0453	317	318	HCORE	<0.01	0.1	37	17	5	14	1	0.5	0.38	100	<0.01
FTD042	AA0454	318	319	HCORE	<0.01	0.1	7	6	2	11	1	0.5	0.08	200	<0.01
FTD042	AA0455	319	320	HCORE	<0.01	0.3	167	114	7	15	1	0.5	0.19	100	<0.01
FTD042	AA0456	320	321	HCORE	<0.01	0.1	45	46	4	19	1	0.5	0.23	200	<0.01
FTD042	AA0457	321	322	HCORE	<0.01	0.3	86	87	6	21	2	1	0.73	200	0.01
FTD042	AA0458	322	323	HCORE	0.01	0.3	106	73	5	18	1	1	0.74	200	<0.01
FTD042	AA0459	323	324	HCORE	<0.01	0.2	125	40	5	17	1	1	0.59	100	<0.01
FTD042	AA0460	324	325	HCORE	0.01	0.4	96	61	7	24	1	0.5	0.54	100	<0.01
FTD042	AA0461	325	326	HCORE	<0.01	0.3	43	50	5	40	1	0.5	0.95	200	<0.01
FTD042	AA0462	326	327	HCORE	0.01	0.1	105	33	5	191	2	1	0.13	100	<0.01
FTD042	AA0463	327	327.9	HCORE	0.04	0.8	119	91	11	22	1	4	2.05	200	<0.01
FTD042	AA0464	327.9	329	HCORE	<0.01	0.1	44	51	5	14	1	0.5	0.32	200	<0.01

Hole_ID	SampleID	mFrom	mTo	Sample_Type	Au_ppm	Ag_ppm	As_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Bi_ppm	Mo_ppm	S_pct	Sn_ppm	WO3_pct
FTD042	AA0466	329	330	HCORE	0.01	0.1	205	35	3	46	1	0.5	0.15	100	<0.01
FTD042	AA0467	330	331	HCORE	<0.01	0.4	131	20	4	323	1	0.5	0.16	100	<0.01
FTD042	AA0468	331	332	HCORE	<0.01	0.3	213	11	4	66	1	0.5	0.09	100	<0.01
FTD042	AA0469	332	333	HCORE	0.04	0.1	176	11	4	71	1	0.5	0.12	200	<0.01
FTD042	AA0470	333	334	HCORE	0.02	0.1	330	15	6	27	1	0.5	0.3	200	<0.01
FTD042	AA0471	334	335	HCORE	0.03	0.6	582	25	13	31	1	1	0.96	200	<0.01
FTD042	AA0472	335	336	HCORE	0.01	0.2	90	12	4	36	1	0.5	0.16	200	<0.01
FTD042	AA0473	336	337	HCORE	0.03	0.5	367	29	7	41	1	0.5	0.42	100	<0.01
FTD042	AA0474	337	338	HCORE	0.14	1.6	516	48	26	36	6	1	2.47	100	<0.01
FTD042	AA0475	338	339	HCORE	0.07	0.7	533	74	7	23	3	0.5	0.74	200	<0.01
FTD042	AA0476	339	340	HCORE	0.04	0.4	199	56	5	18	1	0.5	0.69	200	<0.01
FTD042	AA0477	340	341	HCORE	1.09	2.9	5520	97	14	405	4	0.5	0.93	200	0.01
FTD042	AA0478	341	342	HCORE	0.63	2.1	2040	181	11	136	4	0.5	0.81	200	0.01
FTD042	AA0479	342	343	HCORE	0.19	0.7	647	70	32	150	2	1	0.52	200	<0.01
FTD042	AA0480	343	344	HCORE	0.04	1	737	98	21	112	2	2	0.01	200	<0.01
FTD042	AA0481	344	345	HCORE	0.04	1.2	655	89	19	13	2	4	0.97	200	<0.01
FTD042	AA0483	345	346	HCORE	0.03	0.6	659	72	10	13	1	3	0.8	100	<0.01
FTD042	AA0484	346	347	HCORE	0.03	1.3	1035	65	17	23	1	4	1.62	100	<0.01
FTD042	AA0485	347	348	HCORE	0.02	1.4	979	91	17	35	2	3	1.59	200	<0.01
FTD042	AA0487	348	349	HCORE	0.03	1	2400	125	11	60	1	4	0.97	100	<0.01
FTD042	AA0488	349	350	HCORE	0.02	1.2	846	140	19	174	1	4	1.64	100	<0.01
FTD042	AA0489	350	351	HCORE	0.02	1.2	87	52	8	33	2	14	0.63	200	0.01
FTD042	AA0490	351	352	HCORE	0.02	0.5	29	21	5	21	3	4	0.29	100	<0.01
FTD042	AA0491	352	353	HCORE	<0.01	0.4	22	50	6	189	2	1	0.56	100	<0.01
FTD042	AA0492	353	354	HCORE	<0.01	0.8	12	380	5	247	2	3	0.7	200	<0.01
FTD042	AA0493	354	355	HCORE	0.02	2	20	1235	14	332	2	7	1.02	200	<0.01
FTD042	AA0494	355	356	HCORE	0.04	5.3	34	2590	19	175	1	6	2.42	200	<0.01
FTD042	AA0495	356	357	HCORE	0.03	4.3	30	2500	14	24	2	7	1.94	200	<0.01
FTD042	AA0496	357	358	HCORE	0.03	2.7	21	2490	31	94	2	15	1.6	200	<0.01
FTD042	AA0497	358	359.4	HCORE	<0.01	0.3	4	53	3	7	1	3	0.25	100	<0.01
FTD042	AA0498	359.4	360	HCORE	0.01	2.7	86	537	30	12	2	12	2.41	200	<0.01
FTD042	AA0499	360	361	HCORE	<0.01	0.9	24	170	11	14	3	7	0.8	200	0.01
FTD042	AA0500	361	362	HCORE	2.26	0.2	2	87	4	12	2	1	0.17	200	0.01
FTD042	AA0501	362	362.7	HCORE	<0.01	0.2	5	24	4	7	3	1	0.2	200	<0.01