



# SOUTHERN GEOSCIENCE CONSULTANTS

PTY LTD A.B.N. 69 067 552 461

8 Kearns Crescent, Ardress WA 6153  
AUSTRALIA

TELEPHONE (61 8) 93162074  
FAX (61 8) 93161624  
EMAIL [russell@sgc.com.au](mailto:russell@sgc.com.au)  
WEB [www.sgc.com.au](http://www.sgc.com.au)

Bill Peters (61 8) 9316 2814  
Bruce Craven (61 8) 9316 2804  
Kim Frankcombe (61 8) 9316 2074  
Graham Jenke (61 8) 9316 2074  
Russell Mortimer (61 8) 9316 2074

## Memorandum

**DATE:** Thursday, January 29, 2009  
**TIME:** 10:33 AM  
**FROM:** Gregg Speyers - SGC  
**TO:** Charles Hughes - Project Geologist

**SGC REPORT:** **1886**  
**CLIENT:** Jaguar Minerals Limited

### **WILSON RIVER PROJECT**

### **DOWNHOLE TEM SURVEY DOCUMENTATION AND INTERPRETATION**

### **WRD14, WRD15 AND WRD16**


#### Introduction

Conventional downhole TEM logging of the Wilson River project drill-holes **WRD14**, **WRD15** and **WRD16** was carried out between November 5<sup>th</sup> and 7<sup>th</sup>, 2008 by Outer-Rim Exploration Services Pty Ltd on behalf of Jaguar Minerals Limited. The aim of the DHTEM surveys was to detect bedrock conductors of interest (possible zinc and lead concentrations) in close proximity to these drill holes. **Figure 1** provides a location plan for the Wilson River DHTEM surveying.

The transmitter loops utilised during this DHTEM programme were powered by a Crone PEM 240V transmitter working at ~22A (single turn loop). The planned transmitter loop positions were designed to couple well with the prospective geological sequence. Overall survey details are provided below:

#### dB/dt DHTEM Surveys – **WRD14, WRD15 and WRD16**

- **Contractor** : Outer-Rim Exploration Services Pty Ltd
- **Date** : Nov 5<sup>th</sup>- Nov 7<sup>th</sup>, 2008
- **Receiver** : Crone PEM
- **Receiver Coil** : Crone downhole coil probes
- **Transmitter** : Crone PEM 240V
- **Survey Configuration** : Downhole
- **Tx Loops** : **WR1** and **WR2**
- **Transmitter Current** : ~22-25 amps (1 turn)
- **Ramp Time** : 1.0 ms
- **Base Frequency/Channels** : 5Hz (36CH), 50% duty cycle
- **Coordinate System** : **AGD84 / AMG Zone 55**



**Figure 1** - DHTeM Survey Layout – Wilson River Project – **WRD14, WRD15 and WRD16**

**Loop Location and Survey Coverage**

The transmitter loop locations for all downhole TEM surveying is provided below:

- WR1** (~250 x 500 m) - 368325E 5403000N
- 368575E 5403000N
- 368575E 5403500N
- 368325E 5403500N

- WR2** (~235 x 250 m) - 368515E 5401750N
- 368735E 5401750N
- 368765E 5402000N
- 368515E 5402000N

A total of 122 downhole stations (A,U & V components) were recorded for a total of 0.775 line kilometres of DHTEM data from the three surveys. Details of the survey coverage are provided in **Table 1**.

**Table 1 – Wilson River Project – DHTEM Survey Coverage**

Drill-hole	Survey Date	Loop	From (m)	To (m)	No. of stations	Distance (m)
<b>WRD14</b>	6/11/2008	<b>WR1</b>	10	320	49	310
<b>WRD15</b>	5/11/2008	<b>WR1</b>	10	240	36	230
<b>WRD16</b>	7/11/2008	<b>WR2</b>	40	275	37	235

### **Data and Interpretation**

**WRD14** (368520mE, 5403125mN, ~320m EOH) was logged from 10 - 320m at 5-10m intervals. Noise levels in the data were moderate being generally <1nT/s on the A component and <0.5nT/s on the U and V components.

A minor local in-hole anomaly (**WR14\_1**) is observed in the early to late time channels at ~80m down hole. The radial (U and V) components indicate the source of the anomaly is centred above and north of the hole. This conductor may be related to sulphide veins intersected from 81.2m to 83.5m.

Minor in-hole anomalism (**WR14\_2**) is observed from 130m to 150m down hole in early to mid time channels. This anomaly may be related to stringer sulphides intersected in the hole.

A broad and weak in-hole anomaly (**WR14\_3**) centred at 245-250m down hole dominates the response seen in the lower part of the DHTEM log. This anomaly is difficult to model, which may indicate the presence of a relatively thick conductor. Alternatively, the anomaly may be related to a conductor oriented parallel to the drill hole and centred above and north of it. There is no obvious source for this anomaly in the geological log.

A minor in-hole anomaly (**WR14\_4**) in the mid time channels is identified at ~280-290m down hole. The source of this anomaly may be related to stringer sulphides intersected in the hole. All final profiles for **WRD14** are presented in **Appendix 1**.

**WRD15** (368475mE, 5 403250mN, ~240m EOH) was logged from 10 - 240m at 5-10m intervals. Noise levels in the data were moderate being generally <0.5nT/s on the A component and <1nT/s on the U and V components.

A moderate off-hole anomaly is identified within the mid time channels at ~90-100m down hole. The U component indicates the conductive source is centred below the hole. The shape of the V component suggests the possibility of two conductive sources (**WR15\_1** and **WR15\_2**). Modelling of the mid time response (Ch14-16, 1.604-1.900ms) achieved a reasonable fit to the observed data signature (**Figures 3 - 5**). Overall, the conductive bodies are of moderate size (~50 x 50m), weak conductance (~50S) and dip moderately to the west (~65°). The source of this conductor may be related to sulphide mineralisation. There is some ambiguity in the V component data, however our modelling and estimations have led us to the current interpretations and targets. Parameters for two drill holes designed to intersect the **WR15\_1** and **WR15\_2** conductors are tabulated in Table 2. The **DH1** drill hole has the highest priority.

Table 2 – Wilson River Project – Conductors **WR15\_1** and **WR15\_2** Drill Hole Parameters

Drill Hole	Collar Easting (m)	Collar Northing (m)	Dip (°)	Azimuth (°)	Length (m)	Intersection Depth (m)
DH1	368415	5403215	60	60	170	145
DH2	368440	5403175	60	60	190	165

A weak and broad mid-time anomaly (**WR15\_3**) is identified at ~200-230m down hole in hole **WRD15**. This conductor is similar in character to the **WR14\_3** anomaly identified in hole **WRD14** and may be related to the same conductive source. The source of anomaly **WR15\_3** is possibly a thick in-hole conductor centred below and northwest of the hole. Alternatively, this anomaly may indicate an off-hole conductor oriented parallel to the hole and centred above and northwest of it. All final profiles for **WRD15** are presented in [Appendix 1](#).

**WRD16** (368695mE, 5401900mN, ~275m EOH) was logged from 40 - 275m at 5-10m intervals. Noise levels in the data were low being generally <0.5nT/s on the A component and <1nT/s on the U and V components.

No significant anomalies were identified within the **WRD16** DHTeM data.

All final profiles for **WRD16** are presented in [Appendix 1](#).

### Summary and Recommendations

- DHTeM logging of the Wilson River drill holes **WRD14**, **WRD15** and **WRD16** was carried out between November 5<sup>th</sup> and 7<sup>th</sup>, 2008. **WRD14** was surveyed from 10-320m (AUV components) using 5-10m stations. **WRD15** was surveyed from 10-240m (AUV components) using 5-10m stations. **WRD16** was surveyed from 40-275m (AUV components) using 5-10m stations.
- The following table summarises the conductors identified by the DHTeM:

Hole	Conductor	Actual or interpolated downhole depth	Conductor Strength	Model conductor Size	Interpreted source
<b>WRD14</b>	<b>WR14_1</b>	~80m	Weak	Not modelled	Stringer sulphides
<b>WRD14</b>	<b>WR14_2</b>	~130-150m	Weak	Not modelled	Stringer sulphides
<b>WRD14</b>	<b>WR14_3</b>	~245-250m	Weak	Not modelled	?
<b>WRD14</b>	<b>WR14_4</b>	~280-290m	Weak	Not modelled	Stringer sulphides
<b>WRD15</b>	<b>WR15_1</b>	~90-100m	Moderate	~50 x 50m	Sulphide mineralisation?
<b>WRD15</b>	<b>WR15_2</b>	~90-100m	Moderate	~50 x 50m	Sulphide mineralisation?
<b>WRD15</b>	<b>WR15_3</b>	~200-230m	Weak	No modelled	?

- There is some ambiguity in the V component data for hole **WRD15** but our modelling and best fits have led us to the interpretation that there are two conductors (**WR15\_1** and

**WR15\_2**) causing the anomaly in the upper part of the hole. Two follow-up drill holes have been recommended to intersect the **WR15\_1** and **WR15\_2** conductors modelled in hole **WRD15**.

- Overall, the downhole TEM anomalies identified within the Wilson River project area are poorly defined, weak to moderate responses, most of which have a good chance of being sourced by massive or stringer sulphides.
- Downhole MMR (Magneto Metric Resistivity) surveying of these drill holes may be more effective in detecting the low conductance target mineralisation in this area.

Modelled DHTeM conductors are provided in DXF and Surpac string format for input into MapInfo and mining software to allow visualisation with known geology.






3D DXF and Surpac string files for the modelled conductors  
(to detach digital file, click right mouse - save embedded file)

All digital field data is provided below:



SGC and Crone processed data files  
(to detach digital file, click right mouse - save embedded file)



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date :  
 Survey Type: Downhole  
 Stn Spacing : 2-10 m

#### RECEIVER

Receiver :  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER


Transmitter : Crone  
 Loop : WR1  
 Tx Area : 12500m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms

#### LOOP COORDS

Easting : 368575-368325mE  
 Northing : 5403500-5403000mN

#### WINDOW TIMES (ms) From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461



**JAGUAR MINERALS LIMITED**  
**Wilson River Project - Tasmania**  
 DHEM Data Profiles  
 Conductors WR15\_1 and WR15\_2  
**Hole WRD15**

Drawn: G.Speyers

Date: 28th Jan 2009


Scale: 1:2000

Figure: 2



**PLATE PARAMETERS**



Name	WR15_1	WR15_2
X	368481	368519
Y	5403260	5403226
Z	-101	-120
Length	50	48
Depth Extent	52	53
Dip	65	61
Dip Dir.	207	207
Plunge	0	0
Cond-Th.	47	45



Southern Geoscience Consultants Pty Ltd  
ACN 067 552 461


JAGUAR MINERALS LIMITED  
Wilson River Project - Tasmania  
DHTEM Survey  
Conductors WD15\_1 and WD15\_2  
Plan View

Drawn: G.Speyers	Date: 28th Jan 2009
Scale: 1:5000	Figure: 3



**PLATE PARAMETERS**

Name	WR15_1	WR15_2
X	368481	368519
Y	5403260	5403226
Z	-101	-120
Length	50	48
Depth Extent	52	53
Dip	65	61
Dip Dir.	207	207
Plunge	0	0
Cond-Th.	47	45




Southern Geoscience Consultants Pty Ltd  
ACN 067 552 461


JAGUAR MINERALS LIMITED  
Wilson River Project - Tasmania  
DHTEM Survey  
Conductors WD15\_1 and WD15\_2  
Cross Section

Drawn: G.Speyers	Date: 28th Jan 2009
Scale: 1:5000	Figure: 4


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 6/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER


Transmitter : Crone  
 Loop : WR1  
 Tx Area : 125000m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms

#### HOLE COORDS

MGA East : 368520mE  
 MGA North : 5403125mN  
 RL : 0RL

#### WINDOW TIMES (ms) From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD14


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 6/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m^2 XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR1  
 Tx Area : 125000m^2  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms



#### HOLE COORDS

MGA East : 368520mE  
 MGA North : 5403125mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD14


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 6/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m^2 XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR1  
 Tx Area : 125000m^2  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368520mE  
 MGA North : 5403125mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
**Hole WRD14**


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 6/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m^2 XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR1  
 Tx Area : 125000m^2  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368520mE  
 MGA North : 5403125mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
**Hole WRD14**


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 6/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m^2 XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR1  
 Tx Area : 125000m^2  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368520mE  
 MGA North : 5403125mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
**Hole WRD14**


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 6/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m^2 XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR1  
 Tx Area : 125000m^2  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368520mE  
 MGA North : 5403125mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
**Hole WRD14**


Drawn: RNM

Date: Nov 2008

Scale:

Figure:

### Total Field



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 6/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : Z  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR1  
 Tx Area : 125000m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms



#### HOLE COORDS

MGA East : 368520mE  
 MGA North : 5403125mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD14


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 5/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 2-10 m

### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

### TRANSMITTER

Transmitter : Crone  
 Loop : None  
 Tx Area : 12500m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


### HOLE COORDS

MGA East : 368475mE  
 MGA North : 5403250mN  
 RL : 0RL

### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461




JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD15

Drawn: RNM

Date: Nov 2008

Scale:

Figure:



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 5/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 2-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : None  
 Tx Area : 12500m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368475mE  
 MGA North : 5403250mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461




JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD15

Drawn: RNM

Date: Nov 2008

Scale:

Figure:



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 5/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 2-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : None  
 Tx Area : 12500m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms

#### HOLE COORDS

MGA East : 368475mE  
 MGA North : 5403250mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD15


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 5/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 2-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : None  
 Tx Area : 12500m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368475mE  
 MGA North : 5403250mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD15


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 5/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 2-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : None  
 Tx Area : 12500m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368475mE  
 MGA North : 5403250mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
**Hole WRD15**


Drawn: RNM

Date: Nov 2008


Scale:

Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 5/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 2-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : None  
 Tx Area : 125000m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368475mE  
 MGA North : 5403250mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
**Hole WRD15**


Drawn: RNM

Date: Nov 2008

Scale:

Figure:

### Total Field



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 5/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 2-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : Z  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : None  
 Tx Area : 125000m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 22A  
 Ramp : 1 ms



#### HOLE COORDS

MGA East : 368475mE  
 MGA North : 5403250mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.016	19	: 2.618
2	: 1.028	20	: 2.964
3	: 1.042	21	: 3.380
4	: 1.058	22	: 3.884
5	: 1.078	23	: 4.492
6	: 1.102	24	: 5.226
7	: 1.132	25	: 6.112
8	: 1.168	26	: 7.184
9	: 1.210	27	: 8.478
10	: 1.262	28	: 10.04
11	: 1.326	29	: 11.93
12	: 1.402	30	: 14.16
13	: 1.494	31	: 16.92
14	: 1.604	32	: 20.30
15	: 1.738	33	: 24.32
16	: 1.900	34	: 29.18
17	: 2.096	35	: 35.04
18	: 2.332	36	: 42.13



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461




JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD15

Drawn: RNM

Date: Nov 2008

Scale:

Figure:



**SURVEY PARAMETERS**

Contractor : Outer Rim  
 Date : 7/11/2008  
 Survey Type : Downhole  
 Stn Spacing : 5-10 m

**RECEIVER**

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

**TRANSMITTER**

Transmitter : Crone  
 Loop : WR2  
 Tx Area : 58750m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 25A  
 Ramp : 1 ms


**HOLE COORDS**

MGA East : 368695mE  
 MGA North : 5401900mN  
 RL : 0RL

**WINDOW TIMES (ms)**

From the start of the Ramp

1	: 1.008	19	: 2.610
2	: 1.020	20	: 2.956
3	: 1.034	21	: 3.372
4	: 1.050	22	: 3.876
5	: 1.070	23	: 4.484
6	: 1.094	24	: 5.218
7	: 1.124	25	: 6.104
8	: 1.160	26	: 7.176
9	: 1.202	27	: 8.470
10	: 1.254	28	: 10.03
11	: 1.318	29	: 11.92
12	: 1.394	30	: 14.16
13	: 1.486	31	: 16.92
14	: 1.596	32	: 20.29
15	: 1.730	33	: 24.31
16	: 1.892	34	: 29.17
17	: 2.088	35	: 35.04
18	: 2.324	36	: 42.12




Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461


JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD16

Drawn: RNM	Date: Nov 2008
Scale:	Figure:


### A Component



### U Component



### V Component



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 7/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR2  
 Tx Area : 58750m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 25A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368695mE  
 MGA North : 5401900mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.008	19	: 2.610
2	: 1.020	20	: 2.956
3	: 1.034	21	: 3.372
4	: 1.050	22	: 3.876
5	: 1.070	23	: 4.484
6	: 1.094	24	: 5.218
7	: 1.124	25	: 6.104
8	: 1.160	26	: 7.176
9	: 1.202	27	: 8.470
10	: 1.254	28	: 10.03
11	: 1.318	29	: 11.92
12	: 1.394	30	: 14.16
13	: 1.486	31	: 16.92
14	: 1.596	32	: 20.29
15	: 1.730	33	: 24.31
16	: 1.892	34	: 29.17
17	: 2.088	35	: 35.04
18	: 2.324	36	: 42.12



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461




JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTM Data Profiles  
 Hole WRD16

Drawn: RNM


Date: Nov 2008

Scale:

Figure:




<b>SURVEY PARAMETERS</b>		<b>WINDOW TIMES (ms)</b>	
Contractor : Outer Rim		From the start of the Ramp	
Date : 7/11/2008		1 : 1.008	19 : 2.610
Survey Type : Downhole		2 : 1.020	20 : 2.956
Stn Spacing : 5-10 m		3 : 1.034	21 : 3.372
<b>RECEIVER</b>		4 : 1.050	22 : 3.876
Receiver : Crone		5 : 1.070	23 : 4.484
Frequency : 5Hz		6 : 1.094	24 : 5.218
Component : A,U,V		7 : 1.124	25 : 6.104
Rx Coil : Crone		8 : 1.160	26 : 7.176
Rx Area : 8000Z, 2800m <sup>2</sup> XY		9 : 1.202	27 : 8.470
<b>TRANSMITTER</b>		10 : 1.254	28 : 10.03
Transmitter : Crone		11 : 1.318	29 : 11.92
Loop : WR2		12 : 1.394	30 : 14.16
Tx Area : 58750m <sup>2</sup>		13 : 1.486	31 : 16.92
Tx Turns : 1		14 : 1.596	32 : 20.29
Tx Current : 25A		15 : 1.730	33 : 24.31
Ramp : 1 ms		16 : 1.892	34 : 29.17
		17 : 2.088	35 : 35.04
		18 : 2.324	36 : 42.12
<b>HOLE COORDS</b>			
MGA East : 368695mE			
MGA North : 5401900mN			
RL : 0RL			



Southern Geoscience Consultants Pty Ltd  
ACN 067 552 461

JAGUAR MINERALS LIMITED  
Wilson River Project - Tasmania  
DHTEM Data Profiles  
**Hole WRD16**

Drawn: RNM	Date: Nov 2008
Scale:	Figure:



**SURVEY PARAMETERS**

Contractor : Outer Rim  
 Date : 7/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

**RECEIVER**

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

**TRANSMITTER**


Transmitter : Crone  
 Loop : WR2  
 Tx Area : 58750m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 25A  
 Ramp : 1 ms

**HOLE COORDS**

MGA East : 368695mE  
 MGA North : 5401900mN  
 RL : 0RL

**WINDOW TIMES (ms)**  
From the start of the Ramp


1	: 1.008	19	: 2.610
2	: 1.020	20	: 2.956
3	: 1.034	21	: 3.372
4	: 1.050	22	: 3.876
5	: 1.070	23	: 4.484
6	: 1.094	24	: 5.218
7	: 1.124	25	: 6.104
8	: 1.160	26	: 7.176
9	: 1.202	27	: 8.470
10	: 1.254	28	: 10.03
11	: 1.318	29	: 11.92
12	: 1.394	30	: 14.16
13	: 1.486	31	: 16.92
14	: 1.596	32	: 20.29
15	: 1.730	33	: 24.31
16	: 1.892	34	: 29.17
17	: 2.088	35	: 35.04
18	: 2.324	36	: 42.12



Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD16

Drawn: RNM	Date: Nov 2008
Scale:	Figure:



**SURVEY PARAMETERS**

Contractor : Outer Rim  
 Date : 7/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

**RECEIVER**

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

**TRANSMITTER**

Transmitter : Crone  
 Loop : WR2  
 Tx Area : 58750m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 25A  
 Ramp : 1 ms

**HOLE COORDS**

MGA East : 368695mE  
 MGA North : 5401900mN  
 RL : 0RL

**WINDOW TIMES (ms)**

From the start of the Ramp

1	: 1.008	19	: 2.610
2	: 1.020	20	: 2.956
3	: 1.034	21	: 3.372
4	: 1.050	22	: 3.876
5	: 1.070	23	: 4.484
6	: 1.094	24	: 5.218
7	: 1.124	25	: 6.104
8	: 1.160	26	: 7.176
9	: 1.202	27	: 8.470
10	: 1.254	28	: 10.03
11	: 1.318	29	: 11.92
12	: 1.394	30	: 14.16
13	: 1.486	31	: 16.92
14	: 1.596	32	: 20.29
15	: 1.730	33	: 24.31
16	: 1.892	34	: 29.17
17	: 2.088	35	: 35.04
18	: 2.324	36	: 42.12






Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD16

Drawn: RNM	Date: Nov 2008
Scale:	Figure:



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 7/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : A,U,V  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR2  
 Tx Area : 58750m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 25A  
 Ramp : 1 ms

#### HOLE COORDS

MGA East : 368695mE  
 MGA North : 5401900mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.008	19	: 2.610
2	: 1.020	20	: 2.956
3	: 1.034	21	: 3.372
4	: 1.050	22	: 3.876
5	: 1.070	23	: 4.484
6	: 1.094	24	: 5.218
7	: 1.124	25	: 6.104
8	: 1.160	26	: 7.176
9	: 1.202	27	: 8.470
10	: 1.254	28	: 10.03
11	: 1.318	29	: 11.92
12	: 1.394	30	: 14.16
13	: 1.486	31	: 16.92
14	: 1.596	32	: 20.29
15	: 1.730	33	: 24.31
16	: 1.892	34	: 29.17
17	: 2.088	35	: 35.04
18	: 2.324	36	: 42.12



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD16


Drawn: RNM

Date: Nov 2008

Scale:

Figure:

### Total Field



#### SURVEY PARAMETERS

Contractor : Outer Rim  
 Date : 7/11/2008  
 Survey Type: Downhole  
 Stn Spacing : 5-10 m

#### RECEIVER

Receiver : Crone  
 Frequency : 5Hz  
 Component : Z  
 Rx Coil : Crone  
 Rx Area : 8000Z, 2800m<sup>2</sup> XY

#### TRANSMITTER

Transmitter : Crone  
 Loop : WR2  
 Tx Area : 58750m<sup>2</sup>  
 Tx Turns : 1  
 Tx Current : 25A  
 Ramp : 1 ms


#### HOLE COORDS

MGA East : 368695mE  
 MGA North : 5401900mN  
 RL : 0RL

#### WINDOW TIMES (ms)

From the start of the Ramp

1	: 1.008	19	: 2.610
2	: 1.020	20	: 2.956
3	: 1.034	21	: 3.372
4	: 1.050	22	: 3.876
5	: 1.070	23	: 4.484
6	: 1.094	24	: 5.218
7	: 1.124	25	: 6.104
8	: 1.160	26	: 7.176
9	: 1.202	27	: 8.470
10	: 1.254	28	: 10.03
11	: 1.318	29	: 11.92
12	: 1.394	30	: 14.16
13	: 1.486	31	: 16.92
14	: 1.596	32	: 20.29
15	: 1.730	33	: 24.31
16	: 1.892	34	: 29.17
17	: 2.088	35	: 35.04
18	: 2.324	36	: 42.12



Scale 1:2000

Southern Geoscience Consultants Pty Ltd  
 ACN 067 552 461

JAGUAR MINERALS LIMITED  
 Wilson River Project - Tasmania  
 DHTeM Data Profiles  
 Hole WRD16

Drawn: RNM

Date: Nov 2008

Scale:

Figure: