



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

QC CERTIFICATE BU13189186

Project: CC_05_11_2013
 P.O. No.: 171
 This report is for 41 Drill Core samples submitted to our lab in Burnie, TAS, Australia on 11-NOV-2013.
 The following have access to data associated with this certificate:

Laurie Veska	DR JOE XIE
--------------	------------


SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
BAG-01	Bulk Master for Storage
LOG-22	Sample login - Rcd w/o BarCode
LEV-01	Waste Disposal Levy
PUL-QC	Pulverizing QC Test
CRU-21	Crush entire sample >70% -6 mm
PUL-31b	Pulv. Lg split to >80% -75um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Ag-OG46	Ore Grade Ag - Aqua Regia	VARIABLE
ME-OG46	Ore Grade Elements - AquaRegia	ICP-AES
Cu-OG46	Ore Grade Cu - Aqua Regia	VARIABLE
Pb-OG46	Ore Grade Pb - Aqua Regia	VARIABLE
Zn-OG46	Ore Grade Zn - Aqua Regia	VARIABLE
ME-MS41	51 anal. aqua regia ICPMS	

To: YUNNAN TIN AUSTRALIAN TDK RESOURCES PTY LTD
 ATTN: DR JOE XIE
 19 GUBBUTEH ROAD
 LITTLE BAY NSW 2036

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

Method Analyte Units LOR	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm	ME-MS41 Cu ppm	
Sample Description	0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2	
STANDARDS																
GBM398-1																
GBM398-1																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
GBM908-10	3.01	1.02	56.8	0.4	<10	110	0.33	1.36	0.76	1.81	96.0	14.9	24	0.89	3650	
Target Range - Lower Bound	2.69	0.85	49.4	<0.2	<10	70	0.17	1.12	0.62	1.52	79.3	12.9	20	0.66	3380	
Upper Bound	3.31	1.06	60.6	0.9	30	140	0.40	1.39	0.79	1.88	97.0	15.9	27	0.94	3880	
GBM908-14																
GBM908-14																
Target Range - Lower Bound																
Upper Bound																
GEOMS-03	0.47	1.78	642	0.4	<10	1170	1.22	0.34	0.37	0.33	43.1	12.0	75	7.01	135.5	
Target Range - Lower Bound	0.42	1.63	553	<0.2	<10	960	0.94	0.31	0.31	0.30	40.1	10.4	63	6.32	124.5	
Upper Bound	0.54	2.01	677	0.8	30	1320	1.26	0.40	0.41	0.38	49.1	13.0	79	7.84	143.5	
MRGeo08	4.41	2.57	33.3	<0.2	30	440	0.83	0.66	1.10	2.32	76.1	19.6	92	11.70	627	
Target Range - Lower Bound	4.00	2.44	28.9	<0.2	<10	370	0.66	0.62	1.00	2.01	66.7	17.5	81	9.85	587	
Upper Bound	4.92	3.00	35.5	0.6	20	530	0.94	0.78	1.24	2.47	81.5	21.6	102	12.15	675	
OGGeo08	19.40	2.29	116.5	<0.2	10	90	0.78	10.15	0.90	18.90	60.4	96.7	81	9.53	8120	
Target Range - Lower Bound	18.15	2.05	107.0	<0.2	<10	60	0.61	9.44	0.82	16.75	56.7	87.2	75	8.68	7800	
Upper Bound	22.2	2.53	131.0	0.4	30	110	0.89	11.55	1.02	20.5	69.3	107.0	93	10.70	8980	
BLANKS																
BLANK	<0.01	<0.01	<0.1	<0.2	<10	<10	<0.05	0.01	<0.01	0.01	<0.02	<0.1	<1	<0.05	0.2	
BLANK	0.01	<0.01	<0.1	<0.2	40	<10	<0.05	0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2	
Target Range - Lower Bound	<0.01	<0.01	<0.1	<0.2	<10	<10	<0.05	<0.01	<0.01	<0.01	<0.02	<0.1	<1	<0.05	<0.2	
Upper Bound	0.02	0.02	0.2	0.4	20	20	0.10	0.02	0.02	0.02	0.04	0.2	2	0.10	0.4	
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

Sample Description	Method Analyte Units LOR	ME-MS41														
		Fe %	Ga ppm	Ge ppm	Hf ppm	Hg ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
STANDARDS																
GBM398-1																
GBM398-1																
Target Range - Lower Bound																
Upper Bound																
GBM903-13																
GBM903-13																
Target Range - Lower Bound																
Upper Bound																
GBM908-10		2.61	4.58	0.15	0.73	0.01	0.028	0.42	50.5	6.1	0.54	301	65.6	0.14	0.56	2320
Target Range - Lower Bound		2.35	4.18	0.09	0.62	<0.01	0.012	0.37	43.2	5.6	0.47	259	57.9	0.09	0.38	2030
Upper Bound		2.89	5.22	0.31	0.80	0.04	0.034	0.48	53.2	7.1	0.59	327	70.9	0.15	0.63	2480
GBM908-14																
GBM908-14																
Target Range - Lower Bound																
Upper Bound																
GEOMS-03		4.05	6.21	0.42	0.11	0.71	0.046	0.37	23.5	16.8	0.45	562	3.21	0.02	0.10	51.6
Target Range - Lower Bound		3.64	5.82	0.14	0.07	0.58	0.030	0.29	21.7	15.0	0.39	483	2.89	<0.01	<0.05	48.1
Upper Bound		4.48	7.22	0.36	0.17	0.80	0.054	0.37	27.0	18.5	0.49	601	3.65	0.04	0.21	59.3
MRGeo08		3.49	9.81	0.15	0.76	0.06	0.168	1.24	37.4	33.0	1.15	425	15.45	0.31	1.05	685
Target Range - Lower Bound		3.22	8.89	0.10	0.67	0.04	0.142	1.12	33.2	30.2	1.03	378	13.10	0.30	0.79	622
Upper Bound		3.96	10.95	0.32	0.87	0.10	0.184	1.40	41.0	37.2	1.29	473	16.10	0.39	1.09	760
OGGeo08		4.95	8.33	0.34	0.85	0.48	1.425	1.11	29.0	30.2	0.97	388	838	0.30	1.15	8250
Target Range - Lower Bound		4.51	8.05	0.21	0.72	0.41	1.335	0.94	27.7	29.8	0.84	350	811	0.26	1.15	7760
Upper Bound		5.53	9.95	0.45	0.92	0.57	1.645	1.18	34.3	36.6	1.05	438	991	0.34	1.51	9480
BLANKS																
BLANK		<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05	<0.2
BLANK		<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05	0.2
Target Range - Lower Bound		<0.01	<0.05	<0.05	<0.02	<0.01	<0.005	<0.01	<0.2	<0.1	<0.01	<5	<0.05	<0.01	<0.05	<0.2
Upper Bound		0.02	0.10	0.10	0.04	0.02	0.010	0.02	0.4	0.2	0.02	10	0.10	0.02	0.10	0.4
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

Method Analyte Units LOR	ME-MS41 P ppm 10	ME-MS41 Pb ppm 0.2	ME-MS41 Rb ppm 0.1	ME-MS41 Re ppm 0.001	ME-MS41 S % 0.01	ME-MS41 Sb ppm 0.05	ME-MS41 Sc ppm 0.1	ME-MS41 Se ppm 0.2	ME-MS41 Sn ppm 0.2	ME-MS41 Sr ppm 0.2	ME-MS41 Ta ppm 0.01	ME-MS41 Te ppm 0.01	ME-MS41 Th ppm 0.2	ME-MS41 Ti % 0.005	ME-MS41 Tl ppm 0.02
STANDARDS															
GBM398-1															
GBM398-1															
Target Range - Lower Bound															
Upper Bound															
GBM903-13															
GBM903-13															
Target Range - Lower Bound															
Upper Bound															
GBM908-10	850	2100	31.6	0.001	0.39	1.46	2.3	0.8	1.8	37.7	0.01	0.05	17.4	0.320	0.23
Target Range - Lower Bound	760	1860	27.6	<0.001	0.33	1.06	1.8	0.5	1.2	30.8	<0.01	0.02	15.2	0.276	0.15
Upper Bound	960	2270	34.0	0.003	0.43	1.55	2.4	1.3	2.2	38.0	0.03	0.07	19.0	0.348	0.27
GBM908-14															
GBM908-14															
Target Range - Lower Bound															
Upper Bound															
GEOMS-03	1050	7.0	25.7	0.001	0.03	12.75	9.6	2.4	1.5	100.5	<0.01	0.11	4.9	0.034	1.03
Target Range - Lower Bound	910	5.5	24.2	<0.001	<0.01	10.15	8.1	1.9	1.2	95.2	<0.01	0.08	4.2	0.024	0.79
Upper Bound	1140	7.2	29.8	0.003	0.05	13.85	10.2	2.9	2.2	117.0	0.03	0.13	5.6	0.047	1.11
MRGeo08	1000	1065	155.0	0.008	0.31	3.82	8.4	1.3	3.5	79.0	0.02	0.03	21.8	0.385	0.79
Target Range - Lower Bound	900	959	132.0	0.007	0.27	2.80	6.8	0.9	2.8	73.2	<0.01	<0.01	19.5	0.350	0.66
Upper Bound	1130	1175	162.0	0.011	0.36	3.90	8.6	1.9	4.0	89.9	0.04	0.04	24.3	0.439	0.94
OGGeo08	780	7000	128.5	1.405	2.75	21.1	6.7	11.7	13.0	63.8	0.01	0.15	16.7	0.312	1.45
Target Range - Lower Bound	700	6520	109.5	1.295	2.51	17.70	6.0	9.7	12.0	59.6	<0.01	0.14	15.6	0.279	1.14
Upper Bound	880	7970	134.5	1.585	3.09	24.1	7.6	12.3	15.1	73.2	0.03	0.20	19.6	0.353	1.58
BLANKS															
BLANK	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
BLANK	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
Target Range - Lower Bound	<10	<0.2	<0.1	<0.001	<0.01	<0.05	<0.1	<0.2	<0.2	<0.2	<0.01	<0.01	<0.2	<0.005	<0.02
Upper Bound	20	0.4	0.2	0.002	0.02	0.10	0.2	0.4	0.4	0.4	0.02	0.02	0.4	0.010	0.04
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

Method Analyte Units LOR	ME-MS41 U ppm 0.05	ME-MS41 V ppm 1	ME-MS41 W ppm 0.05	ME-MS41 Y ppm 0.05	ME-MS41 Zn ppm 2	ME-MS41 Zr ppm 0.5	Ag-OG46 Ag ppm 1	Cu-OG46 Cu % 0.001	Pb-OG46 Pb % 0.001	Zn-OG46 Zn % 0.001
STANDARDS										
GBM398-1							5		2.70	2.06
GBM398-1							5	1.510	2.67	2.04
Target Range - Lower Bound							3	1.420	2.58	1.965
Upper Bound							7	1.525	2.77	2.11
GBM903-13							24		2.10	0.906
GBM903-13							24	2.90	2.08	0.903
Target Range - Lower Bound							22	2.79	2.07	0.901
Upper Bound							26	3.00	2.23	0.968
GBM908-10	1.46	49	1.88	20.9	1030	28.7				
Target Range - Lower Bound	1.15	41	1.57	17.55	939	24.0				
Upper Bound	1.51	53	2.24	21.6	1155	33.6				
GBM908-14							293		3.16	4.29
GBM908-14							305	2.38	3.26	4.31
Target Range - Lower Bound							292	2.29	3.18	4.12
Upper Bound							315	2.46	3.41	4.42
GEOMS-03	2.29	74	8.28	16.05	48	2.5				
Target Range - Lower Bound	1.99	62	6.10	14.90	40	1.4				
Upper Bound	2.55	78	8.38	18.30	54	3.9				
MRGeo08	6.09	101	3.09	19.95	780	22.3				
Target Range - Lower Bound	4.99	90	2.44	17.85	708	18.1				
Upper Bound	6.21	112	3.42	21.9	870	25.7				
OGGeo08	5.24	80	3.21	16.85	6810	22.5				
Target Range - Lower Bound	4.45	70	2.58	15.35	6500	19.5				
Upper Bound	5.55	88	3.60	18.85	7950	27.5				
BLANKS										
BLANK	<0.05	<1	<0.05	<0.05	3	<0.5				
BLANK	<0.05	<1	<0.05	<0.05	8	<0.5				
Target Range - Lower Bound	<0.05	<1	<0.05	<0.05	<2	<0.5				
Upper Bound	0.10	2	0.10	0.10	4	1.0				
BLANK							<1		<0.001	<0.001
BLANK							<1	<0.001	0.001	<0.001
Target Range - Lower Bound							<1	<0.001	<0.001	<0.001
Upper Bound							2	0.002	0.002	0.002



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

Sample Description	Method Analyte Units LOR	ME-MS41 Ag ppm	ME-MS41 Al %	ME-MS41 As ppm	ME-MS41 Au ppm	ME-MS41 B ppm	ME-MS41 Ba ppm	ME-MS41 Be ppm	ME-MS41 Bi ppm	ME-MS41 Ca %	ME-MS41 Cd ppm	ME-MS41 Ce ppm	ME-MS41 Co ppm	ME-MS41 Cr ppm	ME-MS41 Cs ppm	ME-MS41 Cu ppm
		0.01	0.01	0.1	0.2	10	10	0.05	0.01	0.01	0.01	0.02	0.1	1	0.05	0.2
		DUPLICATES														
ORIGINAL		20.3	1.58	65.3	<0.2	<10	610	0.97	0.25	0.37	0.70	72.9	28.1	18	0.87	31.6
DUP		19.70	1.58	63.9	<0.2	<10	600	1.00	0.25	0.37	0.67	74.0	27.7	17	0.85	30.8
Target Range - Lower Bound		19.00	1.49	61.3	<0.2	<10	550	0.89	0.23	0.34	0.64	69.8	26.4	16	0.77	29.9
Upper Bound		21.0	1.67	67.9	0.4	20	660	1.08	0.27	0.40	0.73	77.1	29.4	19	0.95	32.5
5294		1.04	0.12	33.9	<0.2	<10	20	0.13	0.89	0.28	0.20	4.32	9.2	2	0.70	11.1
DUP		0.96	0.12	33.4	<0.2	<10	20	0.10	0.84	0.26	0.14	4.40	8.9	1	0.72	10.7
Target Range - Lower Bound		0.94	0.10	31.9	<0.2	<10	<10	0.06	0.81	0.25	0.15	4.12	8.5	<1	0.62	10.3
Upper Bound		1.06	0.14	35.4	0.4	20	30	0.17	0.92	0.29	0.19	4.60	9.6	2	0.80	11.5
5309		17.15	0.33	52.4	<0.2	20	40	0.41	8.78	6.48	10.75	16.90	29.8	6	5.30	116.5
DUP		16.95	0.34	52.4	<0.2	10	40	0.39	8.54	6.61	10.60	18.80	29.8	6	5.36	118.5
Target Range - Lower Bound		16.20	0.31	49.7	<0.2	<10	30	0.33	8.22	6.21	10.15	16.95	28.2	5	5.01	113.0
Upper Bound		17.90	0.36	55.1	0.4	20	50	0.47	9.10	6.88	11.20	18.75	31.4	7	5.65	122.0
5315																
DUP																
Target Range - Lower Bound																
Upper Bound																

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - B
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2013
 Account: AUSHUA

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

Sample Description	Method Analyte Units LOR	ME-MS41 Fe %	ME-MS41 Ga ppm	ME-MS41 Ge ppm	ME-MS41 Hf ppm	ME-MS41 Hg ppm	ME-MS41 In ppm	ME-MS41 K %	ME-MS41 La ppm	ME-MS41 Li ppm	ME-MS41 Mg %	ME-MS41 Mn ppm	ME-MS41 Mo ppm	ME-MS41 Na %	ME-MS41 Nb ppm	ME-MS41 Ni ppm
		0.01	0.05	0.05	0.02	0.01	0.005	0.01	0.2	0.1	0.01	5	0.05	0.01	0.05	0.2
DUPLICATES																
ORIGINAL		2.60	6.09	0.08	0.16	0.58	0.051	0.22	27.9	8.3	0.13	3540	0.89	<0.01	0.14	19.1
DUP		2.55	6.01	0.07	0.16	0.58	0.056	0.22	28.3	9.0	0.13	3520	0.86	0.01	0.13	18.8
Target Range - Lower Bound		2.44	5.70	<0.05	0.13	0.53	0.046	0.20	26.5	8.1	0.11	3350	0.78	<0.01	0.08	17.8
Upper Bound		2.71	6.40	0.10	0.19	0.63	0.061	0.24	29.7	9.2	0.15	3710	0.97	0.02	0.19	20.1
5294		22.4	0.86	0.17	0.10	0.01	4.47	0.08	2.1	1.9	6.89	19650	1.68	0.02	0.10	14.7
DUP		22.0	0.85	0.17	0.09	0.01	4.44	0.07	2.2	1.8	6.80	19350	1.65	0.01	0.10	14.3
Target Range - Lower Bound		21.1	0.76	0.11	0.07	<0.01	4.23	0.06	1.8	1.7	6.49	18500	1.53	<0.01	<0.05	13.6
Upper Bound		23.3	0.95	0.23	0.12	0.02	4.68	0.09	2.5	2.0	7.20	20500	1.80	0.02	0.16	15.4
5309		5.56	1.25	0.07	0.24	0.04	2.28	0.17	7.8	4.3	4.19	5850	13.95	0.02	<0.05	31.2
DUP		5.59	1.28	0.05	0.25	0.04	2.22	0.17	9.0	4.1	4.25	5910	13.90	0.02	<0.05	31.0
Target Range - Lower Bound		5.29	1.15	<0.05	0.21	0.03	2.13	0.15	7.8	3.9	4.00	5580	13.20	<0.01	<0.05	29.3
Upper Bound		5.86	1.38	0.10	0.28	0.05	2.37	0.19	9.0	4.5	4.44	6180	14.65	0.03	0.10	32.9
5315																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

Method Analyte Units LOR	ME-MS41 P ppm	ME-MS41 Pb ppm	ME-MS41 Rb ppm	ME-MS41 Re ppm	ME-MS41 S %	ME-MS41 Sb ppm	ME-MS41 Sc ppm	ME-MS41 Se ppm	ME-MS41 Sn ppm	ME-MS41 Sr ppm	ME-MS41 Ta ppm	ME-MS41 Te ppm	ME-MS41 Th ppm	ME-MS41 Ti %	ME-MS41 Tl ppm
Sample Description	10	0.2	0.1	0.001	0.01	0.05	0.1	0.2	0.2	0.2	0.01	0.01	0.2	0.005	0.02
DUPLICATES															
ORIGINAL	780	751	26.9	<0.001	0.02	4.48	4.0	0.9	0.6	56.9	<0.01	0.03	3.0	0.007	0.56
DUP	750	726	25.7	<0.001	0.02	4.45	3.8	0.9	0.6	55.4	<0.01	0.03	2.9	0.007	0.55
Target Range - Lower Bound	720	701	24.9	<0.001	<0.01	4.08	3.6	0.7	0.4	53.1	<0.01	0.02	2.6	<0.005	0.49
Upper Bound	810	776	27.7	0.002	0.03	4.85	4.2	1.1	0.8	59.2	0.02	0.04	3.3	0.010	0.62
5294	310	88.9	3.9	0.003	0.89	7.87	2.3	0.3	0.3	9.5	<0.01	0.02	0.8	<0.005	0.08
DUP	290	73.7	3.9	0.002	0.88	7.85	2.2	0.4	0.3	9.2	<0.01	0.02	0.8	<0.005	0.08
Target Range - Lower Bound	280	77.0	3.6	<0.001	0.83	7.22	2.0	<0.2	<0.2	8.7	<0.01	<0.01	0.6	<0.005	0.05
Upper Bound	330	85.6	4.2	0.004	0.94	8.50	2.5	0.4	0.4	10.0	0.02	0.03	1.0	0.010	0.11
5309	1600	9480	14.5	0.012	2.13	33.0	3.3	1.0	1.0	156.5	<0.01	0.16	3.2	<0.005	0.56
DUP	1650	9440	14.9	0.013	2.08	32.8	3.1	0.9	1.0	156.0	<0.01	0.13	3.3	<0.005	0.54
Target Range - Lower Bound	1530	8990	13.9	0.011	1.99	30.4	2.9	0.7	0.8	148.0	<0.01	0.13	2.9	<0.005	0.49
Upper Bound	1720	9930	15.5	0.014	2.22	35.4	3.5	1.2	1.3	164.5	0.02	0.16	3.6	0.010	0.61
5315															
DUP															
Target Range - Lower Bound															
Upper Bound															

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 19-NOV-2013
 Account: AUSHUA

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

Sample Description	Method Analyte Units LOR	ME-MS41 U ppm	ME-MS41 V ppm	ME-MS41 W ppm	ME-MS41 Y ppm	ME-MS41 Zn ppm	ME-MS41 Zr ppm	Ag-OG46 Ag ppm	Cu-OG46 Cu %	Pb-OG46 Pb %	Zn-OG46 Zn %
		0.05	1	0.05	0.05	2	0.5	1	0.001	0.001	0.001
DUPLICATES											
ORIGINAL		0.48	34	0.07	19.30	510	3.9				
DUP		0.49	34	0.07	18.65	506	3.6				
Target Range - Lower Bound		0.41	31	<0.05	18.00	481	3.0				
Upper Bound		0.56	37	0.10	19.95	535	4.5				
5294		0.24	11	2.00	3.36	89	3.1				
DUP		0.22	12	1.73	3.31	73	3.1				
Target Range - Lower Bound		0.17	10	1.68	3.12	75	2.4				
Upper Bound		0.29	13	2.05	3.55	87	3.8				
5309		0.66	41	0.91	7.99	2380	7.4				
DUP		0.67	42	0.95	7.91	2400	7.5				
Target Range - Lower Bound		0.58	38	0.81	7.50	2270	6.4				
Upper Bound		0.75	45	1.05	8.40	2510	8.5				
5315									1.005		
DUP								12	1.010	0.597	0.121
Target Range - Lower Bound								11	0.981	0.581	0.117
Upper Bound								13	1.035	0.613	0.125



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: CC_05_11_2013

QC CERTIFICATE OF ANALYSIS BU13189186

	CERTIFICATE COMMENTS								
Applies to Method:	<p style="text-align: center;">ANALYTICAL COMMENTS</p> <p>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41</p>								
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Ag-OG46</td> <td style="width: 33%;">Cu-OG46</td> <td style="width: 33%;">ME-MS41</td> <td style="width: 33%;">ME-OG46</td> </tr> <tr> <td>Pb-OG46</td> <td>Zn-OG46</td> <td></td> <td></td> </tr> </table>	Ag-OG46	Cu-OG46	ME-MS41	ME-OG46	Pb-OG46	Zn-OG46		
Ag-OG46	Cu-OG46	ME-MS41	ME-OG46						
Pb-OG46	Zn-OG46								
Applies to Method:	<p>Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">BAG-01</td> <td style="width: 33%;">CRU-21</td> <td style="width: 33%;">LEV-01</td> <td style="width: 33%;">LOG-22</td> </tr> <tr> <td>PUL-31b</td> <td>PUL-QC</td> <td>WEI-21</td> <td></td> </tr> </table>	BAG-01	CRU-21	LEV-01	LOG-22	PUL-31b	PUL-QC	WEI-21	
BAG-01	CRU-21	LEV-01	LOG-22						
PUL-31b	PUL-QC	WEI-21							