



RON GREGORY PROSPECTING

RL1/2011

LEFROY

TASMANIA

SURRENDER REPORT

Period ending 30th April 2014

July 2014

Author: Ron Gregory

Datum: GDA

Distribution:

- 1. Mineral Resources Tasmania**
- 2. Ron Gregory**

TABLE OF CONTENTS

- 1. ABSTRACT**
- 2. INTRODUCTION**
- 3. TENEMENT STATUS**
- 4. TOPOGRAPHY AND ACCESS**
- 5. GEOLOGY AND MINERALISATION**
- 6. PREVIOUS EXPLORATION AND MINING**
- 7. WORK COMPLETED**
- 8. EXPENDITURE**
- 9. REFERENCES**

LIST OF FIGURES

- | | |
|-----------------|--------------------------------|
| Figure 1 | Location Plan |
| Figure 2 | Area for Surrender Plan |

1 ABSTRACT

This report details the work completed on the 4.5 sq. km of RL1/2011 surrendered as at the 30th April 2014

2. INTRODUCTION

No field exploration work was done during 2013-2014 on the area for surrender.

The surrendered area is not considered sufficiently prospective to retain.

3. TENEMENT STATUS

The Retention Licence (RL1/2011) covers 6 square kilometres in north-eastern Tasmania, just north of Lefroy Township on the road to Beechford about 45km north of Launceston.

The Licence was originally granted to BCD Resources NL on 23rd April 2012 for a period of 2 years. The Licence was subsequently transferred to Ron Gregory effective from the 6th March 2013.

BCD Resources NL (previously named Beaconsfield Gold NL {BGL}) acquired the Exploration Licences covering the Lefroy Goldfield and other areas from Lefroy Resources Ltd (LRL) in 2008, of which RL1/2011 is a small remaining part thereof..

The Licence contains no excluded areas and covers the known location of the Pinafore and Chum Reefs.

4 TOPOGRAPHY AND ACCESS

RL1/2011 is located largely within the State Forest and accessed by the Council maintained Lefroy – Beechford road (bitumen), which runs south-north through the tenement. The terrain is undulating and vegetation is mostly light, open, eucalyptus forest, which has been extensively cutover for firewood.

5. GEOLOGY AND MINERALISATION

The Lefroy Goldfield is located in the Stoney Head Sandstone within 2km contact with the Turquoise Bluff Slate. The Stoney Head Sandstone is a thick bedded and typically unfossiliferous sandstone dominated succession (Reed, 2004).

A complete synopsis of the regional geology can be found in Baxter and Fulton (2006) – included as Appendix A. 2006 Annual technical report. (Lloyd, 2007)

6 PREVIOUS EXPLORATION AND MINING

Previous exploration and mining is comprehensively reported in Broadhurst, E. – 1935 Lefroy and Back Ck Goldfields – Geological survey Bulletin 42 (GSB42)

7. WORKS COMPLETED DURING 2013-14

No field work was conducted on the surrendered area in 2013-2014 by Ron Gregory prospecting.

A review of previous exploration and mining was conducted and the surrendered area deemed to be un-prospective for a significant gold resource.


- .

8. EXPENDITURE

Nil


9. REFERENCES

Broadhurst, E. – GSB42.



Licence boundaries follow grid lines unless otherwise shown.

Coordinate Datum - GDA94 MGA Zone 55




**RL 1/2011 6km²
Vicinity of Lefroy**



1:50000





AREA FOR SURRENDER

AREA FOR RETENTION

RL 1/2011 BOUNDARY



Ron Gregory Prospecting

**RL 1/2011 - LEFROY
AREA FOR SURRENDER**

Compiled : Ron Gregory	Drawn : DraftingWorks	Date : 21/04/2014	Revised : :	Projection : GDA94 Zone 55
Scale : 1:12,500			Drawing No. : RGP-LFR-TL-004	Figure No.