



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

**CERTIFICATE BU15054224**

Project: SHH\_422008\_140415

This report is for 42 Rock Chip samples submitted to our lab in Burnie, TAS, Australia on 16-APR-2015.

The following have access to data associated with this certificate:

SANJAY LOYALKA	ROBERT REID
----------------	-------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
CRU-21	Crush entire sample >70% -6 mm
PUL-31b	Pulv. Lg split to >80% -75um
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
AU-AA25	Ore Grade Au 30g FA AA finish	AAS

To: **SHREE MINERALS LTD**  
**ATTN: ROBERT REID**  
**UNIT 2, THE PINES BUSINESS CENTRE**  
**88 FORREST ST**  
**COTTESLOE WA 6011**

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:   
 Ricky Gelston, Laboratory Manager, Burnie



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-APR-2015  
 Account: SHRMIN

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

Sample Description	Method Analyte Units LOR	WEI-21	PUL-QC	ME-MS61												
		Recvd Wt. kg	Pass75um %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cs ppm	Cu ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
47701		0.55		0.06	6.73	1.2	970	2.40	0.37	0.05	0.02	100.5	1.3	2	3.32	2.9
47702		0.53		0.05	6.46	1.1	1530	1.98	0.09	0.04	0.02	142.5	0.6	5	2.69	1.8
47703		0.48		0.03	6.76	2.1	2200	1.77	0.19	0.01	<0.02	110.0	0.2	4	3.33	2.1
47704		0.44		7.77	7.98	3820	1880	2.33	38.3	0.01	0.86	92.2	3.4	7	4.10	49.3
47705		0.84		0.24	5.74	8.6	2360	1.46	0.41	0.01	<0.02	84.9	0.4	4	3.09	5.4
47706		0.63		2.13	6.01	31.8	1750	1.83	3.77	0.01	0.05	93.6	3.0	4	3.54	34.0
47707		0.57		0.22	7.97	15.3	1930	1.54	0.40	0.06	0.02	127.0	12.5	16	3.32	19.0
47708		0.67		0.04	0.18	1.5	30	0.09	0.05	<0.01	<0.02	2.36	0.4	17	0.19	2.1
47709		0.66		0.08	7.04	2.8	900	1.72	0.12	0.13	0.02	142.0	18.9	8	3.59	10.2
47710		0.40		0.22	4.95	2.0	680	1.54	0.72	0.01	<0.02	266	1.4	4	2.40	3.0
47711		0.39		0.07	9.56	7.3	230	1.74	0.11	0.01	<0.02	16.65	10.6	262	3.80	19.0
47713		0.53		0.04	7.10	21.8	590	0.93	0.14	4.41	0.21	85.4	29.1	370	1.19	37.7
47714		0.62		0.04	7.30	14.8	560	1.07	0.13	4.32	0.24	77.3	33.2	353	1.31	57.5
47715		0.50		0.45	5.23	94.1	1140	2.05	5.88	0.01	<0.02	282	0.7	7	3.32	151.0
47716		0.86		0.03	6.32	2.2	930	2.31	0.18	0.05	<0.02	67.8	2.4	5	3.48	2.2
47717		0.49		0.11	6.61	0.9	390	2.09	0.16	0.03	<0.02	118.5	0.7	4	5.12	2.0
47718		0.39		0.09	7.06	12.7	580	1.92	0.13	<0.01	0.04	105.5	3.0	2	2.95	49.7
47719		0.60		0.04	6.90	29.1	1260	1.85	0.32	0.12	0.02	93.0	59.6	7	11.50	59.7
47720		0.66		0.07	5.99	1.7	530	1.82	0.30	0.05	<0.02	182.5	2.1	3	2.52	5.6
47721		0.84	96.1	0.02	6.81	1.8	1280	1.73	0.10	0.03	<0.02	56.5	0.8	5	1.69	2.1
47722		0.76		0.04	5.37	2.3	760	1.73	0.15	0.02	<0.02	87.9	1.5	2	4.32	3.8
47723		0.75		1.44	5.63	43.2	710	2.57	4.36	0.01	<0.02	18.05	0.3	95	4.29	16.2
47724		0.97		0.09	3.45	21.6	320	1.80	1.41	0.01	0.03	73.9	0.8	42	1.80	25.1
47725		0.70		0.17	6.14	101.5	570	2.90	5.61	0.01	<0.02	96.6	6.8	99	3.51	40.7
47726		0.38		0.13	8.53	6.2	760	3.23	0.18	0.08	0.02	121.5	29.8	26	6.77	51.1
47727		0.43		0.05	5.31	10.1	530	2.73	0.13	<0.01	<0.02	105.5	0.4	2	4.42	2.6
47728		0.32		0.07	5.62	5.7	970	2.57	0.11	<0.01	<0.02	96.8	0.4	3	3.99	2.0
47729		0.85		0.53	4.07	61.4	220	1.40	11.45	0.03	0.11	72.9	4.5	69	1.45	147.0
47730		0.69		0.13	6.27	5.6	1880	1.33	0.65	0.01	0.02	147.0	0.7	5	2.15	13.4
47731		0.61		0.05	4.30	143.5	820	1.70	1.21	<0.01	<0.02	66.9	0.3	5	2.73	4.7
47732		0.52		0.02	5.77	1.5	1000	1.78	0.17	0.11	<0.02	118.0	1.3	4	1.27	2.9
47733		0.58		0.03	6.95	1.3	1230	2.40	0.08	0.03	<0.02	112.5	2.0	4	2.61	47.8
47734		0.73		0.03	5.33	1.5	890	2.23	0.11	0.01	<0.02	93.9	0.8	3	1.63	8.8
47735		0.69		0.01	3.00	1.1	130	1.16	0.15	0.01	<0.02	53.8	0.5	3	1.47	2.0
47736		0.83		0.02	6.49	2.6	690	2.36	0.16	0.56	<0.02	101.5	1.7	4	2.00	2.8
47737		0.53		<0.01	6.79	1.4	1670	1.50	0.07	0.02	<0.02	125.5	1.1	4	3.77	0.6
47738		0.61		0.07	7.80	3.7	760	1.67	0.09	0.09	<0.02	82.6	38.9	32	5.88	51.5
47739		0.60		0.07	8.73	5.7	810	1.57	0.12	0.06	0.04	114.0	46.3	20	4.18	59.9
47740		1.03		0.02	5.75	4.7	5570	1.97	0.25	0.01	<0.02	115.0	1.1	3	4.82	2.0
47741		0.55		0.04	8.50	4.8	1550	1.39	0.07	0.16	0.04	101.5	31.3	41	1.99	26.8



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-APR-2015  
 Account: SHRMIN

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

Sample Description	Method Analyte Units LOR	ME-MS61														
		Fe %	Ga ppm	Ge ppm	Hf ppm	In ppm	K %	La ppm	Li ppm	Mg %	Mn ppm	Mo ppm	Na %	Nb ppm	Ni ppm	P ppm
47701		2.44	19.35	0.20	6.7	0.178	3.10	49.9	5.6	0.30	37	0.14	2.17	13.6	0.7	80
47702		1.10	17.90	0.21	4.4	0.134	4.03	68.5	2.9	0.13	17	0.15	1.84	12.9	1.7	70
47703		1.04	18.55	0.20	4.2	0.104	5.25	55.2	4.4	0.27	23	0.60	0.08	10.2	1.1	70
47704		4.44	28.7	0.23	5.8	0.258	4.72	41.2	6.4	0.48	25	45.0	0.03	12.5	1.7	200
47705		1.05	17.20	0.19	3.7	0.068	4.76	43.4	8.1	0.22	19	1.15	0.38	11.2	0.9	80
47706		4.29	22.8	0.22	4.0	0.105	5.01	46.2	7.7	0.25	72	7.24	0.05	11.1	1.2	130
47707		3.30	21.7	0.25	6.1	0.057	2.85	59.4	10.0	0.80	151	0.75	2.14	13.6	5.2	1180
47708		0.72	0.78	0.06	0.2	<0.005	0.10	1.2	1.7	0.01	86	0.25	0.02	0.4	2.1	<10
47709		6.09	20.2	0.26	5.4	0.040	2.02	68.6	16.2	1.15	349	0.30	2.38	12.6	4.8	1170
47710		0.96	13.95	0.34	6.0	0.118	2.11	109.5	6.0	0.29	26	0.40	0.17	11.0	1.0	150
47711		7.39	22.9	0.21	4.5	0.067	0.67	6.8	10.5	0.61	81	0.61	0.01	8.3	58.5	700
47713		8.11	17.80	0.36	3.7	0.055	1.45	41.7	16.4	4.48	941	0.34	1.49	6.6	128.5	1230
47714		7.46	17.75	0.34	3.6	0.059	1.47	34.4	16.9	4.49	938	0.32	1.31	6.1	124.0	1300
47715		3.63	14.30	0.36	5.0	1.500	3.65	137.0	6.3	0.38	25	10.95	0.03	7.3	3.1	160
47716		4.20	15.80	0.20	6.8	0.247	2.33	32.1	7.4	0.24	443	0.20	2.38	13.1	1.7	170
47717		1.20	16.95	0.22	6.4	0.057	3.77	55.7	5.0	0.28	19	0.09	0.04	13.4	1.4	80
47718		2.53	15.65	0.21	6.5	0.068	2.69	48.7	5.6	0.23	174	1.26	0.07	12.1	1.2	170
47719		11.35	27.2	0.49	5.2	0.129	3.87	42.9	34.7	1.09	672	0.26	0.03	10.0	5.3	1530
47720		2.31	15.35	0.28	5.9	0.167	1.70	89.0	10.9	0.47	79	0.14	2.56	11.6	1.0	150
47721		1.89	16.80	0.19	4.4	0.075	3.91	26.4	1.8	0.13	27	0.19	2.45	9.0	1.9	130
47722		3.09	14.70	0.23	6.3	0.171	3.65	43.0	8.6	0.47	174	0.88	0.49	11.6	0.7	120
47723		1.54	16.95	0.15	3.3	0.309	3.10	8.9	4.3	0.43	21	4.98	0.04	8.8	7.5	170
47724		3.89	10.35	0.19	3.2	0.267	1.65	34.8	5.9	0.42	72	1.69	0.02	6.1	7.8	350
47725		8.97	19.20	0.36	3.6	0.442	2.51	42.1	12.5	1.15	185	4.80	0.04	8.7	39.5	380
47726		8.58	25.1	0.33	5.7	0.084	2.94	58.0	38.1	1.58	126	0.40	0.09	9.8	13.8	1480
47727		1.07	14.20	0.22	4.8	0.040	3.02	50.6	7.1	0.23	19	0.85	0.04	9.7	0.3	90
47728		0.98	13.75	0.22	5.0	0.041	3.18	45.5	9.4	0.23	21	1.06	0.04	10.5	0.4	70
47729		7.50	12.45	0.21	2.2	0.239	0.98	31.0	14.7	0.96	483	2.09	0.02	6.1	25.8	230
47730		1.37	18.20	0.30	5.9	0.044	6.47	73.1	4.1	0.20	28	11.25	0.07	11.5	0.9	130
47731		1.26	11.05	0.20	3.7	0.035	2.39	31.3	3.5	0.14	23	8.70	0.04	7.9	0.4	50
47732		2.35	15.45	0.25	6.3	0.039	2.97	58.5	5.5	0.38	187	0.16	2.20	12.1	0.5	110
47733		2.89	21.1	0.27	7.0	0.031	4.58	55.0	9.2	0.85	156	0.27	0.94	14.2	1.9	180
47734		1.80	16.10	0.24	5.9	0.043	3.68	45.5	7.3	0.47	78	0.39	0.38	11.9	0.9	100
47735		0.89	9.11	0.17	3.3	0.037	1.70	25.2	55.7	0.18	72	0.14	0.06	6.9	0.3	30
47736		1.88	17.50	0.23	6.5	0.055	2.37	47.0	10.4	0.46	249	0.87	1.72	13.0	0.5	120
47737		2.58	16.30	0.24	4.3	0.063	4.51	63.7	5.2	0.31	225	0.28	0.71	12.1	2.1	160
47738		9.90	23.8	0.42	5.4	0.082	1.54	36.0	32.1	3.12	656	0.20	0.93	9.7	18.8	1840
47739		12.00	24.3	0.54	5.1	0.079	1.14	51.4	24.9	2.36	598	0.27	1.05	9.3	16.7	1500
47740		1.73	13.10	0.22	5.9	0.056	3.16	53.5	9.5	0.24	44	2.11	0.77	10.2	0.9	120
47741		8.46	20.0	0.31	5.2	0.082	1.92	45.5	24.9	2.79	769	0.61	1.85	9.7	20.7	3500



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - C  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-APR-2015  
 Account: SHRMIN

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

Sample Description	Method Analyte Units LOR	ME-MS61														
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	%	ppm	ppm							
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
47701		9.9	175.0	<0.002	0.01	0.99	13.8	1	2.6	77.8	0.94	<0.05	20.7	0.259	0.76	4.0
47702		5.3	172.5	<0.002	0.01	1.18	9.0	1	2.8	95.3	0.91	<0.05	18.2	0.222	0.73	3.2
47703		3.6	241	0.002	0.01	1.32	9.9	1	4.4	26.8	0.70	<0.05	19.4	0.185	1.17	4.8
47704		127.0	248	0.002	0.45	4.53	11.4	3	2.7	5.5	0.82	10.00	23.5	0.207	1.21	13.0
47705		3.5	192.5	0.002	0.01	0.96	6.5	1	4.1	40.6	0.75	0.12	17.6	0.178	0.93	4.4
47706		188.5	221	0.002	0.29	3.20	7.1	1	3.5	32.0	0.77	1.62	19.3	0.174	0.96	7.2
47707		46.8	127.0	0.002	0.03	1.12	25.4	1	1.3	80.8	0.82	0.06	24.6	0.509	0.96	5.6
47708		1.7	5.7	<0.002	<0.01	1.94	0.4	<1	0.2	1.2	<0.05	<0.05	0.5	0.016	0.03	0.2
47709		8.3	65.9	0.002	0.01	0.65	22.4	1	1.1	67.1	0.79	<0.05	18.4	0.474	0.62	4.8
47710		2.9	113.5	<0.002	0.01	0.82	7.6	2	3.2	10.6	0.76	<0.05	18.9	0.125	0.45	7.9
47711		48.4	20.6	<0.002	0.02	1.26	38.2	1	2.0	15.6	0.54	<0.05	10.5	0.587	0.29	4.5
47713		10.7	38.1	<0.002	0.01	0.66	36.7	1	0.9	403	0.40	<0.05	13.0	0.493	0.21	3.2
47714		7.3	37.9	<0.002	0.01	0.58	37.0	1	0.7	435	0.38	<0.05	11.6	0.475	0.22	3.3
47715		11.0	193.0	<0.002	0.01	1.38	5.1	2	0.9	14.0	0.49	0.17	19.2	0.104	0.85	6.0
47716		4.1	128.0	<0.002	0.01	0.79	11.0	1	2.1	47.5	0.89	<0.05	19.5	0.219	0.55	4.1
47717		2.4	202	<0.002	<0.01	0.69	10.3	1	2.7	5.5	0.94	<0.05	21.8	0.150	0.90	4.4
47718		67.2	145.5	<0.002	0.01	3.29	12.3	1	2.2	4.3	0.85	<0.05	23.8	0.179	0.69	5.9
47719		3.7	194.0	0.002	0.01	1.90	24.9	1	3.5	15.6	0.60	<0.05	15.0	0.477	0.92	6.1
47720		9.9	102.0	<0.002	0.01	0.71	9.6	1	2.4	77.6	0.81	0.05	20.8	0.169	0.51	4.8
47721		7.0	169.0	<0.002	0.01	0.95	8.1	1	1.9	74.4	0.65	<0.05	21.7	0.163	0.65	4.5
47722		9.6	177.5	0.002	0.01	1.00	8.3	1	3.7	18.9	0.81	<0.05	19.7	0.154	0.84	4.6
47723		321	176.5	0.002	0.02	2.15	14.8	3	3.9	8.5	0.65	0.76	14.0	0.242	1.04	4.5
47724		28.3	95.6	0.002	0.25	2.67	6.6	1	2.2	2.9	0.43	0.10	12.8	0.133	0.51	3.2
47725		14.9	138.5	0.004	1.82	4.90	15.4	3	4.6	8.2	0.63	0.32	18.3	0.243	0.73	4.4
47726		24.7	145.0	<0.002	0.01	1.58	39.8	1	1.5	10.3	0.57	<0.05	16.3	0.730	0.94	4.5
47727		23.1	163.5	<0.002	<0.01	1.33	8.8	1	1.8	5.5	0.69	<0.05	16.6	0.141	0.68	3.7
47728		18.9	169.5	<0.002	0.01	1.12	8.4	1	2.1	6.5	0.77	<0.05	17.7	0.151	0.77	3.6
47729		47.9	52.6	0.002	0.83	2.04	9.7	1	1.7	4.4	0.45	0.15	10.9	0.170	0.29	2.8
47730		15.0	233	0.002	0.06	2.82	7.3	1	3.5	42.6	0.77	0.06	20.4	0.166	0.78	6.7
47731		23.2	118.0	<0.002	0.01	4.11	5.8	1	1.5	5.7	0.55	<0.05	12.0	0.113	0.61	3.7
47732		11.3	127.5	<0.002	0.01	0.52	8.9	1	1.4	71.5	0.85	0.05	19.7	0.141	0.40	4.8
47733		8.1	236	<0.002	0.01	0.95	10.8	1	6.6	62.7	0.98	<0.05	23.5	0.224	0.66	6.1
47734		19.9	179.5	<0.002	0.01	0.91	8.2	1	4.5	43.3	0.82	0.05	17.3	0.181	0.52	4.5
47735		4.5	112.0	<0.002	<0.01	2.11	5.8	<1	1.4	6.0	0.46	<0.05	9.2	0.090	0.41	2.4
47736		11.7	141.5	<0.002	0.01	0.78	11.2	1	2.9	122.5	0.89	<0.05	22.8	0.152	0.47	5.8
47737		17.0	192.5	0.003	<0.01	0.91	9.6	1	2.7	40.1	0.87	0.05	19.6	0.201	0.89	4.0
47738		22.4	31.1	0.002	0.01	1.22	35.3	2	1.5	34.3	0.60	0.07	10.1	0.740	0.54	3.5
47739		75.3	36.9	<0.002	0.01	1.37	42.3	2	1.5	29.9	0.57	0.07	14.2	0.706	0.39	3.6
47740		79.6	145.5	0.005	0.09	1.69	8.3	1	2.9	51.6	0.76	0.06	19.3	0.164	0.91	4.8
47741		10.4	38.1	0.002	0.04	1.18	36.0	1	1.3	93.8	0.58	0.06	12.7	0.676	0.31	4.0



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 2 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-APR-2015  
 Account: SHRMIN

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

Sample Description	Method Analyte Units LOR	ME-MS61	ME-MS61	ME-MS61	ME-MS61	ME-MS61	Au-AA25
		V ppm 1	W ppm 0.1	Y ppm 0.1	Zn ppm 2	Zr ppm 0.5	Au ppm 0.01
47701		12	3.0	29.5	54	240	<0.01
47702		29	2.6	21.5	30	154.0	<0.01
47703		31	6.1	22.6	18	142.0	<0.01
47704		41	8.7	23.2	215	200	15.50
47705		23	5.0	18.3	20	129.5	0.03
47706		26	2.8	26.7	76	136.0	<0.01
47707		177	2.2	31.0	170	255	0.01
47708		5	0.7	0.6	2	6.2	<0.01
47709		185	0.9	28.3	1180	232	<0.01
47710		4	1.6	52.0	21	233	<0.01
47711		333	1.4	8.0	325	182.0	<0.01
47713		249	0.8	20.3	80	151.0	<0.01
47714		236	0.6	16.6	61	147.5	<0.01
47715		11	2.9	27.5	61	190.5	<0.01
47716		11	1.9	27.4	65	252	<0.01
47717		5	1.5	33.1	33	234	<0.01
47718		9	2.5	33.5	126	228	<0.01
47719		200	17.9	35.0	109	216	<0.01
47720		8	0.8	27.9	81	220	<0.01
47721		28	1.1	17.6	27	147.5	<0.01
47722		6	1.5	28.0	53	227	0.02
47723		136	3.8	11.1	10	115.5	<0.01
47724		52	2.1	13.8	31	118.5	0.01
47725		147	5.4	16.6	64	126.5	0.01
47726		419	4.1	23.6	257	244	0.01
47727		7	1.5	25.8	22	166.5	<0.01
47728		5	1.7	30.4	25	173.5	<0.01
47729		80	4.4	12.5	97	77.0	<0.01
47730		15	5.9	28.3	20	223	0.01
47731		5	1.2	19.2	25	132.0	<0.01
47732		4	1.0	45.6	56	226	<0.01
47733		16	2.2	35.0	72	263	0.01
47734		12	3.9	24.7	43	225	0.01
47735		2	1.1	14.4	25	119.0	<0.01
47736		3	1.3	35.8	18	236	<0.01
47737		28	2.0	21.3	56	147.0	<0.01
47738		427	2.2	15.0	249	224	<0.01
47739		422	1.6	22.1	914	222	0.01
47740		9	2.2	32.2	73	216	<0.01
47741		281	1.7	19.9	114	214	0.01



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 3 - A  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-APR-2015  
 Account: SHRMIN

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

Sample Description	Method Analyte Units LOR	WEI-21	PUL-QC	ME-MS61												
		Recvd Wt.	Pass75um	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		kg	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
47742		0.77		0.05	9.39	5.3	770	2.28	0.15	0.01	0.06	56.3	27.1	39	4.09	38.4
47743		0.82		<0.01	6.16	2.5	1120	2.40	0.08	0.01	<0.02	121.0	1.4	2	3.91	0.3

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 3 - B  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-APR-2015  
 Account: SHRMIN

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

Sample Description	Method Analyte Units LOR	ME-MS61														
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
47742		8.59	24.3	0.28	5.8	0.094	2.13	22.8	20.9	0.79	633	0.76	0.02	10.5	17.4	2060
47743		1.27	16.10	0.23	6.3	0.061	3.30	57.2	9.1	0.41	32	0.14	0.56	12.4	0.5	80

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

Sample Description	Method Analyte Units LOR	ME-MS61														
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	%	ppm	ppm							
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.2	0.005	0.02	0.1
47742		8.0	82.9	0.002	0.03	1.28	44.6	2	1.5	106.5	0.65	0.05	9.6	0.777	0.58	4.5
47743		2.0	188.5	0.002	<0.01	1.15	11.0	1	2.6	9.3	0.90	0.05	17.7	0.180	0.83	4.8

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Page: 3 - D  
 Total # Pages: 3 (A - D)  
 Plus Appendix Pages  
 Finalized Date: 28-APR-2015  
 Account: SHRMIN

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

Sample Description	Method Analyte Units LOR	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-AA25 Au ppm 0.01
47742		318	2.5	10.4	146	238	<0.01
47743		10	1.4	32.3	39	230	<0.01

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.  
 32 Shand Street  
 Stafford  
 Brisbane QLD 4053  
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218  
 www.alsglobal.com

Project: SHH\_422008\_140415

**CERTIFICATE OF ANALYSIS BU15054224**

	<b>CERTIFICATE COMMENTS</b>								
Applies to Method:	<p style="text-align: center;"><b>ANALYTICAL COMMENTS</b></p> <p>REE's may not be totally soluble in this method.            ME-MS61</p>								
Applies to Method:	<p style="text-align: center;"><b>LABORATORY ADDRESSES</b></p> <p>Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia.            ME-MS61</p>								
Applies to Method:	<p>Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au-AA25</td> <td style="width: 33%;">CRU-21</td> <td style="width: 33%;">LEV-01</td> <td style="width: 15%;"></td> </tr> <tr> <td>PUL-31b</td> <td>PUL-QC</td> <td>WEI-21</td> <td>LOG-22</td> </tr> </table>	Au-AA25	CRU-21	LEV-01		PUL-31b	PUL-QC	WEI-21	LOG-22
Au-AA25	CRU-21	LEV-01							
PUL-31b	PUL-QC	WEI-21	LOG-22						