



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

QC CERTIFICATE BU15054224

Project: SHH_422008_140415

This report is for 42 Rock Chip samples submitted to our lab in Burnie, TAS, Australia on 16-APR-2015.

The following have access to data associated with this certificate:

SANJAY LOYALKA	ROBERT REID
----------------	-------------

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
CRU-21	Crush entire sample >70% -6 mm
PUL-31b	Pulv. Lg split to >80% -75um
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	
ME-MS61	48 element four acid ICP-MS	
Au-AA25	Ore Grade Au 30g FA AA finish	AAS

To: **SHREE MINERALS LTD**
ATTN: ROBERT REID
UNIT 2, THE PINES BUSINESS CENTRE
88 FORREST ST
COTTESLOE WA 6011

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Ricky Gelston, Laboratory Manager, Burnie



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

Method Analyte Units LOR	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm
Sample Description	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
STANDARDS															
BP-13															
Target Range - Lower Bound															
Upper Bound															
GBM908-10	3.00	6.93	59.5	1130	1.39	1.13	3.80	1.84	114.5	27.4	138	3.98	3630	5.51	20.5
Target Range - Lower Bound	2.69	6.40	51.1	930	1.27	1.12	3.33	1.53	99.0	23.3	125	3.44	3380	4.98	18.65
Upper Bound	3.31	7.84	62.9	1280	1.66	1.39	4.10	1.91	121.0	28.7	155	4.32	3880	6.10	22.9
MRGeo08	4.28	7.35	34.3	1090	2.97	0.65	2.58	2.29	72.6	20.9	92	13.25	611	3.92	18.45
Target Range - Lower Bound	4.00	6.64	29.7	920	2.91	0.62	2.35	2.05	66.7	17.7	81	11.00	587	3.55	17.50
Upper Bound	4.92	8.14	36.7	1270	3.67	0.78	2.90	2.55	81.5	21.9	102	13.60	675	4.37	21.5
OGGeo08	19.30	6.47	100.5	920	3.12	10.70	2.17	20.1	66.6	100.5	81	10.55	8350	5.19	17.95
Target Range - Lower Bound	18.15	6.07	106.0	700	2.59	9.44	1.98	16.70	64.8	87.2	78	9.85	7800	4.81	16.05
Upper Bound	22.2	7.44	130.0	980	3.27	11.55	2.44	20.5	79.2	107.0	98	12.15	8980	5.91	19.75
OREAS 210															
Target Range - Lower Bound															
Upper Bound															
OREAS-45e	0.35	6.48	16.0	250	0.61	0.28	0.06	0.03	26.4	52.9	949	1.28	758	23.2	16.05
Target Range - Lower Bound	0.27	6.09	14.5	200	0.49	0.24	0.04	<0.02	21.1	51.2	880	1.08	725	21.7	14.80
Upper Bound	0.35	7.47	18.1	300	0.75	0.32	0.09	0.07	25.9	62.8	1080	1.44	835	26.5	18.20
OxJ111															
Target Range - Lower Bound															
Upper Bound															
OxQ90															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	1	<0.05	<0.2	<0.01	<0.05
Target Range - Lower Bound	<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	<0.2	<0.01	<0.05
Upper Bound	0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4	0.02	0.10



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
STANDARDS															
BP-13															
Target Range - Lower Bound															
Upper Bound															
GBM908-10	0.25	3.8	0.084	2.13	56.9	11.6	1.82	802	64.8	2.15	10.9	2210	980	2040	151.5
Target Range - Lower Bound	0.18	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2030	880	1860	153.0
Upper Bound	0.40	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480	1100	2270	187.0
MRGeo08	0.23	3.3	0.184	3.15	33.4	35.0	1.32	550	15.85	1.95	21.7	681	1040	1045	188.0
Target Range - Lower Bound	<0.05	2.8	0.161	2.79	31.1	30.4	1.17	497	13.65	1.76	19.0	622	930	971	173.5
Upper Bound	0.27	3.6	0.207	3.43	39.1	37.6	1.45	619	16.75	2.18	23.4	760	1160	1185	212
OGGeo08	0.39	2.9	1.470	2.94	31.8	34.6	1.21	491	912	1.79	17.6	8480	820	6930	168.5
Target Range - Lower Bound	0.25	2.5	1.320	2.59	31.0	29.7	1.11	447	841	1.62	15.4	8000	760	6520	164.5
Upper Bound	0.49	3.3	1.620	3.19	39.0	36.7	1.38	557	1030	2.00	19.0	9770	950	7970	201
OREAS 210															
OREAS 210															
Target Range - Lower Bound															
Upper Bound															
OREAS-45e	1.16	3.4	0.103	0.32	12.1	6.5	0.14	516	2.46	0.06	7.1	436	320	16.5	21.6
Target Range - Lower Bound	0.88	2.7	0.084	0.28	9.4	5.7	0.13	490	2.11	0.04	6.0	408	300	15.9	19.0
Upper Bound	1.18	3.5	0.114	0.37	12.6	7.4	0.18	610	2.69	0.08	7.6	500	380	20.5	23.4
OxJ111															
Target Range - Lower Bound															
Upper Bound															
OxQ90															
OxQ90															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1
BLANK	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.3	<10	<0.5	0.1
Target Range - Lower Bound	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10	<0.5	<0.1
Upper Bound	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20	1.0	0.2



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1	
STANDARDS																
BP-13																
Target Range - Lower Bound																
Upper Bound																
GBM908-10	0.003	0.38	1.77	19.2	2	3.4	291	0.79	0.11	18.4	0.671	1.25	2.4	142	3.2	
Target Range - Lower Bound	<0.002	0.33	1.40	17.0	<1	2.7	258	0.68	<0.05	16.4	0.591	1.00	2.0	123	2.9	
Upper Bound	0.006	0.43	2.01	21.0	4	3.9	316	0.97	0.16	20.4	0.733	1.40	2.6	153	4.1	
MRGeo08	0.010	0.30	4.81	12.3	2	4.3	299	1.63	0.06	18.3	0.489	1.06	5.0	110	5.0	
Target Range - Lower Bound	0.006	0.27	3.89	11.1	<1	3.5	277	1.39	<0.05	17.7	0.454	0.89	4.9	97	4.1	
Upper Bound	0.016	0.36	5.39	13.7	4	4.7	339	1.81	0.14	22.1	0.566	1.25	6.3	121	5.8	
OGGeo08	1.370	2.67	25.0	9.9	12	14.0	244	1.31	0.29	17.4	0.388	1.68	4.8	85	4.7	
Target Range - Lower Bound	1.285	2.51	22.8	9.2	8	12.5	224	1.19	0.09	16.7	0.353	1.43	4.5	77	3.9	
Upper Bound	1.575	3.09	31.0	11.4	14	15.7	274	1.57	0.31	20.9	0.443	1.98	5.8	97	5.4	
OREAS 210																
OREAS 210																
Target Range - Lower Bound																
Upper Bound																
OREAS-45e	<0.002	0.05	1.19	83.8	3	1.3	15.9	0.62	0.20	13.7	0.534	0.14	2.4	304	1.1	
Target Range - Lower Bound	<0.002	0.02	0.80	83.6	<1	0.9	14.1	0.43	0.07	11.4	0.498	0.10	2.1	289	0.8	
Upper Bound	0.004	0.07	1.20	102.5	5	1.8	17.7	0.69	0.28	14.4	0.620	0.21	2.8	355	1.4	
OxJ111																
Target Range - Lower Bound																
Upper Bound																
OxQ90																
OxQ90																
Target Range - Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK	<0.002	<0.01	<0.05	0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	
BLANK	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	
Target Range - Lower Bound	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.2	<0.005	<0.02	<0.1	<1	<0.1	
Upper Bound	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.4	0.010	0.04	0.2	2	0.2	



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 2 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-APR-2015
 Account: SHRMIN

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

Method Analyte Units LOR	ME-MS61 Y ppm	ME-MS61 Zn ppm	ME-MS61 Zr ppm	Au-AA25 Au ppm	
Sample Description	0.1	2	0.5	0.01	
STANDARDS					
BP-13				0.34	
Target Range - Lower Bound				0.33	
Upper Bound				0.39	
GBM908-10	39.5	1110	151.0		
Target Range - Lower Bound	35.2	939	117.5		
Upper Bound	43.2	1155	160.5		
MRGeo08	26.7	814	115.0		
Target Range - Lower Bound	23.8	722	92.2		
Upper Bound	29.3	886	126.0		
OGGeo08	22.2	6920	100.5		
Target Range - Lower Bound	21.1	6500	78.6		
Upper Bound	26.0	7950	107.5		
OREAS 210				5.35	
OREAS 210				5.27	
Target Range - Lower Bound				5.15	
Upper Bound				5.83	
OREAS-45e	8.2	44	117.0		
Target Range - Lower Bound	6.7	40	93.0		
Upper Bound	8.5	53	127.0		
OxJ111				2.11	
Target Range - Lower Bound				2.03	
Upper Bound				2.31	
OxQ90				25.0	
OxQ90				25.3	
Target Range - Lower Bound				23.4	
Upper Bound				26.4	
BLANKS					
BLANK				<0.01	
BLANK				<0.01	
BLANK				0.01	
Target Range - Lower Bound				<0.01	
Upper Bound				0.02	
BLANK	<0.1	<2	<0.5		
BLANK	<0.1	<2	<0.5		
Target Range - Lower Bound	<0.1	<2	<0.5		
Upper Bound	0.2	4	1.0		



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

Method Analyte Units LOR	ME-MS61 Ag ppm	ME-MS61 Al %	ME-MS61 As ppm	ME-MS61 Ba ppm	ME-MS61 Be ppm	ME-MS61 Bi ppm	ME-MS61 Ca %	ME-MS61 Cd ppm	ME-MS61 Ce ppm	ME-MS61 Co ppm	ME-MS61 Cr ppm	ME-MS61 Cs ppm	ME-MS61 Cu ppm	ME-MS61 Fe %	ME-MS61 Ga ppm
Sample Description	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01	0.05
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
47707 DUP Target Range - Lower Bound Upper Bound															
47729 DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	0.83 0.84 0.78 0.89	2.55 2.60 2.44 2.71	6.8 7.6 6.6 7.8	70 80 60 90	0.26 0.25 0.19 0.32	2.05 2.11 1.97 2.19	0.08 0.08 0.07 0.09	0.27 0.22 0.21 0.28	15.45 14.75 14.35 15.85	33.0 32.8 31.2 34.6	11 12 10 13	1.54 1.51 1.40 1.65	4.1 4.5 3.9 4.7	11.30 11.25 10.70 11.85	7.29 7.60 7.02 7.87
ORIGINAL DUP Target Range - Lower Bound Upper Bound	3.88 3.63 3.56 3.95	3.21 3.14 3.01 3.34	710 691 665 736	1000 980 910 1070	1.28 1.27 1.16 1.39	2.63 2.59 2.47 2.75	0.04 0.03 0.02 0.05	1.11 1.08 1.02 1.17	38.5 36.6 35.7 39.4	0.6 0.6 0.5 0.7	25 25 23 27	3.59 3.48 3.31 3.76	140.0 136.0 133.0 143.0	3.24 3.19 3.04 3.39	9.60 8.61 8.60 9.61

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

Method Analyte Units LOR	ME-MS61 Ge ppm 0.05	ME-MS61 Hf ppm 0.1	ME-MS61 In ppm 0.005	ME-MS61 K % 0.01	ME-MS61 La ppm 0.5	ME-MS61 Li ppm 0.2	ME-MS61 Mg % 0.01	ME-MS61 Mn ppm 5	ME-MS61 Mo ppm 0.05	ME-MS61 Na % 0.01	ME-MS61 Nb ppm 0.1	ME-MS61 Ni ppm 0.2	ME-MS61 P ppm 10	ME-MS61 Pb ppm 0.5	ME-MS61 Rb ppm 0.1
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
47707 DUP Target Range - Lower Bound Upper Bound															
47729 DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	0.26 0.23 0.18 0.31	3.4 3.5 3.2 3.7	0.009 0.008 <0.005 0.010	3.77 3.73 3.55 3.95	7.5 6.7 6.2 8.0	0.9 0.9 0.7 1.1	0.10 0.11 0.09 0.12	52 55 46 61	1.81 1.78 1.66 1.93	0.51 0.50 0.47 0.54	3.3 3.1 2.9 3.5	10.1 10.7 9.7 11.1	480 480 450 510	108.5 112.5 104.5 116.5	76.7 76.8 72.8 80.7
ORIGINAL DUP Target Range - Lower Bound Upper Bound	0.09 0.09 <0.05 0.10	1.2 1.1 1.0 1.3	27.3 26.3 25.5 28.1	1.45 1.43 1.36 1.52	18.7 18.0 16.9 19.8	7.6 7.6 7.0 8.2	0.16 0.16 0.14 0.18	405 372 364 413	5.95 5.73 5.50 6.18	0.04 0.04 0.03 0.05	2.6 2.6 2.4 2.8	1.8 2.1 1.7 2.2	1070 1050 1000 1120	194.0 189.0 181.5 202	79.1 78.9 75.0 83.1



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

Method Analyte Units LOR	ME-MS61 Re ppm 0.002	ME-MS61 S % 0.01	ME-MS61 Sb ppm 0.05	ME-MS61 Sc ppm 0.1	ME-MS61 Se ppm 1	ME-MS61 Sn ppm 0.2	ME-MS61 Sr ppm 0.2	ME-MS61 Ta ppm 0.05	ME-MS61 Te ppm 0.05	ME-MS61 Th ppm 0.2	ME-MS61 Ti % 0.005	ME-MS61 Tl ppm 0.02	ME-MS61 U ppm 0.1	ME-MS61 V ppm 1	ME-MS61 W ppm 0.1
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
47707 DUP Target Range - Lower Bound Upper Bound															
47729 DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound	0.002 0.002 <0.002 0.004	5.22 5.22 4.95 5.49	0.65 0.61 0.53 0.73	11.8 12.0 11.2 12.6	31 32 29 34	1.7 1.6 1.4 1.9	180.0 180.0 171.0 189.0	0.27 0.27 0.21 0.33	1.77 1.83 1.66 1.94	6.0 6.4 5.7 6.7	0.077 0.076 0.068 0.085	0.63 0.64 0.57 0.70	1.7 1.7 1.5 1.9	30 30 28 33	3.7 3.4 3.2 3.9
ORIGINAL DUP Target Range - Lower Bound Upper Bound	<0.002 <0.002 <0.002 0.004	0.23 0.22 0.20 0.25	6.26 6.04 5.64 6.66	8.5 8.3 7.9 8.9	7 7 6 8	7.1 6.9 6.5 7.6	37.0 35.9 34.4 38.5	0.22 0.22 0.16 0.28	0.10 0.25 0.12 0.23	6.3 6.2 5.7 6.8	0.089 0.088 0.079 0.098	0.67 0.65 0.59 0.73	3.5 3.4 3.2 3.7	67 67 63 71	1.1 1.1 0.9 1.3



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Page: 3 - D
 Total # Pages: 3 (A - D)
 Plus Appendix Pages
 Finalized Date: 28-APR-2015
 Account: SHRMIN

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

Sample Description	Method Analyte Units LOR	ME-MS61 Y ppm 0.1	ME-MS61 Zn ppm 2	ME-MS61 Zr ppm 0.5	Au-AA25 Au ppm 0.01
DUPLICATES					
ORIGINAL					<0.01
DUP					0.01
Target Range - Lower Bound					<0.01
Upper Bound					0.02
47707					0.01
DUP					0.01
Target Range - Lower Bound					<0.01
Upper Bound					0.02
47729					<0.01
DUP					<0.01
Target Range - Lower Bound					<0.01
Upper Bound					0.02
ORIGINAL		8.2	4	121.5	
DUP		8.0	4	120.0	
Target Range - Lower Bound		7.6	<2	114.0	
Upper Bound		8.6	6	127.5	
ORIGINAL		8.1	138	41.4	
DUP		7.5	132	39.8	
Target Range - Lower Bound		7.3	126	38.1	
Upper Bound		8.3	144	43.1	

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 (7) 3243 7222 Fax: +61 (7) 3243 7218
 www.alsglobal.com

Project: SHH_422008_140415

QC CERTIFICATE OF ANALYSIS BU15054224

CERTIFICATE COMMENTS									
	ANALYTICAL COMMENTS								
Applies to Method:	REE's may not be totally soluble in this method. ME-MS61								
	LABORATORY ADDRESSES								
Applies to Method:	Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. ME-MS61								
Applies to Method:	Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.								
	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au-AA25</td> <td style="width: 33%;">CRU-21</td> <td style="width: 33%;">LEV-01</td> <td style="width: 15%;"></td> </tr> <tr> <td>PUL-31b</td> <td>PUL-QC</td> <td>WEI-21</td> <td>LOG-22</td> </tr> </table>	Au-AA25	CRU-21	LEV-01		PUL-31b	PUL-QC	WEI-21	LOG-22
Au-AA25	CRU-21	LEV-01							
PUL-31b	PUL-QC	WEI-21	LOG-22						