

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/57a</b>
date received	<b>17/01/18</b>
date tested	<b>19/01/18</b>
product identification	<b>02-1000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M aa</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>90</b>	%			
	0.425	<b>68</b>	%			
	0.300	<b>29</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025

Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

22/01/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/57b</b>
date received	<b>17/01/18</b>
date tested	<b>19/01/18</b>
product identification	<b>03-1500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M ab</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>90</b>	%			
	0.425	<b>69</b>	%			
	0.300	<b>31</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

22/01/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/57c</b>
date received	<b>17/01/18</b>
date tested	<b>19/01/18</b>
product identification	<b>04-2000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M ac</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>88</b>	%			
	0.425	<b>65</b>	%			
	0.300	<b>27</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

22/01/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314a</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>10-5000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AI</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>92</b>	%			
	0.425	<b>72</b>	%			
	0.300	<b>31</b>	%			
	0.150	<b>6</b>	%			
	0.075	<b>1</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314b</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>11-5500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AJ</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>91</b>	%			
	0.425	<b>72</b>	%			
	0.300	<b>37</b>	%			
	0.150	<b>2</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314c</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>12-6000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AK</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>92</b>	%			
	0.425	<b>72</b>	%			
	0.300	<b>34</b>	%			
	0.150	<b>3</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory  
M.E. Shipp

Date of issue  
19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314d</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>13-6500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AL</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>98</b>	%			
	0.425	<b>88</b>	%			
	0.300	<b>48</b>	%			
	0.150	<b>2</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314d</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>13-6500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AL</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>98</b>	%			
	0.425	<b>88</b>	%			
	0.300	<b>48</b>	%			
	0.150	<b>2</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314f</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>15-7500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AN</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>92</b>	%			
	0.425	<b>70</b>	%			
	0.300	<b>31</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314g</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>16-8000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AO</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>90</b>	%			
	0.425	<b>66</b>	%			
	0.300	<b>28</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314h</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>17-8500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AP</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>91</b>	%			
	0.425	<b>71</b>	%			
	0.300	<b>34</b>	%			
	0.150	<b>3</b>	%			
	0.075	<b>2</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314i</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>18-9000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AQ</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>93</b>	%			
	0.425	<b>73</b>	%			
	0.300	<b>34</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025

Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314j</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>19-9500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AR</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>91</b>	%			
	0.425	<b>70</b>	%			
	0.300	<b>32</b>	%			
	0.150	<b>6</b>	%			
	0.075	<b>4</b>	%			



Accredited for compliance with ISO/IEC 17025

Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314k</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>20-10000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AS</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>91</b>	%			
	0.425	<b>69</b>	%			
	0.300	<b>29</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025

Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314j</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>19-9500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AR</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>91</b>	%			
	0.425	<b>70</b>	%			
	0.300	<b>32</b>	%			
	0.150	<b>6</b>	%			
	0.075	<b>4</b>	%			



Accredited for compliance with ISO/IEC 17025

Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314k</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>20-10000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AS</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>91</b>	%			
	0.425	<b>69</b>	%			
	0.300	<b>29</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025

Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314I</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>21-10500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AT</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>90</b>	%			
	0.425	<b>66</b>	%			
	0.300	<b>28</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314m</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>22-11000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AU</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>90</b>	%			
	0.425	<b>68</b>	%			
	0.300	<b>30</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>1</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314n</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>23-11500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AV</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>91</b>	%			
	0.425	<b>69</b>	%			
	0.300	<b>30</b>	%			
	0.150	<b>5</b>	%			
	0.075	<b>5</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314o</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>24-12000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AW</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>93</b>	%			
	0.425	<b>74</b>	%			
	0.300	<b>36</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E. Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314p</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>25-12500</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AX</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>90</b>	%			
	0.425	<b>67</b>	%			
	0.300	<b>28</b>	%			
	0.150	<b>1</b>	%			
	0.075	<b>1</b>	%			



Accredited for compliance with ISO/IEC 17025  
Laboratory Accreditation No 15466

Approved Signatory

M.E.Shipp

Date of issue

19/03/18

# ADG LABORATORIES

materials testing laboratories

7 Derby St , Mowbray

Ph (03) 63261266 Fax (03) 63261566

ACN 117 593 254

client	<b>Sandman Resources</b>
project	<b>Quality Assurance Testing</b>
location	<b>Bridport</b>
project no	<b>0389/18/1M</b>
sample no	<b>L18/314q</b>
date received	<b>08/03/18</b>
date tested	<b>09/03/18</b>
product identification	<b>26-13000</b>
sampled by	<b>CLIENT</b>
sample description	<b>Filter Sand</b>
test report No	<b>0389/18/1M AY</b>

Test description	Test Method	Results	units	remarks		
	<b>AS 1289</b>					
Moisture Content	2.1.1		%			
Liquid Limit	3.1.2	<b>Not Tested</b>	%	air dried, dry sieved		
Plastic Limit	3.2.1		%			
Plasticity Index	3.3.1		%			
Linear Shrinkage	3.4.1	-	%	Cracking	Curling	Crumbling
Particle Size Distribution	3.6.1					
finer than	mm		%			
	13.2		%			
	9.5		%			
	6.7		%			
	4.75		%			
	2.36		%			
	1.18	<b>100</b>	%			
	0.600	<b>91</b>	%			
	0.425	<b>69</b>	%			
	0.300	<b>32</b>	%			
	0.150	<b>2</b>	%			
	0.075	<b>0</b>	%			



Accredited for compliance with ISO/IEC 17025  
 Laboratory Accreditation No 15466

Approved Signatory  
 M.E. Shipp

Date of issue  
 19/03/18