

Titleholder	K.C. Morrison, R.A Gregory and R.L. Fulton
Operator	K.C. Morrison, R.A Gregory and R.L. Fulton
Tenement	EL4/2018 "Panama"
Report name	EL/2018 Panama Project. Annual report for period 5 February 2020 to 4 February 2021.
Personal authors	R.L. Fulton
Corporate author	K.C. Morrison, R.A. Gregory and R.L. Fulton
Target commodity	Gold
Date of report	04 February 2021
Datum/Zone	GDA94, Zone 55
50,000 map sheet	Sideling TJ08
25,000 map sheets	Nabowla 5244, Lisle 5243
Contact details	R.L. Fulton 422 Macquarie St. South Hobart TAS 7004 Ph: 0427 956 297 Email: fultonrl@bigpond.com
Email for technical details	fultonrl@bigpond.com

ABSTRACT

The Panama Project on EL4/2018 is a gold exploration project in a sector of the North-east Tasmanian Devonian orogenic gold province considered to have potential for mineralisation styles amenable to pit bulk mining, in contrast to the conventional historic underground mines on narrow quartz vein deposits, many with nuggety grade distribution.

During the year, the tenement owners signed an Option Agreement with TinOne Resources Corporation ("TinOne") whereby TinOne will acquire up to 100% of the tenement by funding exploration over a period of four years.

Work conducted during Year Two comprised a soil geochemistry program of 353 -180µm "B" horizon samples across the Bessell Reward prospect and the acquisition of 13 kilometres of gradient array IP data, also at Bessell Reward prospect. Additionally, data and locations were digitised for approximately 2,300 soil samples taken by the Macmin group in the 1990s.

The gridded soil sampling has better defined the gold in soil anomalies associated with the Bessell Reward mineralisation, which had previously been sampled by ridge and track traverses. Further infill soil sampling is proposed prior to RC drilling in the coming year. The IP data has yet to be finalised but work to date indicates an area of high chargeability and high resistivity associated with anomalous gold in soil.

Proposed work for next year includes further soil sampling and RC drilling.

CONTENTS

1.0 SUMMARY ACTIVITY MAP	1
2.0 INTRODUCTION	2
2.1 Exploration rationale	2
2.1.1 Geology overview	3
2.1.2 Bessell Reward area geology.....	8
2.1.3 Panama Valley area geology.....	9
2.2 Tenure and ownership	11
3.0 REVIEW OF PREVIOUS WORK.....	13
3.1 Prior to the current licence	13
3.1.1 Bessell Reward area.....	13
3.1.2 Panama area	14
3.2 During the current licence	16
3.2.1 2019 year.	16
4. EXPLORATION COMPLETED DURING THE REPORTING PERIOD	18
4.1 Soil geochemistry.....	18
4.2 Gradient array induced polarisation survey	18
4.3 Historic data capture.	19
5. DISCUSSION OF RESULTS.....	19
5.1 Soil geochemistry.....	19
5.2 Gradient array induced polarisation	21
5.3 Historic data capture	23
6. CONCLUSIONS.....	23
7. FUTURE EXPLORATION	23
8. ENVIRONMENTAL MANAGEMENT.....	23
9. EXPENDITURE	24
10. REFERENCES	24
11. APPENDICES	26
Appendix 1 Soil sample locations and descriptions.....	27
Appendix 2 Assay laboratory certificates	28


FIGURES

Figure 1:	Location plan of EL4/2018.	2
Figure 2:	EL4/2018 with 1:25,000 MRT geology background, 1VD aeromagnetics and prospects.	4
Figure 3:	Stratigraphy Mathinna Supergroup (from Seymour et al, 2011).	5
Figure 4:	Sr vs Rb Lisle Granodiorite and other Tasmanian granitoids (from Roach, 1992).	6
Figure 5:	Mathinna Supergroup with Lisle, Cradle Creek, Golconda-Panama Goldfields from Seymour et al, 2011.	7
Figure 6:	North East Tasmania showing Devonian granite batholiths and plutons from Black et al., 2005.	8
Figure 7:	Bessell Reward geology and exploration summary.	9
Figure 8:	Historic prospects associated with Devonian granodiorite intrusions and their contact aureoles in Siluro-Devonian turbidites – Panama Valley.	10
Figure 9:	Land tenure plan.	12
Figure 10:	Potoroo geology and modern drilling.	14
Figure 11:	Potoroo ground magnetics.	15
Figure 12:	Potoroo soil arsenic anomalies.	15
Figure 13:	Potoroo modelled magnetic source coincident with gold mineralisation.	16
Figure 14:	Bessell Reward magnetics and prospect anomalism.	17
Figure 15:	Bessell Reward topography, prospect anomalism and proposed drilling.	17
Figure 16:	Panama Valley magnetic granodiorites, historic workings and drilling, and proposed drill test location.	18
Figure 17:	Bessell Reward soil geochemistry on 1VD magnetics background.	19
Figure 18:	Bessell Reward current and historic soil geochemistry on MRT geology background.	20
Figure 19:	Bessell Reward contoured soil gold on MRT geology background.	21
Figure 20:	Bessell Reward IP resistivity and soil geochemistry.	22
Figure 21:	Bessell Reward IP chargeability and soil geochemistry.	22

TABLE

Table 1:	Historic gold production – North-eastern Tasmania Devonian quartz vein and derived Cenozoic alluvial deposits	3
-----------------	--	----------

1.0 SUMMARY ACTIVITY MAP



2.0 INTRODUCTION

2.1 Exploration rationale




Figure 1. Location plan of EL4/2018.

The Panama Project is a gold exploration project in a sector of the North-east Tasmanian Devonian orogenic gold province considered to have potential for mineralisation styles amenable to pit bulk mining, in contrast to the conventional historic underground mines on narrow quartz vein deposits, many with nuggety grade distribution.

The aim of this project has been to conduct a two year program using existing data, supplemented by some mapping and sampling at Panama and Bessell Reward, sufficient to convince a reputable exploration company to take a long term position exploring for structurally controlled, granodiorite-hosted and turbidite sandstone-hosted gold in the Golconda portion of the Lisle Basin. We believe that there has been insufficient exploration to date to adequately test the potential of the area. Additionally, other prospects such as Enterprise and Ridge will be evaluated after the primary targets have been adequately explored.

Our exploration philosophy is based on two aspects of the economic geology of the area.

- 1) Results achieved by previous explorers (Tas Gold/Frontier Resources, Beaconsfield Gold and Tamar Gold), together with early mining reports, provide compelling comparisons

between the Potoroo and Panama prospects and IRGS deposits in the Tintina Trend, Alaska. Similarly, the sandstone-hosted disseminated gold discovered in the 1920s around the Cradle Creek-Tobacco Creek alluvial fields (also called Bessell Reward) and referred to by the government geologist McIntosh Reid as “gold-impregnated sandstones”, appears to correlate with similar disseminated gold mineralisation in the Fosterville – Nagambie – Bailieston area of Victoria. Similar mineralisation was discovered by one of the applicants at East Denison, a few kilometres north of Golconda in the 1990s. At Fosterville, recent work by Canadian company Kirkland Lake Gold has led to the discovery of very high-grade gold veins beneath the long-established style of sandstone-hosted disseminated gold.

- 2) A structural framework, based on geophysics, regional and prospect scale geological mapping and the location of old workings (proxy for geochemical anomalies), has been compiled by the current applicants and it enables a realistic explanation for the common origin of different mineralisation styles within a cluster of known prospects and targets untested by modern exploration.

The area covered by EL 4/2018 is essentially the northern limit of the Lisle goldfield (Figure 2), one of several substantial gold fields historically worked in North-east Tasmania (Table 1). Lisle differs from the other goldfields listed, in that production was entirely from alluvial mines and no significant quartz vein deposits were discovered in the basin. It is likely that most of the estimated 10 tonnes of gold mined at Lisle were eroded from extensive dispersed granitic and meta turbidite source rocks which comprised the geology of the volume now occupied by the basin topography. Remnants of these rocks remain around the basin margins and they have not been adequately explored for disseminated, bulk tonnage mineralisation.

Beaconsfield	60 tonnes
Lisle	10 tonnes
Mathinna	8.8 tonnes
Lefroy	5.2 tonnes
Alberston	0.7 tonnes
Mangana	0.5 tonnes

Table 1. Historic gold production – North-eastern Tasmania Devonian quartz vein and derived Cenozoic alluvial deposits (*Bulletin 70, 1992. Geological Survey of Tasmania – except Beaconsfield*).

2.1.1 Geology overview

The following geology section is largely taken from the Tamar Gold Annual Report for EL30/2006, May 2013 (MRT open file).

The area is dominated by ridges of hornfelsed Mathinna Supergroup sediments surrounding basins which have eroded Lisle Granodiorite on the slopes and floors.

The Mathinna Supergroup (see the MRT revision of the Mathinna Stratigraphy in Figure 3 and map in Figure 5 below) in the Lisle – Golconda area has now been designated as the Lone Star Siltstone which consists of a sequence of thin bedded siltstones coarsening up to fine grained sandstones (Seymour et al., 2011). They form NNW trending folds with several fold closures and a weak NNW striking cleavage.

The Lisle Granodiorite is deeply weathered and rarely outcrops. These intrusives are complex and heterogeneous with numerous inclusions of hornfelsed Mathinna Supergroup and dark diorite.

Textures vary from equigranular, feldspar-biotite-quartz granodiorites to feldspar-hornblende-biotite porphyritic diorites. Intrusions occur as dykes and small cupolas or porphyritic apophyses.




Figure 2. EL4/2018 with 1:25,000 MRT geology background, 1VD aeromagnetics and prospects.

Revised stratigraphy for Mathinna Supergroup							
	Group	Formation	Member	Age	Brief description	ASUD status	
Mathinna Supergroup	Panama Group	Sideling Sandstone		Early Devonian (plant fossils)	Dominantly fine-grained sandstone, some interbedded siltstone	Spelling correction & formalisation of existing unit	
		Lone Star Siltstone		Late Silurian (graptolites)	Dominantly thin-bedded siltstone, with interbedded fine-grained sandstone increasing towards top	New formal unit	
		Retreat Formation		Silurian?	Interbedded turbiditic medium to very fine grained sandstone and subordinate siltstone-mudstone	New formal unit	
		Yarrow Creek Mudstone		Silurian?	Dominantly thin-bedded mudstone, with subordinate cross-laminated siltstone	New formal unit	
	<i>Inferred fault contact</i>						
	Tippogoree Group	Turquoise Bluff Slate			Early–Middle Ordovician (graptolites)	Phyllitic dark grey-black slate; recumbent folds and cleavage	Existing formal unit
			Industry Road Member		Early–Middle Ordovician?	Interbedded phyllitic slate and foliated very fine-grained sandstone; ridge-forming; recumbent folds and cleavage	New formal unit
Stony Head Sandstone				Early Ordovician?	Graded thick-bedded fine-grained turbiditic sandstone with minor interbedded pelite; large-scale recumbent folds and cleavage	Existing formal unit	

Figure 3. Stratigraphy of the Mathinna Supergroup (from Seymour et al, 2011).

The Lisle Granodiorite is deeply weathered and rarely outcrops. These intrusives are complex and heterogeneous with numerous inclusions of hornfelsed Mathinna Supergroup and dark diorite. Textures vary from equigranular, feldspar-biotite-quartz granodiorites to feldspar-hornblende-biotite porphyritic diorites. Intrusions occur as dykes and small cupolas or porphyritic apophyses.

Roach (1992) analysed 16 samples of the various granodiorites from Lisle, Golconda, Panama and the western margin of the Scottsdale Batholith known as the Diddleum Pluton (see Figures 4, 5 and 6). There is a clear distinction between the rocks of the Scottsdale Batholith and the granodiorite from the Lisle area. In terms of Rb and Sr the Lisle granodiorites are the least fractionated of the Tasmanian Devonian Granitoids (see Figure 4).

Callaghan (2003) noted that there is a marked variability of the magnetic susceptibility of the granodiorites. This is probably a reflection of varying geochemistry between the complex intrusives but may also represent areas of magnetite destruction associated with hydrothermal alteration.

In Roach (1992) an image of the Seltrust Minerals (Storer, 1985) aeromagnetics shows the high-frequency negative magnetic anomalies that correspond with the Tertiary basalt flows. The NW-trending highs occur over the Mathinna Supergroup and are parallel to the regional strike. These linear highs are truncated along a NE structural feature.

Roach (1992) discusses the irregular magnetic anomalies associated with the Lisle Granodiorite as seen in the northern part of the Lisle Basin. Both highly magnetic and effectively non-magnetic samples were obtained from this location with the two rock types appearing identical in hand specimen. A zone of magnetic anomalies resulting from the magnetic granodiorite stretches north from the Lisle valley to Panama. A small anomaly is associated with the outcropping granodiorite at Panama, but no anomaly is directly associated with the intrusion at Golconda. Roach (1992) notes that there are two different magnetic types of granodiorite within the Lisle-Golconda area and that the differences are not simply the result of either weathering or alteration.




Figure 4. Sr vs Rb Lisle Granodiorite and other Tasmanian granitoids (from Roach, 1992).

In Bulletin 70 Roach (1992) noted that the Lisle - Golconda goldfields are unusual in North East Tasmania in that in excess of 95% of all the gold recovered comes from alluvial workings. It is estimated that the Lisle field produced 250,000 oz. In total it is estimated that 300,000 oz was produced from all the goldfields with no obvious source for the alluvial gold.

Twelvetrees (1909) and Reid (1926) both commented on the morphology of the gold from Lisle and Roach, 1992, noted;

- That it was extremely fine in grain size, generally less than 0.4 mm in diameter. Nuggets were rare.
- That it was rarely found with vein quartz attached.
- That it was generally of very high fineness.
- Gold concentrations were highest in wash material immediately overlying the weathered granodiorite surface.
- Gold was often concentrated within sediments with either a high organic carbon content or with wash material stained with manganese oxides.




Figure 5. Mathinna Supergroup with Lisle, Cradle Creek, Golconda-Panama Goldfields from Seymour et al, 2011.




Figure 6. North East Tasmania showing Devonian granite batholiths and plutons from Black et al., 2005.

2.1.2 Bessell Reward area geology

Data supporting the sandstone-hosted, near surface gold model proposed for Bessell Reward is derived from compiling and interpreting a combination of; Geological Survey mapping and aeromagnetics, a ridgetop soil survey from previous company exploration, reported sampling

results from sandstone beds exposed by prospectors in the 1920s and rock chip samples taken by the current authors.

It is interpreted as a cross-cutting structural zone through a NW-SE striking sequence of folded Mathinna Supergroup meta turbidites. The mineralisation appears to occur in both sandstone-hosted bedding-parallel veinlets and fine fractures as well as disseminated within the sandstone interbeds in a dominantly siltstone sequence (Lone Star Siltstone). The zone of structural deformation containing the target sandstones corresponds to a topographic anomaly comprising a ridge striking normal to the background geology, and a discontinuity on aeromagnetic linear trends related to fold axis in the background geology. It is clear from the historic alluvial diggings in Cradle Creek and Tobacco Creek, either side of the ridge, and the ridge topsoil and rock chip results, that the sandstone ridge is a source of gold. The mineralisation also coincides with the margin of a magnetic low, suggesting the possibility of demagnetising alteration and a potential north-easterly subsurface dip to the system (Figure 14).

The proposed model for Bessell Reward uses the Victorian Fosterville deposit as an analogue and therefore potential exists for both near surface disseminated lower grade bulk mineralisation and deeper high-grade veins. The prospect has never been drilled, vehicle access exists to the centre of the anomaly and the land use is entirely State Forest comprising logged native forest and plantation.




Figure 7: Bessell Reward geology and exploration summary.

2.1.3 Panama Valley area geology

The primary target in this prospect is a granodiorite intrusion at the south-western end of Panama Valley (Figure 8). Numerous historic alluvial workings are recorded above the weathered intrusion

and prospector diggings occur in the Mathinna Supergroup rocks in the contact aureole, but the granodiorite intrusion has never been drilled or subjected to any modern exploration.




Figure 8. Historic prospects associated with Devonian granodiorite intrusions and their contact aureoles in Siluro-Devonian turbidites – Panama Valley.

The prospectivity of this target is based on its similarities, in terms of magnetic signature and structural/geomorphic setting, to a smaller granodiorite intrusion, known as the Potoroo prospect, further down slope in the north-east of Panama Valley. Modern exploration at Potoroo by previous

companies demonstrated a small but coherent body of low grade, near surface gold mineralisation disseminated through the sericite-clay-sulphide altered granodiorite host rock in a structurally focussed zone corresponding to a magnetic high. The magnetic anomaly source rocks are enriched in accessory pyrrhotite rather than magnetite and the mineralisation at Potoroo correlates with the modelled source of the anomaly. The gold occurs partly as free electrum and partly as fine grained inclusions in arsenopyrite and high arsenic pyrite.

2.2 Tenure and ownership

The 28km² licence was granted to Ken Morrison, Ron Gregory and Russell Fulton on 5 February 2019 for a period of five years. In June 2020, the licensees signed an Option Agreement with TinOne Resources Corporation whereby TinOne can acquire up to 100% of the tenement by funding exploration over the next four years.

The licence area is located south of the small town of Golconda, approximately 35 kilometres north-northeast of Launceston (Figure 1). The licence is accessed via the Golconda Road. Access through the tenement is via unsealed public forestry roads and four-wheel drive tracks. The tenement can be found on the Sideling (1:50,000) Tasmapi sheets.

Topographically the area is of moderate relief with some higher steep-sided ridges in the Panama Valley area. The area is predominantly used for forestry and is managed by Sustainable Timber Tasmania (Figure 9). Vegetation is predominantly pine plantation and open eucalypt bushland with scrubby watercourses.




Figure 9. Land tenure plan.

3.0 REVIEW OF PREVIOUS WORK

3.1 Prior to the current licence

Previous exploration in the Lisle Valley area, including Panama and Bessell Reward has been summarised by John Pemberton for Tamar Gold in their 2013 annual report for EL30/2006 (MRT open file). Relevant historical exploration at Bessell Reward is summarised below.

3.1.1 Bessell Reward area

Over 2,000 ounces of fine alluvial gold was recovered from Tobacco Creek and Cradle Creek in the early part of the 20th century. In 1924, R Bessell discovered that the gold was being shed from narrow beds of soft, friable and porous sandstone varying in thickness from 0.3 to 2 metres, intercalated with beds of purple, grey, and bluish-black slates.

The government geologist of the day, McIntosh Reid, noted that in the “gold-impregnated sandstones...the only outward evidence of mineralisation is that provided by iron oxide discolouration and by the development of secondary mica” (Reid, 1926) Further.....“It is worthy to note, however, that some of the richest prospects have been obtained from pure white sandstone”. Bedding strikes 300° to 310° and dips at a high angle to the north east. The beds extend one mile south (not apparently gold-bearing) and nearly one mile north where there are “fair prospects”.

Subsequent trenching (in the 1920's) in the near vicinity of the Bessell Reward prospect indicated the seams were gold-bearing wherever opened with gold content varying considerably. Assays of 3.5 g/t (average of 10 samples from a shallow trench), 13.5 and 16.5 g/t (two samples from a trench), and 25.5 g/t (from a 20 ft deep shaft) were obtained from samples of unknown size.

As far as the potential of sandstone-hosted gold within the Lisle-Panama area, the government geologist, Mr. McIntosh Reid, commented that “the ore-bodies of promise are the seams of gold-impregnated sandstone at Cradle Creek, Falkiner Creek and Myrtlebank, ...” and that the Bessell Reward prospect “is worthy of careful attention”.

CRA Exploration conducted exploration in the area in 1982 and as part of their rock chip sampling program they took samples from the Bessell Reward shaft dump. This sample returned the following assays:

7.18 g/t Au, 60 ppm As

“... bleached white sandstone, slightly pitted and micaceous, surrounded by secondary ferruginised/silicified brownish material which follows joints. Some thin quartz stringers to 1mm.”

1.09 g/t Au, 20 ppm As

“massive quartzite with 5-10% brownish pits after pyrite?”

There was no follow-up. Note low arsenic levels.

In 1991, Billiton held a lease over the area and their final exploration report notes “One mineralisation style of interest alluded to in several old reports at several localities...” is “...gold impregnated sandstones...” which “...presumably relate to disseminated mineralisation hosted by fine sulphide species and/or very fine anastomosing quartz veinlets (as observed at Hogans Road) and could well be the host for much of the mineralisation at Lisle...” but, again, no specific work was undertaken on the sandstones.

In 1994, Michael Roach, a PhD student at the University of Tasmania, collected float samples of leached white sandstone with a stockwork of fine quartz veins and abundant limonite near the

Bessell Reward mine. Samples assayed from 0.5 to 1.0 g/t gold. Some thin sections were made as part of his study and these revealed the rock as fine quartz sandstone containing abundant pyrite now largely converted to limonite.

More recent exploration in the Bessell Reward area has consisted of auger sampling and rock chip sampling by TasGold in the mid-1990s and a more comprehensive program of ridge line soil sampling and panned concentrates by Tamar Gold around 2013. The Tamar Gold soil results, showing significant anomalous gold values in the Bessel Reward area are shown in (Figures 7, 14 and 15)

3.1.2 Panama area

The Panama area has been the site of extensive prospecting during the earlier days of the Lisle goldfield but has not seen much modern exploration. Four diamond holes were drilled at the Wilson-Symonds Workings at the southern end of the Panama Valley by TasGold between 2004 and 2006 (PVD001-PVD004). These were targeted at narrow high-grade veins and returned best gold intercepts of 0.5m @ 20.2 g/t and 0.8m @ 21.9 g/t. These holes are shown in Figure 2 as yellow dots at the southern end of the Panama Valley prospect. Narrow high-grade veins are not the target of the current project on EL4/2018.

The mineralisation type that is the target of the current project occurs at the Potoroo prospect a kilometre or so to the north-east of the Panama prospect (Figure 2). Potoroo was discovered by TasGold soil auger sampling programs between 1995 and 1997. Trenching programs followed 1998 and 2003. The prospect was drilled in 2002 (15 RC holes), 2003 (6 RC holes) and 2004 (2 diamond cored holes). The Potoroo mineralisation is summarised in Figures 10-13 below. The current tenement holders hope to find similar but economic mineralisation at Panama and other prospects.





Figure 10. Potoroo geology and modern drilling.



Figures 11. Potoroo ground magnetics.




Figure 12. Potoroo soil arsenic anomalies.




Figure 13. Potoroo modelled magnetic source coincident with gold mineralisation.

3.2 During the current licence

3.2.1 2019 year.

Bessell Reward area

A geophysics consultant, Phil Muir of Southern Mineral Exploration Geophysics, remodelled existing geophysics data for the tenement, focusing on the two main prospects, Panama and Bessell Reward. Available data was from the Tasmanian Geological Survey's 2007 Northeast Tasmania airborne survey (GA P1143) and from ground magnetics acquired by Tasgold.

Modelling shows that the mineralisation coincides with the margin of a magnetic low, suggesting the possibility of demagnetising alteration and a potential north-easterly subsurface dip to the system (Figure 14).

Field work comprised locating the numerous historical trenches and adits, mostly previously identified by Coroneos (1993). Field work also included the collection of 32 rock chip samples in and around the Bessell Reward prospect. Samples were set to ALS Burnie for analysis by 30g fire assay with AAS finish. Significant gold assays and location are shown in Figure 15. The tenor of mineralisation in these samples is consistent with grades reported at the time of discovery of the prospect in the 1920s and subsequent samples taken by other explorers.




Figure 14. Bessell Reward magnetics and prospect anomalism.




Figure 15. Bessell Reward topography, prospect anomalism and proposed drilling.

Panama area

Modelling has better defined the discrete bullseye magnetic targets at Panama, similar to the Potoroo occurrence which is known to be mineralised. Additionally, discrete undrilled bullseye magnetic targets are identified at the Ridge and Golden Crest prospects.




Figure 16. Panama Valley magnetic granodiorites, historic workings and drilling, and proposed drill test location.

4. EXPLORATION COMPLETED DURING THE REPORTING PERIOD

4.1 Soil geochemistry

A soil sampling program was carried out in November-December 2020. 353 B/C horizon soils were collected on a grid across the Bessell Reward area. Samples spacing along lines was 50 metres and lines were 100 or 200 metres apart. Samples were collected using a power auger to drill a hole and a hand auger to take a ~1 kg sample. Samples were sent to ALS in Burnie and then on to ALS Brisbane where samples were sieved to 180µm and the undersize analysed for Au (25g split) and a multi-element suite by ICP-MS after aqua regia dissolution (ALS method AuME-ST43). Sample descriptions and assay certificates are included as Appendices 1 and 2.

4.2 Gradient array induced polarisation survey

Khumsup Geophysics were contracted to carry out a gradient array induced polarisation study over part of the Bessell Reward soil sample grid. The survey was originally intended to cover the

entire soil grid but slow progress in the field due to vegetation and terrain resulted in the survey being shortened. 13 line kilometres of data were acquired between mid-December and mid-January, with a break over the Christmas-New Year period.

4.3 Historic data capture.

Work continued during the year georeferencing soil and rock chip sample locations from the Macmin era of exploration (1993 to 2001) and entering analytical data into a digital database. Located data for approximately 2,300 samples were acquired.

5. DISCUSSION OF RESULTS

5.1 Soil geochemistry.

Previous soil sampling programs at Bessell Reward have relied largely on track and ridge traverses (Figure 18). The main area of mineralisation defined by old workings had not been subject to a grid-based soil program.

The sample spacing of 50 metres along lines is broader than the more typical 20-25 metre spacing as the target mineralisation is sediment-hosted and modelled to have a broader halo of anomalism than the narrow quartz-sulphide vein gold systems also present in Northeast Tasmania.




Figure 17. Bessell Reward soil geochemistry on 1VD magnetics background.

Sample gold values are presented in Figure 17 and 18 and contoured gold values are presented in Figure 19. The values obtained cannot be compared directly with those obtained from previous sampling programs as they used whole soil samples rather than the -180µm fraction analysed in the current work. However, there is reasonable correlation in terms of defining anomalous areas where the sampling overlaps. The highest value returned from the current survey was 792 ppb, with three samples returning >100ppb gold and 18 samples returning >20ppb gold.

Anomalous zones correlate with the southern extension of a NNW-trending basement fault, identified from regional magnetics, and an east-trending fault that appears to cut off the basement fault. This is also an area where old workings, old mining lease and mapped gold-bearing sandstone beds are located, although the anomalism extends to the east and west of the area of historical workings.

The additional multi-element data are yet to be analysed.




Figure 18. Bessell Reward current and historic soil geochemistry on MRT geology background.




Figure 19. Bessell Reward contoured soil gold (2020 survey data) on MRT geology background.

5.2 Gradient array induced polarisation

The modelled gradient array IP data is presented in Figures 19 and 20. The most striking feature from the survey is the strong contrast in resistivity and chargeability between the eastern and western sections of the survey area. The western area has very high resistivity and low chargeability whereas the eastern area of the survey is marked predominantly by low resistivity and moderate to high chargeability. Although there is no mapped difference in geology to account for the variation in resistivity and chargeability, the boundary between the two domains appears to follow the southern extension of an interpreted NNW-trending basement fault that is cut off by an east-trending fault. The east-trending fault is associated with discrete zones of very high chargeability and in the vicinity of the NNW trending basement fault, also by anomalous geochemistry.

A discrete zone of high chargeability and high resistivity, associated with anomalous gold geochemistry, is centred at 526540mE/5439720mN on the east-trending fault. The known old working occupy a transitional zone between high and low chargeability and predominantly within the high resistivity domain.




Figure 20. Bessell Reward IP resistivity and soil geochemistry.




Figure 21. Bessell Reward IP chargeability and soil geochemistry.

5.3 Historic data capture

Major exploration work was carried out on an earlier tenement, EL2/1992, by the Macmin family of companies between 1993 and 2008. Large scale soil geochemistry programs were carried out in the 93-94 year and again between 1997 and 1998. The 1993-94 program consisted of several thousand "B" horizon hand auger samples taken predominantly on ridge and track traverse across anomalies or suspected anomalous areas, based on previous explorers' work. The later Macmin programs were designed to follow up anomalies generated by the earlier program. None of the data had previously been captured digitally. During the year, the data from 2,040 samples taken during the 1997 and 1998 power auger programs was captured. This represents all the soil geochemistry data from those programs located on the current EL4/2018 tenement. Additionally, about 250 sample locations from the initial Macmin soil program have been georeferenced and the associated assay data digitally acquired.

6. CONCLUSIONS

The work conducted during the year has demonstrated that there is significant gold anomalism in soils at Bessel Reward and that the anomalism is associated with structural features defined by magnetics and gradient array IP. A zone of high chargeability and high resistivity associated with soil geochemistry anomalism constitutes a priority target. Further infill soil sampling needs to be conducted in the northern part of the soil grid to better define the anomalous zones prior to initial shallow RC drilling to test targets.

7. FUTURE EXPLORATION

The company proposes exploration as detailed below:

- Infill soil sampling at Bessell Reward and the extension of some line to the east to close off anomalies. 110 samples
- Infill soil sampling at Panama Valley of historical 200 metre line spaced soil grid through anomalous zones of Au + As soil geochemistry. 60 samples.
- RC drilling of anomalous soils and under old workings at Bessell Reward. Location to be determined after soil and gradient array IP interpretations are completed. 8 x 50m RC holes.
- RC drilling of anomalous Au + As soil geochemistry in Panama Valley 4 x 50m RC holes.

Proposed expenditure in Year Three of the tenement is around \$150,000.

8. ENVIRONMENTAL MANAGEMENT

No ground-disturbing work was undertaken therefore no rehabilitation work is required.

9. EXPENDITURE

Expenditure for the year was:

Geology	\$ 8,500
Geochemistry	\$ 61,758
Geophysics	\$103,000
Gridding	\$ 22,099
Administration	\$ 4,788
TOTAL	\$200,145

10. REFERENCES

- Bierlein, F.P and Maher, S. 2001.** Orogenic disseminated gold in Phanerozoic fold belts – examples from Victoria, Australia and elsewhere. *Ore Geology Reviews 18 (pp113-148). Elsevier.*
- Bottrill, R.S. 1994.** The Lisle-Golconda-Denison goldfields (including some adjacent gold mining areas). *Mineral Resources Tasmania [TCR 01-1994]*
- Callaghan, T. 2003.** Annual Report on Exploration, EL 2/1992. TasGold Ltd. *Unpublished Annual Report, Mineral Resources Tasmania.*
- Coroneos, C. 1993.** A poor man's diggings: An archaeological survey of the Lisle-Denison goldfields, North-east Tasmania. part 2: Results of the historical and archaeological research. *Forestry Commission Tasmania and Queen Victoria Museum.*
- Fulton R.L. and Morrison, K.C. 2020.** Annual Report EL 4/2018 Panama. February 2020. *Unpublished Annual Report, Mineral Resource Tasmania.*
- McIntosh Reid, A. 1925.** Preliminary report on the goldfields of Lisle and district. *Unpublished Report Tasmania Department of Mines.*
- McIntosh Reid, A. 1925.** Preliminary report on Bessell Reward gold prospect. *Unpublished Report Tasmania Department of Mines.*
- Morrison, K.C. and Pemberton, J. 2014.** Annual Report EL 30/2006 Golconda Tamar Gold Ltd June 2014. *Unpublished Annual Report, Mineral Resources Tasmania.*
- Morrison, K.C. and Pemberton, J. 2015.** Annual Report EL 30/2006 Golconda Tamar Gold Ltd June 2015. *Unpublished Annual Report, Mineral Resource Tasmania.*
- Pemberton, J. and Morrison, K.C. 2013.** Annual Report EL 55/2008 Lone Star Creek Tamar Gold Ltd May 2013. *Unpublished Annual Report, Mineral Resources Tasmania.*
- Pemberton, J. and Morrison, K.C. 2017.** Annual & Final Report EL 55/2008 Lone Star Creek Tamar Gold Ltd May 2013. *Unpublished Annual Report, Mineral Resources Tasmania.*
- Randall, J.P. 1991. EL 6/90 - Lisle.** Final exploration report. *Billiton Australia. [TCR 91-3296]*
- Reid, A. M. 1926.** The Golconda Mining District. *Bull. Geol. Surv. Tas. 37.*

Roach, M. J. 1992. Geology and Geophysics in the Lisle Golconda Goldfield, NE Tasmania. *Bull. Geol. Surv. Tas.* 70.

Seymour, D. B., Woolward, I. R., McClenaghan, M. P., Bottrill, R. S. 2011. Stratigraphic revision and re-mapping of the Mathinna Supergroup between the River Tamar and the Scottsdale Batholith, northeast Tasmania. Explanatory report for parts of the 1:25 000 scale Low Head, Tam O'Shanter, Weymouth, Retreat, Lilydale, Bridport, Bowood, Nabowla, Lisle and Patersonia map sheets. Explanatory Report 1:25 000 Scale Digital Geological Map Series Mineral Resources Tasmania 4.

Twelvetrees, W. H, 1909. The Lisle Goldfield. *Bull. Geol. Surv. Tas.* 4.

11. APPENDICES

Appendix 1 Soil sample locations and descriptions

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG119901	527597	5438406	09/11/2020	0.8	Med orn brn	NO	DRY	C/B		Siltstone fragments
RG119902	527549	5438400	09/11/2020	0.8	Med orn brn	NO	DRY	C/B		Siltstone fragments
RG119903	527497	5438398	09/11/2020	0.8	Med orn brn	NO	DRY	C/B		Siltstone fragments
RG119904	527448	5438397	09/11/2020	0.8	Med brn	NO	DRY	C/B		Siltstone fragments
RG119905	527400	5438396	09/11/2020	0.3	Me orn	NO	DRY	C/B		Siltstone fragments
RG119906	527351	5438403	09/11/2020	0.9	Med orn brn	NO	DRY	C/B		Siltstone fragments
RG119907	527301	5438397	10/11/2020	0.95	Med orn brn	NO	DAMP	C/B		No rockchips
RG119908	527254	5438400	10/11/2020	0.95	Med orn brn	NO	DRY	C/B	Drk brn	Siltstone fragments
RG119909	527198	5438400	10/11/2020	0.8	Med brn	NO	DRY	C/B	Gry	Siltstone fragments
RG119910	527149	5438401	10/11/2020	0.7	Med brn	NO	DRY	C/B	Lgt gry	Siltstone fragments
RG119911	527103	5438399	10/11/2020	1	Med orn	NO	DRY	C/B		No rockchips
RG119912	527044	5438400	10/11/2020	0.9	Med gry	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119913	526998	5438401	10/11/2020	0.3	Med brn	NO	DRY	B		Siltstone fragments
RG119914	526953	5438399	10/11/2020	0.7	Med orn	NO	DRY	C/B		Siltstone fragments
RG119915	526897	5438399	10/11/2020	0.5	Med brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG119916	526852	5438401	10/11/2020	0.4	Med yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG119917	526801	5438400	10/11/2020	0.5	Med orn	NO	DRY	C/B	Gry	Siltstone fragments
RG119918	526750	5438398	10/11/2020	0.8	Med orn	YES	DRY	C/B	Yel brn	Siltstone fragments
RG119919	526701	5438401	10/11/2020	0.75	Med gry brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119920	526645	5438399	10/11/2020	0.9	Lgt brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG119921	526602	5438398	10/11/2020	0.7	Med brn	NO	DRY	C/B	Lgt brn	Siltstone fragments
RG119922	526548	5438398	10/11/2020	0.8	Med orn brn	YES	DRY	C/B	Yel gry	Siltstone fragments
RG119923	527503	5438600	10/11/2020	0.65	Med brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119924	527448	5438600	10/11/2020	0.7	Med orn brn	NO	DRY	C/B	Gry brn	Siltstone fragments
RG119925	527403	5438598	10/11/2020	0.85	Med orn brn	NO	DRY	C/B		No rockchips
RG119926	527348	5438603	11/11/2020	0.9	Mottled orn gry	NO	DRY	C/B		No rockchips
RG119927	527296	5438597	11/11/2020	0.85	Med orn	NO	DRY	C/B	Orn	Siltstone fragments
RG119928	527246	5438598	11/11/2020	0.95	Drk orn brn	NO	DRY	C/B	Orn	Siltstone fragments
RG119929	527200	5438600	11/11/2020	0.7	Med orn brn	NO	DRY	C/B	Lgt gry	Siltstone fragments
RG119930	527150	5438600	11/11/2020	0.65	Med brn	NO	DRY	C/B	Brn	Siltstone fragments
RG119931	527102	5438602	11/11/2020	0.75	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119932	527050	5438600	11/11/2020	0.85	Med yel brn	NO	DRY	C/B	Lgt yel brn	Siltstone fragments
RG119933	527002	5438600	11/11/2020	0.75	Med orn brn	YES	DRY	C/B	Orn brn	Siltstone fragments
RG119934	526949	5438603	11/11/2020	0.9	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119935	526900	5438601	11/11/2020	0.8	Med orn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119936	526848	5438596	11/11/2020	0.7	Med orn brn	YES	DRY	C/B	Orn brn	Siltstone fragments
RG119937	526802	5438598	11/11/2020	0.65	Med orn brn	YES	DRY	C/B	Orn brn	Siltstone fragments
RG119938	526748	5438602	11/11/2020	0.8	Lgt brn	NO	DRY	C/B	Crn	Siltstone fragments
RG119939	526703	5438597	11/11/2020	0.45	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119940	526654	5438599	14/11/2020	0.7	Med orn brn	NO	DRY	C/B	Crn	Siltstone fragments
RG119941	526598	5438600	14/11/2020	0.8	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119942	526549	5438604	14/11/2020	0.4	Med orn brn	NO	DRY	C/B	Yel crm	Siltstone fragments

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG119943	526498	5438599	14/11/2020	0.9	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119944	526446	5438597	14/11/2020	0.9	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG119945	526398	5438604	14/11/2020	0.8	Lgt brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG119946	526350	5438601	14/11/2020	0.7	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119947	526300	5438597	14/11/2020	0.3	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119948	527349	5438798	14/11/2020	0.8	Mottled gry orn	NO	DRY	C/B	Clay - no rock chips	
RG119949	527298	5438800	14/11/2020	1	Lgt orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119950	527254	5438800	14/11/2020	0.8	Med brn	NO	DRY	C/B	No rockchips	
RG119951	527196	5438797	14/11/2020	0.9	Med brn	NO	DRY	C/B	Lgt brn	Siltstone fragments
RG119952	527148	5438797	14/11/2020	0.9	Med orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG119953	527098	5438796	14/11/2020	0.9	Med orn brn	NO	DRY	C/B	No rockchips	
RG119954	527050	5438800	14/11/2020	0.7	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119955	526999	5438798	15/11/2020	0.85	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119956	526948	5438800	15/11/2020	0.7	Med brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119957	526900	5438800	15/11/2020	0.7	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119958	526850	5438802	15/11/2020	0.55	Med red brn	NO	DRY	C/B	Gry	Siltstone fragments
RG119959	526802	5438800	15/11/2020	0.7	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119960	526750	5438796	15/11/2020	0.8	Drk gry brn	YES	DRY	C/B	DARK	Siltstone fragments
RG119961	526703	5438799	15/11/2020	0.75	Drk brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG119962	526652	5438798	15/11/2020	0.75	Med orn brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG119963	526600	5438800	15/11/2020	0.65	Med orn brn	NO	DRY	C/B	Gry	Siltstone fragments
RG119964	526548	5438800	15/11/2020	0.35	Med brn	NO	DRY	C/B	Gry	Siltstone fragments
RG119965	526498	5438802	15/11/2020	0.9	Med brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119966	526451	5438798	15/11/2020	0.45	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119967	526401	5438798	15/11/2020	0.8	Med brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119968	526348	5438802	15/11/2020	0.7	Med brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119969	526302	5438798	15/11/2020	0.45	Med orn brn	NO	DRY	C/B	Gry brn	Siltstone fragments
RG119970	526248	5438798	16/11/2020	0.6	Med brn	NO	DRY	C/B	Gry	Siltstone fragments
RG119971	526200	5438800	16/11/2020	0.55	Med brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119972	526150	5438800	16/11/2020	0.5	Lgt orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG119973	526100	5438799	16/11/2020	0.5	Med brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119974	526050	5438800	16/11/2020	0.65	Med gry brn	NO	DRY	C/B	Orn crm	Siltstone fragments
RG119975	525998	5438799	16/11/2020	0.9	Med gry brn	NO	DRY	C/B	Gry	Siltstone fragments
RG119976	527195	5438994	16/11/2020	0.7	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG119977	527155	5438997	16/11/2020	0.7	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG119978	527098	5439005	16/11/2020	0.7	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG119979	527050	5439000	16/11/2020	0.7	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119980	527002	5439005	16/11/2020	0.6	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG119981	526953	5438997	16/11/2020	0.75	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119982	526900	5438998	17/11/2020	0.60	Med orn brn	NO	DRY	C/B	Gry	Siltstone fragments
RG119983	526850	5439002	17/11/2020	0.60	Med brn	NO	DRY	C/B	Gry brn	Siltstone fragments
RG119984	526796	5439003	17/11/2020	0.55	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG119985	526750	5439005	17/11/2020	0.55	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119986	526697	5438996	17/11/2020	1.30	Drk brn	NO	DRY	?		Possible stream terrace - no rock chips
RG119987	526649	5439002	17/11/2020	0.55	Med red brn	YES	DRY	C/B	Red brn	Siltstone fragments
RG119988	526598	5438997	17/11/2020	0.90	Med brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG119989	526549	5439000	17/11/2020	0.70	Med brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG119990	526500	5439002	17/11/2020	0.80	Med orn brn	YES	DRY	C/B	Yel gry	Siltstone fragments
RG119991	526450	5439000	17/11/2020	0.60	Med orn brn	NO	DRY	C/B	Orn gry	Sandstone fragments
RG119992	526403	5438999	17/11/2020	0.85	Lgt brn	NO	DRY	C/B	Yel	Siltstone fragments
RG119993	526352	5439004	17/11/2020	0.80	Med brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG119994	526300	5439000	17/11/2020	0.60	Med brn	NO	DRY	C/B	Pur brn	Siltstone fragments
RG119995	526249	5439000	17/11/2020	0.70	Med orn brn	NO	DRY	C/B	Red brn	Sandstone and siltstone fragments
RG119996	526203	5438999	17/11/2020	0.70	Med brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG119997	526142	5439001	17/11/2020	0.70	Lgt gry brn	NO	DRY	C/B	Red	Siltstone fragments
RG119998	526103	5438998	17/11/2020	0.70	Lgt red brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG119999	526052	5439002	17/11/2020	0.80	Med brn	NO	DRY	C/B	Lgt yel brn	Siltstone fragments
RG120000	526000	5439000	17/11/2020	0.70	Med orn brn	NO	DRY	C/B	Yel	Siltstone fragments
RG120001	525951	5439000	17/11/2020	0.70	Lgt orn brn	NO	DRY	C/B	Yel red	Sandstone and siltstone fragments
RG120002	525898	5439001	17/11/2020	0.70	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120003	525853	5439003	17/11/2020	0.45	Med brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120004	525796	5439002	17/11/2020	0.90	Med brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120005	527104	5439104	18/11/2020	0.80	Lgt brn	NO	DRY	C/B	Pur brn	Siltstone fragments
RG120006	527052	5439096	18/11/2020	0.90	Med orn brn	NO	DRY	C/B	Orn brn	No rockchips
RG120007	527002	5439100	18/11/2020	0.70	Med orn brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG120008	526955	5439099	18/11/2020	0.70	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120009	526901	5439104	18/11/2020	1.10	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120010	526847	5439106	18/11/2020	0.75	Med brn	NO	DRY	C/B	Drk gry	Siltstone fragments and surface float with qtz veins
RG120011	526802	5439103	18/11/2020	0.70	Med orn brn	NO	DRY	C/B	Gry	Siltstone fragments
RG120012	526748	5439104	18/11/2020	0.90	Med orn	NO	DRY	C/B	Gry	Siltstone fragments
RG120013	526696	5439101	18/11/2020	0.65	Med orn brn	NO	DRY	C/B	Gry	Siltstone fragments
RG120014	526656	5439097	18/11/2020	0.50	Med brn	NO	DRY	C/B	Pur yel	Siltstone fragments
RG120015	526601	5439100	18/11/2020	0.80	Lgt brn	NO	DRY	C/B	Pur brn	Siltstone fragments
RG120016	526552	5439100	18/11/2020	1.00	Med orn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG120017	526498	5439101	18/11/2020	0.70	Med orn brn	YES	DRY	C/B	Yel red	Siltstone fragments
RG120018	526450	5439098	18/11/2020	0.60	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120019	526398	5439102	18/11/2020	0.80	Drk red brn	YES	DRY	C/B	Red	Sandstone fragments and qtz chips
RG120020	526352	5439102	18/11/2020	0.90	Lgt brn	YES	DRY	C/B	Red	Sandstone fragments and qtz chips
RG120021	526298	5439100	18/11/2020	0.70	Lgt gry brn	YES	DRY	C/B	Red gry	Siltstone fragments
RG120022	526252	5439104	18/11/2020	0.85	Med orn	NO	DRY	C/B	Gry	Siltstone fragments
RG120023	526200	5439100	18/11/2020	0.75	Med gry brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG120024	526152	5439096	18/11/2020	0.50	Lgt Brn	NO	DRY	C/B	Gry	Siltstone fragments
RG120025	526100	5439098	18/11/2020	0.60	Med brn	NO	DRY	C/B	Pnk brn	Siltstone fragments

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG120026	526050	5439102	18/11/2020	0.45	Lgt red brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120027	525991	5439100	18/11/2020	0.60	Med orn brn	YES	DRY	C/B	Gry brn	Siltstone fragments
RG120028	525946	5439102	19/11/2020	0.50	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120029	525901	5439102	19/11/2020	0.00	Med brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120030	525850	5439099	19/11/2020	0.45	Lgt orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120031	525801	5439098	19/11/2020	0.40	Lgt brn	NO	DRY	C/B	Gry brn	Siltstone fragments
RG120032	525750	5439100	19/11/2020	0.40	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120033	527050	5439200	19/11/2020	0.60	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120034	526999	5439200	19/11/2020	0.60	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120035	526952	5439204	19/11/2020	0.70	Med brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120036	526898	5439206	19/11/2020	0.75	Med brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG120037	526858	5439200	19/11/2020	0.80	Lgt brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120038	526805	5439199	19/11/2020	0.65	Med orn brn	NO	DRY	C/B	Pnk	Siltstone fragments
RG120039	526754	5439200	19/11/2020	0.65	Med orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120040	526703	5439198	19/11/2020	0.75	Med brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120041	526649	5439202	19/11/2020	0.40	Med brn	NO	DRY	C/B	Yel	Siltstone fragments
RG120042	526600	5439202	19/11/2020	0.80	Med brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120043	526552	5439201	19/11/2020	0.70	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120044	526499	5439200	19/11/2020	0.60	Med orn brn	YES	DRY	C/B	Gry	Siltstone fragments
RG120045	526450	5439202	19/11/2020	0.75	Med brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120046	526405	5439199	19/11/2020	0.70	Med orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120047	526350	5439200	19/11/2020	0.60	Med orn brn	NO	DRY	C/B	Yel	Siltstone fragments
RG120048	526300	5439202	19/11/2020	0.85	Drk gry brn	NO	DRY	C/B	Orn brn	Sandstone fragments
RG120049	526251	5439199	19/11/2020	0.70	Lgt brn	NO	DRY	C/B	Lgt brn	Clay - no rock chips
RG120050	526199	5439200	19/11/2020	0.50	Lgt brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120051	526150	5439200	19/11/2020	0.45	Lgt pnk brn	NO	DRY	C/B	Pnk gry	Siltstone fragments
RG120052	526102	5439203	19/11/2020	0.45	Lgt orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120053	526050	5439204	19/11/2020	0.40	Lgt orn brn	NO	DRY	C/B	Pur brn	Siltstone fragments
RG120054	526000	5439200	20/11/2020	0.50	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120055	525949	5439201	20/11/2020	0.45	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120056	525897	5439202	20/11/2020	0.50	Lgt brn	NO	DRY	C/B	Pnk	Siltstone fragments
RG120057	525850	5439200	20/11/2020	0.40	Med orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120058	525796	5439194	20/11/2020	0.70	Lgt orn brn	NO	DRY	C/B	Pnk	Siltstone fragments
RG120059	525750	5439202	20/11/2020	0.50	Lgt brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120060	525700	5439200	20/11/2020	0.50	Med orn brn	NO	DRY	C/B	Drk gry	Siltstone fragments
RG120061	527005	5439299	20/11/2020	0.80	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120062	526950	5439300	20/11/2020	0.80	Lgt brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120063	526902	5439300	20/11/2020	0.50	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120064	526853	5439301	20/11/2020	0.85	Drk brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120065	526801	5439300	20/11/2020	0.35	Lgt brn	YES	DRY	C/B	Brn	Sandstone with qtz veining
RG120066	526754	5439304	20/11/2020	0.60	Med brn	NO	DRY	C/B	Brn	Sandstone fragments
RG120067	526702	5439300	20/11/2020	0.80	Med orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG120068	526650	5439296	20/11/2020	0.90	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120069	526601	5439301	20/11/2020	0.70	Med orn brn	NO	DRY	C/B	Brn	Sandstone fragments
RG120070	526550	5439297	20/11/2020	0.85	Drk brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG120071	526502	5439300	20/11/2020	0.50	Med orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120072	526445	5439305	24/11/2020	0.65	Med orn brn	NO	DRY	C/B	Pnk	Siltstone fragments
RG120073	526399	5439300	24/11/2020	0.55	Med brn	NO	DRY	C/B	Pnk	Siltstone fragments
RG120074	526353	5439298	24/11/2020	0.50	Lgt brn	NO	DRY	C/B	Pnk	Siltstone fragments
RG120075	526300	5439292	24/11/2020	0.95	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120076	526250	5439303	24/11/2020	0.95	Med orn brn	NO	DRY	C/B		Sandstone fragments in clay
RG120077	526202	5439302	24/11/2020	0.50	Lgt brn	YES	DRY	C/B	Yel brn	Sandstone fragments
RG120078	526150	5439300	24/11/2020	0.35	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120079	526098	5439300	24/11/2020	0.80	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120080	526050	5439301	24/11/2020	0.50	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120081	525998	5439301	24/11/2020	0.70	Med brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120082	525951	5439303	24/11/2020	0.35	Lgt orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120083	525894	5439301	24/11/2020	0.50	Med orn brn	NO	DRY	C/B	Pnk	Siltstone fragments
RG120084	525848	5439298	24/11/2020	0.40	Med brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120085	525800	5439302	24/11/2020	0.45	Lgt orn brn	YES	DRY	C/B	Brn	Qtz and clay
RG120086	525747	5439304	24/11/2020	0.55	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120087	525699	5439297	24/11/2020	0.65	Med brn	NO	DRY	C/B	Brn	Sandstone fragments
RG120088	526946	5439400	24/11/2020	0.85	Med brn	YES	DRY	C/B	Yel gry	Sandstone fragments
RG120089	526901	5439400	24/11/2020	0.65	Med orn brn	NO	DRY	C/B	Gry brn	Sandstone fragments
RG120090	526853	5439401	24/11/2020	0.55	Med brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG120091	526800	5439402	24/11/2020	0.80	Med brn	YES	DRY	C/B	Pnk brn	Siltstone fragments
RG120092	526746	5439402	24/11/2020	0.40	Med brn	YES	DRY	C/B	Yel brn	Siltstone and sandstone fragments
RG120093	526703	5439402	24/11/2020	0.45	Med brn	YES	DRY	C/B	Yel brn	Siltstone and sandstone fragments
RG120094	526650	5439394	24/11/2020	0.50	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments and clay
RG120095	526600	5439401	24/11/2020	0.65	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120096	526550	5439401	24/11/2020	0.55	Lgt yel brn	NO	DRY	C/B	Drk gry	Siltstone fragments
RG120097	526500	5439401	25/11/2020	0.55	Med orn brn	NO	DRY	C/B	Red brn	Sandstone fragments
RG120098	526454	5439396	25/11/2020	0.85	Med orn brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG120099	526399	5439403	25/11/2020	0.70	Lgt brn	NO	DRY	C/B	Lgt gry brn	Siltstone fragments
RG120100	526350	5439404	25/11/2020	0.75	Lgt brn	YES	DRY	C/B	Pnk brn	Siltstone fragments
RG120101	526302	5439400	25/11/2020	0.50	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120102	526252	5439398	25/11/2020	0.50	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120103	526200	5439400	25/11/2020	0.55	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120104	526152	5439402	25/11/2020	0.45	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120105	526103	5439402	25/11/2020	0.45	Lgt brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120106	526050	5439403	25/11/2020	0.50	Med brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120107	525999	5439398	25/11/2020	0.50	Med brn	NO	DRY	C/B	Pur brn	Siltstone fragments
RG120108	525950	5439398	25/11/2020	0.45	Med orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120109	525899	5439400	25/11/2020	0.50	Med brn	NO	DRY	C/B	Pur brn	Siltstone fragments

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG120110	525848	5439400	25/11/2020	0.50	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120111	525802	5439400	25/11/2020	0.55	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120112	525754	5439401	25/11/2020	0.70	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120113	525700	5439398	25/11/2020	0.55	Med orn brn	NO	DRY	C/B	Orn brn	Clay
RG120114	526951	5439504	25/11/2020	0.70	Med brn	YES	DRY	C/B	Orn brn	Siltstone fragments
RG120115	526900	5439499	25/11/2020	0.70	Med gry brn	YES	DRY	C/B	Orn brn	Sandstone fragments
RG120116	526851	5439500	25/11/2020	0.70	Med brn	YES	DRY	C/B	Yel	Sandstone fragments
RG120117	526800	5439500	25/11/2020	0.65	Med yel brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG120118	526750	5439502	25/11/2020	0.35	Med yel brn	YES	DRY	C/B	Yel brn	Sandstone fragments
RG120119	526699	5439499	25/11/2020	0.70	Med yel brn	YES	DRY	C/B	Yel brn	Siltstone fragments
RG120120	526653	5439502	25/11/2020	0.65	Med brn	NO	DRY	C/B	Yel brn	Clay with siltstone fragments
RG120121	526601	5439500	25/11/2020	0.55	Lgt brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120122	526552	5439498	25/11/2020	0.50	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone and sandstone fragments
RG120123	526499	5439502	25/11/2020	0.55	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120124	526452	5439504	25/11/2020	0.80	Lgt yel brn	NO	DRY	C/B	Lgt yel brn	Siltstone fragments
RG120125	526403	5439502	26/11/2020	0.60	Lgt brn	NO	DRY	C/B	Lgt brn	Siltstone and sandstone fragments
RG120126	526351	5439503	26/11/2020	0.55	Lgt gry brn	YES	DRY	C/B	Brn	Sandstone with qtz fragments
RG120127	526300	5439500	26/11/2020	0.60	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120128	526248	5439499	26/11/2020	0.70	Med orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120129	526202	5439501	26/11/2020	0.70	Med orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120130	526151	5439505	26/11/2020	0.75	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120131	526102	5439504	26/11/2020	0.60	Lgt brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120132	526048	5439499	26/11/2020	0.60	Lgt brn	YES	DRY	C/B	Brn	Siltstone and qtz fragments
RG120133	526001	5439500	26/11/2020	0.60	Lgt brn	YES	DRY	C/B	Gry brn	Siltstone fragments
RG120134	525950	5439500	26/11/2020	0.60	Med orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120135	525897	5439504	26/11/2020	0.70	Lgt orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120136	525852	5439502	26/11/2020	0.70	Med orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120137	525798	5439502	26/11/2020	0.70	Med gry brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120138	525752	5439502	26/11/2020	0.70	Med orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120139	525700	5439496	26/11/2020	0.65	Med brn	NO	DRY	C/B	Gry	Siltstone fragments
RG120140	526951	5439596	26/11/2020	0.40	Lgt brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120141	526902	5439598	26/11/2020	0.70	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120142	526850	5439599	26/11/2020	0.95	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120143	526798	5439594	26/11/2020	0.65	Med brn	YES	DRY	C/B	Brn	Clay with sandstone and qtz fragments
RG120144	526748	5439599	26/11/2020	0.70	Med brn	YES	DRY	C/B	Brn	Clay with qtz fragments
RG120145	526700	5439600	26/11/2020	0.70	Lgt orn brn	NO	DRY	C/B	Orn brn	Sandstone fragments
RG120146	526648	5439603	26/11/2020	0.55	Med brn	NO	DRY	C/B	Orn brn	Sandstone fragments
RG120147	526600	5439601	26/11/2020	1.20	Lgt brn	YES	DRY	C/B	Yel brn	Sandstone fragments
RG120148	526552	5439602	26/11/2020	0.60	Med gry brn	YES	DRY	C/B	Orn brn	Siltstone with qtz fragments
RG120149	526497	5439602	26/11/2020	0.90	Drk gry brn	YES	DRY	C/B	Drk gry	Clay with qtz fragments
RG120150	526454	5439595	26/11/2020	0.90	Lgt yel brn	YES	DRY	C/B	Yel brn	Clay
RG120151	526400	5439603	26/11/2020	0.90	Med orn brn	NO	DRY	C/B	Orn brn	Clay with sandstone fragments

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG120152	526351	5439601	26/11/2020	0.90	Lgt orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120153	526304	5439593	26/11/2020	0.80	Med orn brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG120154	526252	5439599	26/11/2020	0.90	Med gry brn	NO	DRY	C/B	Red brn	Sandstone fragments
RG120155	526202	5439605	26/11/2020	0.90	Med brn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG120156	526153	5439601	26/11/2020	0.80	Lgt yel brn	NO	DRY	C/B	Yel brn	Clay
RG120157	526101	5439603	26/11/2020	0.90	Med orn brn	NO	DRY	C/B		Siltstone fragments
RG120158	526049	5439602	27/11/2020	0.70	Lgt orn brn	YES	DRY	C/B	Gry brn	Clay with siltstone fragments
RG120159	526002	5439596	27/11/2020	0.70	Med orn brn	NO	DRY	C/B	Gry	Siltstone fragments
RG120160	525947	5439598	27/11/2020	0.55	Med orn brn	YES	DRY	C/B	Pnk brn	Siltstone fragments
RG120161	525902	5439600	27/11/2020	0.60	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120162	525852	5439598	27/11/2020	0.60	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120163	525798	5439602	27/11/2020	0.50	Med pnk brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120164	525748	5439596	27/11/2020	0.60	Med brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120165	525702	5439604	27/11/2020	0.70	Med brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120166	526848	5439704	27/11/2020	0.55	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120167	526800	5439696	27/11/2020	0.80	Lgt yel brn	NO	DRY	C/B	Gry	Siltstone and sandstone fragments
RG120168	526752	5439694	27/11/2020	0.80	Med yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120169	526702	5439706	27/11/2020	0.70	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120170	526652	5439694	27/11/2020	0.70	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120171	526604	5439702	27/11/2020	0.60	Med orn brn	NO	DRY	C/B	Yel brn	Clay with siltstone fragments
RG120172	526551	5439699	27/11/2020	0.65	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120173	526500	5439701	27/11/2020	0.50	Lgt orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120174	526450	5439700	27/11/2020	0.50	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120175	526397	5439702	27/11/2020	0.60	Lgt yel brn	NO	DRY	C/B	Gry red	Siltstone fragments
RG120176	526350	5439699	27/11/2020	0.70	Med gry	YES	DRY	C/B	Gry brn	Sansstone and qtz fragments
RG120177	526307	5439698	27/11/2020	0.65	Med gry	YES	DRY	C/B	Drk gry	Siltstone fragments
RG120178	526248	5439701	27/11/2020	0.65	Lgt brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120179	526201	5439698	27/11/2020	0.70	Lgt orn brn	NO	DRY	C/B	Orn	Siltstone fragments and sand
RG120180	526152	5439698	27/11/2020	0.55	Lgt brn	NO	DRY	C/B	Yel	Siltstone fragments and sand
RG120181	526098	5439701	27/11/2020	0.50	Lgt orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120182	526051	5439700	27/11/2020	0.35	Med orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120183	526003	5439705	27/11/2020	0.60	Lgt gry	NO	DRY	C/B	Gry brn	Clay
RG120184	525948	5439701	03/12/2020	0.55	Med orn brn	NO	DRY	C/B	Orn brn	Clay
RG120185	525902	5439702	03/12/2020	0.70	Med orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120186	525853	5439701	03/12/2020	0.70	Lgt brn	NO	DRY	C/B	Gry brn	Siltstone fragments
RG120187	525802	5439699	03/12/2020	0.70	Lgt yel brn	NO	DRY	C/B	Yel brn	Clay
RG120188	525752	5439701	03/12/2020	0.75	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120189	525699	5439702	03/12/2020	0.75	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120190	526758	5439798	03/12/2020	0.80	Med yel brn	YES	DRY	C/B	Yel brn	Siltstone fragments
RG120191	526697	5439802	03/12/2020	1.10	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120192	526650	5439805	03/12/2020	0.70	Med orn brn	NO	DRY	C/B	Gry brn	Sandstone fragments
RG120193	526591	5439800	03/12/2020	0.90	Med brn	NO	DRY	C/B	Pnk brn	Siltstone fragments

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG120194	526548	5439802	03/12/2020	0.60	Med gry brn	YES	DRY	C/B	Gry	Siltstone fragments
RG120195	526500	5439802	03/12/2020	0.85	Med gry	YES	DRY	C/B	Gry	Qtz in grey sand
RG120196	526450	5439802	03/12/2020	0.65	Lgt yel brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG120197	526401	5439798	03/12/2020	0.40	Lgt orn	NO	DRY	C/B	Brn	Siltstone fragments
RG120198	526351	5439803	03/12/2020	0.55	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120199	526301	5439796	03/12/2020	0.70	Lgt yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120200	526250	5439800	03/12/2020	0.70	Lgt orn	YES	DRY	C/B	Yel	Sandstone fragments
RG120201	526200	5439803	03/12/2020	0.60	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120202	526154	5439802	03/12/2020	0.65	Med orn brn	NO	DRY	C/B	Red brn	Sandstone fragments in clay
RG120203	526099	5439800	03/12/2020	0.55	Med yel brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120204	526050	5439798	03/12/2020	0.50	Lgt brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120205	526001	5439799	03/12/2020	0.65	Lgt orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120206	525953	5439803	03/12/2020	0.65	Med orn brn	NO	DRY	C/B	Gry	Siltstone fragments
RG120207	525902	5439802	03/12/2020	0.70	Med orn brn	NO	DRY	C/B	Gry brn	Siltstone fragments
RG120208	525852	5439800	03/12/2020	0.70	Lgt orn brn	YES	DRY	C/B	Orn brn	Clay
RG120209	525801	5439802	03/12/2020	0.60	Lgt orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120210	525754	5439796	03/12/2020	0.70	Lgt yel brn	NO	DRY	C/B	Yel brn	Clay
RG120211	525704	5439805	03/12/2020	0.70	Med yel brn	NO	DRY	C/B	Yel brn	Clay
RG120212	526702	5440001	04/12/2020	0.50	Lgt brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120213	526648	5439998	04/12/2020	0.60	Lgt yel brn	NO	DRY	C/B	Yel	Sandstone fragments
RG120214	526602	5440001	04/12/2020	0.65	Med orn brn	YES	DRY	C/B	Red	Sandstone and qtz fragments
RG120215	526550	5440003	04/12/2020	0.50	Lgt orn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120216	526504	5440000	04/12/2020	0.55	Lgt orn brn	NO	DRY	C/B	Pnk brn	Siltstone fragments
RG120217	526452	5440001	04/12/2020	0.65	Lgt orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120218	526399	5440004	04/12/2020	0.70	Med orn brn	YES	DRY	C/B	Red	Sandstone fragments
RG120219	526349	5439999	04/12/2020	0.80	Med orn	YES	DRY	C/B	Drk red brn	Sandstone and qtz fragments
RG120220	526302	5440003	04/12/2020	0.70	Med orn brn	NO	DRY	C/B	Gry	Sandstone fragments
RG120221	526251	5440004	04/12/2020	0.65	Med yel brn	NO	DRY	C/B	Orn brn	Sandstone and siltstone fragments
RG120222	526201	5440001	04/12/2020	0.30	Med orn brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120223	526152	5440000	04/12/2020	0.70	Med orn brn	NO	DRY	C/B	Orn brn	Clay
RG120224	526103	5440003	04/12/2020	0.60	Lgt orn brn	NO	DRY	C/B	Orn brn	Clay and brown siltstone
RG120225	526051	5439999	04/12/2020	0.65	Lgt brn	NO	DRY	C/B	Pnk	Siltstone fragments
RG120226	526000	5440000	04/12/2020	0.75	Lgt gry brn	NO	DRY	C/B	Gry brn	Siltstone fragments
RG120227	525948	5440003	04/12/2020	0.70	Med brn	YES	DRY	C/B	Gry pnk	Siltstone fragments
RG120228	525896	5439997	04/12/2020	0.75	Med yel brn	NO	DRY	C/B	Yel brn	Clay
RG120229	525853	5440006	04/12/2020	0.45	Med brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120230	525801	5440003	04/12/2020	0.60	Lgt gry brn	NO	DRY	C/B	Brn	Siltstone fragments
RG120231	525749	5439999	04/12/2020	0.75	Lgt yel brn	NO	DRY	C/B	Yel brn	Clay
RG120232	525701	5440004	04/12/2020	0.80	Lgt gry brn	NO	DRY	C/B	Orn gry	Clay
RG120233	526703	5440198	08/12/2020	0.70	Lgt orn brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG120234	526650	5440204	08/12/2020	0.85	Lgt yel brn	NO	DRY	C/B	Yel brn	Sandstone fragments
RG120235	526604	5440200	08/12/2020	0.70	Med orn brn	YES	DRY	C/B	Red brn	Sandstone fragments

Sample Id	E_MGA	N_MGA	Date sampled	Depth (m)	Soil Colour	Qtz present	Moisture	Horizon	Rock chip colour	Comments
RG120236	526554	5440204	08/12/2020	0.80	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120237	526502	5440197	08/12/2020	0.70	Med orn brn	NO	DRY	C/B	Yel brn	Siltstone fragments
RG120238	526455	5440202	08/12/2020	0.70	Med gry brn	NO	DRY	C/B	Gry	Silty clay
RG120239	526399	5440195	08/12/2020	0.70	Lgt orn gry	YES	DRY	C/B	Orn gry	Clay
RG120240	526350	5440198	08/12/2020	0.55	Med brn	NO	DRY	C/B	Brn	Clay
RG120241	526300	5440201	08/12/2020	0.60	Lgt gry	YES	DRY	C/B	Gry	Silty clay
RG120242	526251	5440200	08/12/2020	0.60	Lgt orn	YES	DRY	C/B	Orn	Clay
RG120243	526199	5440200	08/12/2020	0.80	Lgt orn	NO	DRY	C/B	Orn	Clay
RG120244	526149	5440204	08/12/2020	0.75	Med orn gry	YES	DRY	C/B	Orn gry	Clay
RG120245	526101	5440200	08/12/2020	0.75	Med orn brn	NO	DRY	C/B	Red brn	Siltstone fragments
RG120246	526047	5440201	08/12/2020	0.65	Med orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments
RG120247	526000	5440204	08/12/2020	0.65	Lgt yel gry	NO	DRY	C/B	Yel gry	Clay
RG120248	525952	5440201	08/12/2020	0.60	Lgt orn brn	NO	DRY	C/B	Pur gry	Siltstone fragments
RG120249	525900	5440200	08/12/2020	0.60	Med orn brn	YES	DRY	C/B	Yel gry	Siltstone fragments
RG120250	525852	5440202	08/12/2020	0.65	Lgt gry brn	NO	DRY	C/B	Gry brn	Clay
RG120251	525798	5440201	08/12/2020	0.70	Med orn	NO	DRY	C/B	Yel gry	Siltstone fragments
RG120252	525750	5440201	08/12/2020	0.55	Med gry brn	NO	DRY	C/B	Gry brn	Siltstone fragments
RG120253	525705	5440197	08/12/2020	0.90	Lgt orn brn	NO	DRY	C/B	Orn brn	Siltstone fragments

Appendix 2 Assay laboratory certificates