

# BOLD HEAD OREBODY

## GEOLOGICAL SECTIONS

SCALE 1:1000


<u>DRAWING N<sup>o</sup></u>	<u>DESCRIPTION</u>	
KG3-211-250	GEOLOGICAL CROSS-SECTION	
KG3-211-275	10	250 N
KG3-211-350	10	275 N
KG3-211-375	10	350 N
KG3-211-400	10	375 N
KG3-211-425	10	400 N
KG3-211-450	10	425 N
KG3-211-475	10	450 N
KG3-211-500	10	475 N
KG3-211-525	10	500 N
KG3-211-550	10	525 N
KG3-211-575	10	550 N
KG3-211-600	10	575 N
KG3-211-625	10	600 N
KG3-211-637.5	10	625 N
KG3-211-650	10	637.5 N
KG3-211-675	10	650 N
KG3-211-700	10	675 N
KG3-211-725	10	700 N
KG3-211-750	10	725 N
KG3-211-775	10	750 N
KG3-24-350	40	350 E
	GEOLOGICAL LONG SECTION	

PEKO - WALLSEND OPERATIONS LTD.  
GEOPEKO DIVISION  
KING ISLAND

Technical Meeting - October, 1978

To accompany Report N<sup>o</sup> K.I. / 78 / 4  
"GEOLOGICAL REVIEW - BOLD HEAD OREBODY, OCTOBER, 1978"





<b>uv</b> Upper metavolcanics	<b>pgh</b> Pyroxene garnet hornfels	<b>bph</b> Biotite pyroxene hornfels	<b>nc</b> No core recovered	Fault, showing relative movement	<b>DDH 183</b> Col. 17m N45°W Indicates collar location as being 1.7 metres North of section.
<b>bh</b> Biotite hornfels	<b>pgh(m)</b> Mineralized pgh (>0.30% WO <sub>3</sub> )	<b>q</b> Quartzite	<b>(m)</b> Mineralized	Degree of uncertainty in Fault position	<b>2.1m S45°E</b> Indicates end of hole as being 2.1 metres South of section.
<b>ph</b> Pyroxene hornfels	<b>gh</b> Garnet skarn (>0.30% WO <sub>3</sub> )	<b>ad</b> Adomellite	<b>(b)</b> Banded	Assay results in % WO <sub>3</sub>	<b>EDH</b>
<b>ch</b> Marble	<b>bfb</b> Banded footwall beds	<b>ap</b> Apatite	<b>(p)</b> Padded	Stope, showing area filled	
<b>mv</b> Middle metavolcanics	<b>mb(m)</b> Mineralized bfb (>0.30% WO <sub>3</sub> )		<b>(d)</b> Disturbed		
			<b>(s)</b> Stope		
			<b>(b)</b> Breccia		


**GEOPEKO LIMITED**  
KING ISLAND GROUP

SCALE: 1:500

**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
10 275 N

No. KG3-211-275

DATE: \_\_\_\_\_  
GEOLOGIST: J.M.C.  
DRAWN: R.F.  
CHECKED: M.C.R.




Legend:			
uv	Upper metavolcanics	bph	Biotite pyroxene hornfels
bh	Biotite hornfels	q	Quartzite
ph	Pyroxene hornfels	ad	Adamellite
ch	Marble	ap	Apilite
mv	Middle metavolcanics	nc	No core recovered
pgh	Pyroxene garnet hornfels	(m)	Mineralized
sg(h/m)	Mineralized pgh (>0.30% WO <sub>3</sub> )	(b)	Banded
gh	Garnet skarn (>0.30% WO <sub>3</sub> )	(p)	Podded
bfb	Banded footwall beds	(d)	Disturbed
bfb(m)	Mineralized bfb (>0.30% WO <sub>3</sub> )	bb	Braccia

**GEOPEKO LIMITED**  
 KING ISLAND GROUP  
 No. KG3-211-350  
**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
 IO 350 N

DATE: \_\_\_\_\_  
 GEOLOGIST: S.B.B.  
 DRAWN: R.F.  
 CHECKED: M.C.R.


Scale: 1:500  
 Fault, showing relative movement  
 Degree of uncertainty in Fault position  
 Assay results in % WO<sub>3</sub>  
 Stop, showing area filled

DDH 123 Col 1.7m N of section  
 Indicates collar location as being 1.7 metres North of section.  
 2.1m S of section  
 Indicates end of hole as being 2.1 metres South of section.



N.B. For assay results of DDH 375/1 to DDH 375/8 see Dwg. No. KG3-212-004.

<b>Legend:</b> uv Upper metavolcanics bh Biotite hornfels ph Pyroxene hornfels ch Marble mv Middle metavolcanics pgh Pyroxene garnet hornfels pgh(m) Mineralized pgh (>0.30% WO <sub>3</sub> ) gh Garnet skarn (>0.30% WO <sub>3</sub> ) bfb Banded footwall beds bfb(m) Mineralized bfb (>0.30% WO <sub>3</sub> ) bph Biotite pyroxene hornfels q Quartzite ad Adomellite ap Aplite nc No cores recovered (m) Mineralized (b) Banded (p) Podded (d) Disturbed bb Breccia Fault, showing relative movement Degree of uncertainty in Fault position Assay results in % WO <sub>3</sub> Slope, showing area filled		DDH 375 Col. 1-1m So/s Indicates collar location as being 1.7 metres North of section. 2-1m So/s Indicates end of hole as being 2.1 metres South of section. E.M.		<b>GEOPEKO LIMITED</b> KING ISLAND GROUP No. KG3-211-375 <b>BOLD HEAD OREBODY</b> <b>GEOLOGICAL CROSS SECTION</b> IO 375 N SCALE: 1:500 DATE: _____ GEOLOGIST: S.S.B. J.M.C. DRAWN: R.F. CHECKED: M.C.R.
--	--	---	--	--



Legend:			
Upper metavolcanics	Pyroxene garnet hornfels	Biotite pyroxene hornfels	No core recovered
Biotite hornfels	Mineralized pgh (>0.30% WO <sub>3</sub> )	Quartzite	Mineralized
Pyroxene hornfels	Garnet skarn (>0.30% WO <sub>3</sub> )	Adomellite	Banded
Marble	Banded footwall beds	Aplite	Padded
Middle metavolcanics	Mineralized bfb (>0.30% WO <sub>3</sub> )		Disturbed
			Breccio
			Fault, showing relative movement
			Degree of uncertainty in Fault position.
			Assay results in % WO <sub>3</sub>
			Stope, showing area filled


**GEOPERO LIMITED**  
KING ISLAND GROUP

No. K63-211-400

**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
10 400 N

DATE: \_\_\_\_\_  
GEOLOGIST: S.E.E.  
DRAWN: R.F.  
CHECKED: M.C.R.





N.B. For details of A Lens see Dwg No. KG3-215-011.

NR For assay results of DDH's in this area see Dwg No. KG3-212-007

**Legend:**

uv	Upper metatronics	pgh	Pyroxene garnet hornfels	bph	Biotite pyroxene hornfels	nc	No cores recovered
bh	Biotite hornfels	pgh(m)	Mineralized pgh (>0.30% WO <sub>3</sub> )	q	Quartzite	(m)	Mineralized
ph	Pyroxene hornfels	gh	Garnet skarn (>0.30% WO <sub>3</sub> )	ad	Adamellite	(b)	Banded
ch	Marble	bfb	Banded footwall beds	ap	Aplite	(p)	Podded
mv	Middle metatronics	bfb(m)	Mineralized bfb (>0.30% WO <sub>3</sub> )			(d)	Disturbed
						bb	Braccia

nc No cores recovered  
(m) Mineralized  
(b) Banded  
(p) Podded  
(d) Disturbed  
bb Braccia

Fault, showing relative movement  
Degree of uncertainty in Fault position  
Assay results in % WO<sub>3</sub>  
Stope, showing area filled


**GEOPEKO LIMITED**  
KING ISLAND GROUP  
No. KG3-211-450

**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
**10 450 N**

DATE: \_\_\_\_\_  
GEOLOGIST: R.S.S.  
DRAWN: R.F.  
CHECKED: M.C.R.

SCALE: 1:1000

Indicates collar location as being 1.7 metres North of section.  
Indicates end of hole as being 2.1 metres South of section.



**Legend:**

uv	Upper metavolcanics	pgh	Pyroxene garnet hornfels	bph	Biotite pyroxene hornfels	nc	No core recovered
bh	Biotite hornfels	pgh(m)	Mineralized pgh (>0.30% WO <sub>3</sub> )	q	Quartzite	(m)	Mineralized
ph	Pyroxene hornfels	gh	Garnet skarn (>0.30% WO <sub>3</sub> )	ad	Adamellite	(b)	Banded
ch	Marble	bfb	Banded footwall beds	ap	Aplite	(p)	Podded
mv	Middle metavolcanics	bfb(m)	Mineralized bfb (>0.30% WO <sub>3</sub> )			(d)	Disturbed
						bb	Breccia

	Fault, showing relative movement		Indicates collar location as being 1.7 metres North of section
	Degree of uncertainty in Fault position		Indicates end of hole as being 2.1 metres South of section
	Assay results in % WO <sub>3</sub>		Stope, showing area filled

DDH 183  
Col. 1.7m Na/s

Indicates collar location as being 1.7 metres North of section

DATE: \_\_\_\_\_  
 GEOLOGIST: S.B.S.  
 DRAWN: R.F.  
 CHECKED: M.C.R.

GEOPEKO LIMITED  
KING ISLAND GROUP


SCALE 1:500

No. KG3-211-475


**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
 IO 475 N








<b>Legend:</b> uv Upper metavolcanics bh Biotite hornfels ph Pyroxene hornfels gh Marble mv Middle metavolcanics pgh Pyroxene garnet hornfels pgh(m) Mineralized pgh (> 0.30% WO <sub>2</sub> ) gh Garnet skarn (> 0.30% WO <sub>2</sub> ) bfb Banded footwall beds bfb(m) Mineralized bfb (> 0.30% WO <sub>2</sub> ) bph Biotite pyroxene hornfels q Quartzite ad Adamellite ap Aplites nc No core recovered (m) Mineralized (b) Banded (p) Podded (d) Disturbed bb Breccia Fault, showing relative movement Degree of uncertainty in Fault position Assay results in % WO <sub>2</sub> Stop, showing area filled Indicates collar location as being 1.7 metres North of section. Indicates end of hole as being 2.1 metres South of section.		<b>GEOPEKO LIMITED</b> KING ISLAND GROUP No. KG3-211-550 <b>BOLD HEAD OREBODY</b> <b>GEOLOGICAL CROSS SECTION</b> 10 550 N DATE: _____ GEOLOGIST: J.W.C. DRAWN: R.F. CHECKED: M.G.B.
--	--	---



<b>Legend</b> mv Upper metavolcanics bh Biotite hornfels ph Pyroxene hornfels ch Marble mw Middle metavolcanics pgh Pyroxene garnet hornfels pgh(m) Mineralized pgh (>0.30% WO <sub>3</sub> ) gh Garnet skarn (>0.30% WO <sub>3</sub> ) bfb Banded footwall beds bfb(m) Mineralized bfb (>0.30% WO <sub>3</sub> ) bph Biotite pyroxene hornfels q Quartzite ad Adamellite ap Apatite nc No core recovered (m) Mineralized (b) Banded (p) Padded (d) Disturbed bb Breccia Fault, showing relative movement Degree of uncertainty in Fault position Assay results in % WO <sub>3</sub> Stope, showing area filled DDH 123 Col 1.7m No/s Indicates collar location as being 1.7 metres North of section. DDH 313 Col 18.3m Sa/s Indicates end of hole as being 2.1 metres South of section.		<b>GEOPEKO LIMITED</b> KING ISLAND GROUP No. KG3-211-575 <b>BOLD HEAD OREBODY</b> <b>GEOLOGICAL CROSS SECTION</b> IO 575 N DATE: 1988 GEOLOGIST: R.F.F. DRAWN: R.F. CHECKED: M.C.B. SCALE: 1:500
--	--	--



**Legend:**

uv	Upper metavolcanics	pgh	Pyroxene garnet hornfels	bph	Biotite pyroxene hornfels	nc	No core recovered
bh	Biotite hornfels	pgh(m)	Mineralized pgh (>0.30% WO <sub>3</sub> )	q	Quartzite	(m)	Mineralized
ph	Pyroxene hornfels	gh	Garnet skarn (>0.30% WO <sub>3</sub> )	ad	Adamellite	(b)	Banded
sh	Marble	bfb	Banded footwall beds	ap	Aplite	(p)	Podded
mv	Middle metavolcanics	bfb(m)	Mineralized bfb (>0.30% WO <sub>3</sub> )			(d)	Disturbed
						bb	Breccia

	Fault, showing relative movement		Degree of uncertainty in Fault position
	Assay results in % WO <sub>3</sub>		Stop, showing area filled

	Indicates collar location as being 1.7 metres North of section.
	Indicates end of hole as being 2.1 metres South of section.




**GEOPEKO LIMITED**  
KING ISLAND GROUP

No. K63-211-600

**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
10 600 N

**DATE:** 1982  
**GEOLOGIST:** J.S.S.  
**DRAWN:** R.F.  
**CHECKED:** M.C.R.



NOTE:  
 625/1 Col. 3.0m. So/s  
 625/2 Col. 2.4m. So/s  
 625/3 Col. 2.47m. So/s  
 625/4 Col. 3.85m. So/s  
 625/7 Col. 3.2m. So/s

For assay results of DDH's this area see Dwg. No. KG3-212-014.

<b>uv</b> Upper metavolcanics	<b>pgh</b> Pyroxene garnet hornfels	<b>bph</b> Biotite pyroxene hornfels	<b>nc</b> No core recovered	Fault, showing relative movement	Indicates collar location as being 1.7 metres North of section.
<b>bh</b> Biotite hornfels	<b>pgh(m)</b> Mineralized pgh (>0.30% WO <sub>3</sub> )	<b>q</b> Quartzite	<b>(m)</b> Mineralized	Degree of uncertainty in Fault position	Indicates end of hole as being 2.1 metres South of section.
<b>gh</b> Pyroxene hornfels	<b>gh</b> Garnet skarn (>0.30% WO <sub>3</sub> )	<b>ad</b> Adomellite	<b>(b)</b> Bonded	Assay results in % WO <sub>3</sub>	
<b>ch</b> Marble	<b>bfb</b> Bonded footwall beds	<b>ap</b> Aplites	<b>(p)</b> Podded	Stope, showing area filled	
<b>mv</b> Middle metavolcanics	<b>bfb(m)</b> Mineralized bfb (>0.30% WO <sub>3</sub> )		<b>(d)</b> Disturbed		
			<b>bfb</b> Breccia		

**GEOPEKO LIMITED**  
KING ISLAND GROUP

No. KG3-211-625

**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
10 625 N

DATE: \_\_\_\_\_  
 GEOLOGIST: S.E.A.  
 DRAWN: S.F.  
 CHECKED: M.C.R.




Legend:			
uv	Pyroxene garnet hornfels	bph	Biotite pyroxene hornfels
bh	Biotite hornfels	(m)	Mineralized
ph	Pyroxene hornfels	(b)	Banded
ch	Marble	(p)	Podded
mv	Middle metavolcanics	(d)	Disturbed
pgh	Pyroxene garnet hornfels	b&b	Breccia
sg(m)	Mineralized pgh (>0.30% WO <sub>3</sub> )	nc	No core recovered
gh	Garnet skarn (>0.30% WO <sub>3</sub> )	(b)	Banded
bfb	Banded footwall beds	(p)	Podded
bfb(m)	Mineralized bfb (>0.30% WO <sub>3</sub> )	(d)	Disturbed
q	Quartzite	b&	Breccia
ad	Adomallite	nc	No core recovered
ap	Aplite	(m)	Mineralized
		(b)	Banded
		(p)	Podded
		(d)	Disturbed
		b&	Breccia

**GEOPEKO LIMITED**  
 KING ISLAND GROUP  
 No. KG3-211-637-5

**BOLD HEAD OREBODY**  
**GEOLOGICAL CROSS SECTION**  
 IO 637-5 N


DATE: \_\_\_\_\_  
 GEOLOGIST: J.M.C.  
 DRAWN: S.F.  
 CHECKED: M.C.R.



N.B. For assay results of DDH's this area see Dwg No. KG3-212-015.


<b>Legend:</b> uv Upper metavolcanics bh Biotite hornfels ph Pyroxene hornfels sh Marble mv Middle metavolcanics pgh Pyroxene garnet hornfels pgh(m) Mineralized pgh (> 0.30% WO <sub>3</sub> ) gh Garnet skarn (> 0.30% WO <sub>3</sub> ) bfb Banded footwall beds bfb(m) Mineralized bfb (> 0.30% WO <sub>3</sub> ) bph Biotite pyroxene hornfels q Quartzite ad Adomellite ap Aplita nc No core recovered (m) Mineralized (b) Banded (p) Padded (d) Disturbed b.b Braccia Fault, showing relative movement Degree of uncertainty in Fault position Assay results in % WO <sub>3</sub> Slope, showing area filled		80m RL [Ca: 1.7% WO <sub>3</sub> ] Indicates collar location as being 1.7 metres North of section. 2.1a 3a/s [Ca: 2.1% WO <sub>3</sub> ] Indicates end of hole as being 2.1 metres South of section. E.D.H.		GEOPEKO LIMITED WING ISLAND GROUP No. KG3-211-650 <b>BOLD HEAD OREBODY</b> <b>GEOLOGICAL CROSS SECTION</b> <b>10 650 N</b> SCALE 1:500 DATE _____ GEOLOGIST S.B.B. DRAWN R.F. CHECKED M.C.R.
---	--	---	--	--





<b>Legend:</b> <ul style="list-style-type: none"> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #e0e0e0; border: 1px solid black; margin-right: 5px;"></span> Upper metavolcanics</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; margin-right: 5px;"></span> Biotite hornfels</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #c0c0c0; border: 1px solid black; margin-right: 5px;"></span> Pyroxene hornfels</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #a0a0a0; border: 1px solid black; margin-right: 5px;"></span> Marble</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #808080; border: 1px solid black; margin-right: 5px;"></span> Middle metavolcanics</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #90ee90; border: 1px solid black; margin-right: 5px;"></span> Pyroxene garnet hornfels</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #90ee90; border: 1px solid black; border-style: dashed; margin-right: 5px;"></span> Mineralized pgh (&gt; 0.30% WO<sub>3</sub>)</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #ffa500; border: 1px solid black; margin-right: 5px;"></span> Garnet skarn (&gt; 0.30% WO<sub>3</sub>)</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #ffa500; border: 1px solid black; border-style: dashed; margin-right: 5px;"></span> Banded footwall beds</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #ffa500; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> Mineralized bfb (&gt; 0.30% WO<sub>3</sub>)</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; margin-right: 5px;"></span> Biotite pyroxene hornfels</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dashed; margin-right: 5px;"></span> Quartzite</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> Adamellite</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> Aplite</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> No core recovered</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> Mineralized</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> Banded</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> Padded</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> Disturbed</li> <li><span style="display: inline-block; width: 15px; height: 10px; background-color: #d3d3d3; border: 1px solid black; border-style: dotted; margin-right: 5px;"></span> Breccia</li> </ul>		<ul style="list-style-type: none"> <li> Fault, showing relative movement</li> <li> Degree of uncertainty in Fault position</li> <li> Assay results in % WO<sub>3</sub></li> <li> Stope, showing area filled</li> </ul>	<p>Indicates collar location as being 1.7 metres North of section.</p> <p>Indicates end of hole as being 2.1 metres South of section.</p>	<p style="text-align: center;"><b>GEOPEKO LIMITED</b> MINING, OIL AND GAS GROUP</p> <p style="text-align: right;">No. KG3-211-700</p> <p style="text-align: center;"><b>BOLD HEAD OREBODY</b> <b>GEOLOGICAL CROSS SECTION</b> IO 700 N</p>
--	--	--	---	--






NOTE:  
 (1) Core weathered and broken this zone, low core recovery

<b>Legend:</b> mv Upper metavolcanics bh Biotite hornfels pgh Pyroxene hornfels sb Marble mw Middle metavolcanics		pghm Mineralized pgh (>0.30% WO <sub>3</sub> ) gh Garnet skarn (>0.30% WO <sub>3</sub> ) bfb Banded footwall beds bfb(m) Mineralized bfb (>0.30% WO <sub>3</sub> )		bph Biotite pyroxene hornfels q Quartzite ad Adomellite ap Aplitite		nc No core recovered (m) Mineralized (b) Banded (p) Padded (d) Disturbed & Breccia		Fault, showing relative movement Degree of uncertainty in Fault position Assay results in % WO <sub>3</sub> Stope, showing area filled		500 1000 1500 SCALE 1:500 No. KG3-211-750 <b>BOLD HEAD OREBODY</b> <b>GEOLOGICAL CROSS SECTION</b> IO 750 N DATE: _____ GEOLOGIST: S.B.B. DRAWN: R.P. CHECKED: M.C.R.	
--	--	---	--	--	--	---	--	---	--	--	--





**Legend**

Upper metavolcanics	Pyroxene hornfels	Biotite pyroxene hornfels
Biotite hornfels	Mineralized sph (0-0.30% WO <sub>3</sub> )	Quartzite
Pyroxene hornfels	Garnet skarn (>0.30% WO <sub>3</sub> )	Adomellite
Marble	Banded footwall beds	Aplite
Middle metavolcanics	Mineralized bfb (>0.30% WO <sub>3</sub> )	

**GEOPEKE LIMITED**  
 BOLD HEAD OREBODY  
 No. KG3-24-350  
**BOLD HEAD OREBODY**  
**GEOLOGICAL LONG SECTION**  
 40 350 E  
 DATE: \_\_\_\_\_  
 GEOLOGIST: J.M.C.  
 DRAWN: M.P.F.  
 CHECKED: M.C.B.