



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 1

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE BU25248993

Project: EDGI_28A

P.O. No.: 271046

This report is for 165 samples of 1/2 Core submitted to our lab in Burnie, TAS, Australia on 18-AUG-2025.

The following have access to data associated with this certificate:

ESTHER LITTLE

MITCHELL PETERSEN

DECLAN RADFORD

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
SPL-21	Split sample – riffle splitter
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
CRU-21	Crush entire sample
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF15b	Various elements in ores by fusion XRF	XRF
ME-MS61r	4A multi-element ICP-MS + REE	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 2 - A
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Recvd Wt. kg	Pass75um %	Au ppm	Sn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD307485		1.02	99.1	0.003	0.006	<0.01	8.53	7.4	230	3.75	0.22	0.01	<0.02	95.7	0.9	19
RDD307486		2.69	96.2	0.007	0.011	0.18	8.27	10.8	330	2.47	0.45	<0.01	<0.02	75.0	0.4	86
RDD307487		2.92	98.1	0.001	0.005	0.10	7.60	2.3	310	3.54	0.27	0.01	0.40	131.5	32.8	59
RDD307488		3.52		0.003	<0.005	0.06	3.37	4.6	100	1.36	0.13	0.04	0.04	66.0	4.5	28
RDD307489		3.78		0.001	<0.005	0.17	6.34	1.7	220	2.57	0.13	8.66	0.20	164.0	3.3	10
RDD307490		0.97		0.002	0.007	0.10	6.49	7.9	260	3.29	0.46	1.82	0.22	89.3	17.0	45
RDD307491		3.59		0.001	0.005	0.03	4.66	1.8	210	2.23	0.21	7.56	0.11	53.7	9.7	31
RDD307492		3.74		0.001	0.005	0.21	7.44	3.0	330	4.40	0.16	0.85	<0.02	183.0	5.4	16
RDD307493		3.52		0.001	<0.005	0.17	6.14	17.1	250	2.88	0.18	6.88	0.17	145.0	8.1	16
RDD307494		2.89		0.003	0.010	1.24	7.48	21.8	470	3.09	0.48	0.25	0.20	114.0	17.2	56
RDD307495		3.72		0.002	<0.005	0.79	4.48	27.3	190	1.51	0.16	0.20	1.41	64.7	8.0	39
RDD307496		1.96		0.010	<0.005	6.72	5.12	67.5	210	1.79	0.43	0.58	2.21	67.0	35.8	61
RDD307497		4.70		0.003	<0.005	0.07	7.01	8.4	550	1.98	0.70	0.85	0.22	89.9	10.0	55
RDD307498		4.59		<0.001	<0.005	0.01	6.39	3.6	330	2.02	0.30	0.79	0.07	85.2	6.1	49
RDD307499		1.91		0.003	0.009	0.18	6.94	11.1	320	2.97	0.37	0.30	0.06	95.8	13.7	36
RDD307500		1.68		0.002	<0.005	0.05	6.92	2.6	300	2.65	0.37	1.04	<0.02	77.8	6.9	53
RDD307501		1.04		0.002	<0.005	0.01	0.06	0.6	10	<0.05	0.03	0.01	<0.02	1.47	0.2	4
RDD307502		1.16		0.002	<0.005	0.08	6.77	3.3	280	2.52	0.36	1.39	0.02	84.4	7.5	55
RDD307503		2.10		0.001	0.008	0.04	7.02	2.6	290	2.63	0.36	1.64	0.04	80.7	6.9	56
RDD307504		2.06		0.002	0.006	0.79	7.21	19.4	320	2.86	0.36	0.19	<0.02	83.9	7.4	58
RDD307505		1.81		0.002	0.007	0.57	6.69	23.8	290	2.66	0.39	0.28	<0.02	85.1	7.8	54
RDD307506		1.93		0.005	0.012	0.75	6.34	24.1	260	2.33	3.66	1.24	0.30	89.9	9.1	52
RDD307507		2.26		0.007	0.010	0.95	6.00	43.9	190	2.16	5.28	2.12	0.32	88.1	13.6	44
RDD307508		1.16		0.009	<0.005	0.75	6.55	24.5	270	2.55	1.10	0.54	0.02	86.4	9.1	55
RDD307509		<0.02			2.65											
RDD307510		0.07		0.331		0.13	7.11	16.0	80	0.24	0.02	7.60	0.25	10.10	42.8	107
RDD307511		0.92		0.003	0.009	1.48	6.17	21.0	290	2.43	0.42	0.19	0.12	90.8	7.2	53
RDD307512		1.86		0.001	0.007	0.32	7.43	10.1	340	2.85	0.42	0.25	<0.02	103.0	6.9	57
RDD307513		1.94		0.003	0.006	0.29	7.35	10.5	350	2.89	0.44	0.16	<0.02	91.3	7.2	55
RDD307514		1.84		0.001	0.006	0.35	7.23	11.6	340	2.72	0.43	0.25	<0.02	97.1	7.8	56
RDD307515		1.93		0.005	0.009	0.67	6.83	14.3	320	2.61	0.44	0.17	<0.02	84.4	7.7	56
RDD307516		1.90		0.002	0.007	0.49	7.19	12.7	320	2.74	0.42	0.17	<0.02	94.0	7.4	58
RDD307517		1.98		0.001	0.006	0.23	6.43	8.9	280	2.36	0.38	0.30	0.02	88.0	7.5	52
RDD307518		2.04		0.002	<0.005	0.18	7.14	6.8	340	2.77	0.40	0.18	<0.02	87.1	6.9	57
RDD307519		2.08		0.002	0.007	0.26	7.07	8.3	320	2.53	0.34	0.16	<0.02	93.9	6.7	55
RDD307520		1.87		0.001	0.006	0.23	6.83	9.2	310	2.47	0.37	0.20	<0.02	95.2	6.9	54
RDD307521		2.05		0.002	<0.005	0.25	7.23	11.2	330	2.65	0.41	0.16	<0.02	90.1	8.2	55
RDD307522		2.10		0.002	<0.005	0.39	6.97	12.9	320	2.33	0.39	0.37	0.03	81.5	6.7	54
RDD307523		1.99		0.001	<0.005	0.14	7.44	9.0	340	2.50	0.49	0.17	0.02	87.2	7.9	54
RDD307524		0.96		0.002	<0.005	0.04	0.05	1.7	10	<0.05	0.14	0.01	<0.02	1.94	0.5	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 2 - B
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
RDD307485		20.6	23.2	1.76	29.3	0.12	13.0	0.068	4.56	41.4	38.3	1.28	29	4.34	0.03
RDD307486		13.65	44.1	3.65	23.5	0.12	6.4	0.094	4.58	32.8	18.5	0.99	23	1.42	0.03
RDD307487		15.65	64.6	3.68	18.95	0.20	4.8	0.073	3.38	49.0	37.5	0.92	903	0.26	0.04
RDD307488		6.66	18.0	3.03	9.32	0.10	3.0	0.038	1.42	38.5	16.3	0.51	176	0.99	0.03
RDD307489		8.89	11.0	2.65	18.90	0.17	7.5	0.065	2.05	85.5	27.8	1.91	1150	1.15	2.28
RDD307490		13.75	23.0	3.43	19.95	0.12	4.9	0.083	3.01	43.2	48.5	2.48	1455	1.06	0.27
RDD307491		10.65	23.7	2.71	12.50	0.10	3.0	0.046	2.36	24.5	32.1	4.15	1550	0.24	0.24
RDD307492		14.65	12.0	4.53	27.8	0.20	9.9	0.226	3.51	84.4	57.1	2.85	999	0.95	0.80
RDD307493		10.40	19.5	3.50	18.60	0.17	8.3	0.095	2.31	73.0	41.1	2.91	1850	1.86	1.35
RDD307494		12.70	26.6	6.72	22.0	0.16	5.3	1.690	3.73	52.7	16.7	1.27	7030	1.55	0.04
RDD307495		4.61	30.0	10.10	13.00	0.15	2.9	2.73	1.64	29.4	22.7	1.57	13900	0.68	0.02
RDD307496		4.10	78.1	10.70	14.15	0.15	3.1	0.565	1.52	31.2	30.2	1.92	7510	1.86	0.02
RDD307497		10.55	10.3	3.91	18.20	0.13	5.1	0.062	3.02	42.3	29.4	1.48	445	0.40	0.04
RDD307498		11.65	12.9	2.97	17.50	0.13	4.5	0.069	2.96	39.8	21.9	1.36	688	0.79	0.04
RDD307499		17.80	17.2	3.25	19.00	0.13	7.0	0.063	3.32	41.9	21.8	1.25	176	3.39	0.03
RDD307500		13.70	18.9	3.04	17.50	0.12	4.3	0.073	3.23	37.0	21.9	1.45	279	0.52	0.04
RDD307501		0.12	2.3	0.32	0.26	<0.05	0.4	0.005	0.03	0.7	0.6	0.01	41	0.30	0.01
RDD307502		13.00	17.1	2.90	18.15	0.14	4.1	0.075	3.25	39.4	18.9	1.49	315	0.40	0.04
RDD307503		13.85	25.3	3.42	18.35	0.15	3.8	0.078	3.30	36.9	20.6	1.75	446	0.33	0.04
RDD307504		16.35	13.7	2.62	18.80	0.14	4.4	0.281	3.72	37.9	8.4	0.68	769	0.88	0.04
RDD307505		15.00	13.4	2.93	18.25	0.12	4.3	0.439	3.26	38.8	10.1	0.75	1065	1.14	0.04
RDD307506		12.40	12.1	4.41	16.70	0.15	4.0	2.81	3.01	42.3	13.0	1.11	3730	1.38	0.04
RDD307507		9.58	19.2	7.12	16.35	0.15	3.8	4.42	2.28	42.7	27.8	1.89	5190	2.31	0.03
RDD307508		14.30	16.3	3.18	17.00	0.13	4.3	1.090	3.12	41.3	10.9	0.78	780	1.98	0.04
RDD307509															
RDD307510		0.36	171.0	7.88	15.45	0.14	1.5	0.069	0.26	3.7	10.8	3.89	1325	0.68	1.61
RDD307511		14.70	19.2	3.43	16.45	0.15	4.3	0.210	3.08	41.0	9.3	0.61	281	2.13	0.04
RDD307512		17.85	12.8	2.52	20.2	0.16	5.0	0.231	3.60	47.7	11.1	0.78	642	0.66	0.05
RDD307513		17.45	14.8	2.39	19.05	0.14	4.7	0.283	3.78	41.2	6.5	0.66	907	0.94	0.05
RDD307514		15.95	15.6	2.21	18.80	0.15	4.6	0.106	3.64	44.3	7.9	0.65	418	0.94	0.05
RDD307515		14.90	21.7	3.16	17.95	0.15	4.5	0.105	3.53	38.1	7.8	0.64	473	0.93	0.04
RDD307516		17.35	16.8	2.83	19.30	0.14	5.2	0.123	3.65	43.4	6.6	0.68	686	0.95	0.05
RDD307517		14.60	21.4	2.45	17.00	0.13	4.1	0.063	3.12	40.7	10.1	0.75	262	0.95	0.04
RDD307518		17.90	17.3	2.27	19.45	0.14	4.6	0.064	3.61	39.0	10.7	0.79	130	0.86	0.05
RDD307519		18.00	17.0	2.57	18.85	0.15	4.6	0.252	3.50	42.4	7.7	0.68	593	1.19	0.05
RDD307520		18.05	16.1	2.89	18.45	0.16	4.4	0.080	3.45	42.9	7.6	0.74	376	1.40	0.05
RDD307521		18.85	21.6	2.92	19.00	0.15	4.5	0.071	3.60	41.3	7.9	0.84	258	0.84	0.05
RDD307522		14.50	18.6	4.71	17.00	0.10	4.1	0.064	3.27	39.5	8.0	0.81	270	1.94	0.05
RDD307523		17.55	21.4	2.62	21.7	0.10	4.6	0.072	3.59	41.3	8.6	0.85	131	0.69	0.05
RDD307524		0.12	5.1	1.03	0.34	<0.05	0.4	0.008	0.02	0.9	0.4	0.01	116	0.68	0.01



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 2 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD307485		8.1	190	4.5	187.0	<0.002	0.01	1.80	5.1	<1	5.8	5.1	15.40	0.05	13.55
RDD307486		1.9	730	79.4	166.0	<0.002	0.02	12.35	17.2	2	3.6	14.8	2.70	0.14	12.00
RDD307487		46.5	620	10.7	187.0	0.002	0.01	0.97	15.8	1	2.7	13.4	1.28	<0.05	12.10
RDD307488		11.6	260	10.6	88.2	<0.002	0.12	1.92	5.2	<1	1.4	6.2	1.55	<0.05	5.70
RDD307489		5.1	240	7.2	82.3	<0.002	0.11	0.98	2.5	<1	3.1	316	9.82	<0.05	15.80
RDD307490		30.2	530	23.4	164.5	<0.002	0.52	5.52	10.6	<1	3.2	61.7	2.43	0.07	11.75
RDD307491		20.7	350	10.0	127.0	<0.002	0.02	3.73	9.3	<1	1.8	229	0.69	<0.05	7.61
RDD307492		9.6	280	5.1	97.9	<0.002	0.15	10.50	3.9	<1	9.5	34.0	12.55	<0.05	15.00
RDD307493		12.6	300	6.0	109.5	<0.002	0.28	2.71	4.4	<1	3.2	159.0	8.17	<0.05	15.95
RDD307494		26.4	620	73.7	195.5	0.005	1.02	11.45	14.6	1	47.4	14.1	1.86	0.07	14.40
RDD307495		14.4	400	172.0	81.4	0.002	0.94	4.72	10.0	1	19.2	6.9	1.22	0.10	7.39
RDD307496		47.9	530	403	74.6	0.006	3.23	40.7	15.1	1	12.4	10.6	1.03	0.30	7.99
RDD307497		18.6	590	27.1	140.5	<0.002	0.35	1.61	12.2	<1	2.9	30.4	1.41	0.06	13.25
RDD307498		15.4	610	8.5	151.0	<0.002	0.22	1.31	11.5	<1	2.8	43.8	0.92	<0.05	12.65
RDD307499		35.5	440	36.9	163.5	<0.002	1.14	5.53	8.4	1	4.5	26.8	2.74	<0.05	19.65
RDD307500		15.3	630	9.1	157.5	<0.002	0.26	1.24	11.2	1	2.6	51.8	0.92	<0.05	11.30
RDD307501		0.6	<10	1.3	1.1	<0.002	<0.01	0.16	0.2	<1	0.2	2.6	<0.05	<0.05	0.29
RDD307502		18.9	650	13.2	171.5	<0.002	0.33	1.72	11.4	1	2.8	86.4	0.86	<0.05	12.00
RDD307503		15.6	720	21.4	171.0	<0.002	0.32	1.40	13.2	1	2.7	71.6	0.78	<0.05	12.10
RDD307504		16.9	460	20.0	179.5	0.002	1.26	10.50	12.2	1	13.1	18.0	0.93	<0.05	12.55
RDD307505		18.2	390	17.8	169.0	<0.002	1.14	9.42	12.0	1	20.1	16.8	0.92	<0.05	12.70
RDD307506		17.4	440	26.6	150.0	<0.002	1.05	8.77	10.8	<1	23.1	21.0	0.76	<0.05	11.95
RDD307507		25.0	420	53.8	126.0	<0.002	1.67	9.98	10.0	1	39.6	24.8	0.83	<0.05	12.85
RDD307508		20.1	590	28.0	155.5	0.002	1.14	10.75	11.0	1	19.6	21.1	0.96	<0.05	12.50
RDD307509															
RDD307510		84.1	390	7.2	6.2	0.002	0.19	0.51	41.6	1	0.7	235	0.20	0.06	0.43
RDD307511		19.4	630	41.3	158.0	<0.002	2.23	15.95	10.9	1	13.1	21.5	0.96	<0.05	12.75
RDD307512		14.7	530	14.3	193.0	0.002	0.57	6.48	13.2	<1	16.4	21.2	1.08	<0.05	14.70
RDD307513		15.4	410	14.9	184.5	<0.002	0.59	7.30	12.6	<1	16.0	19.0	1.09	0.05	13.95
RDD307514		16.2	470	13.8	183.0	<0.002	0.69	8.67	12.2	<1	4.8	19.6	1.08	<0.05	14.55
RDD307515		17.6	510	30.8	169.5	<0.002	1.89	15.35	11.4	1	4.0	19.0	0.98	<0.05	12.65
RDD307516		17.2	510	18.9	184.0	0.002	1.18	11.05	12.1	1	6.1	20.6	1.03	<0.05	13.75
RDD307517		16.8	420	13.2	163.5	<0.002	0.74	8.28	11.4	1	2.7	21.0	0.88	<0.05	12.65
RDD307518		16.0	410	14.4	176.0	0.002	0.79	9.12	12.4	1	3.1	19.6	1.02	<0.05	12.60
RDD307519		15.4	480	13.7	185.0	0.002	0.93	10.40	12.1	1	10.7	19.2	1.01	<0.05	14.05
RDD307520		17.0	490	14.0	180.0	<0.002	1.30	9.63	12.0	1	3.1	20.1	0.99	0.05	13.40
RDD307521		18.5	480	16.6	182.5	<0.002	1.07	11.10	12.4	1	3.0	19.6	0.97	<0.05	13.15
RDD307522		18.1	1420	44.0	159.0	<0.002	3.08	16.50	11.8	1	2.6	32.1	0.82	<0.05	13.30
RDD307523		17.8	450	19.2	187.0	<0.002	0.93	7.91	13.0	<1	3.1	21.0	1.02	0.05	15.05
RDD307524		1.5	<10	4.4	1.0	<0.002	0.01	0.30	0.2	<1	1.0	2.8	0.08	<0.05	0.30



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 2 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD307485		1.90	5.3	35	1.0	21.1	21	>500	5.68	3.33	0.53	4.59	1.14	0.55	34.5	10.80
RDD307486		0.99	4.2	103	2.0	20.4	21	236	5.30	3.26	1.14	5.20	1.10	0.58	32.5	9.46
RDD307487		1.22	3.0	106	2.9	96.9	180	167.0	21.6	9.91	4.16	21.8	3.80	1.32	69.7	15.70
RDD307488		0.63	1.3	38	0.9	15.1	60	118.5	3.32	1.74	0.65	4.02	0.62	0.25	30.7	9.16
RDD307489		0.54	2.8	17	0.5	28.1	108	346	6.17	3.03	0.54	6.28	1.10	0.43	53.6	17.30
RDD307490		0.90	2.8	71	2.2	26.5	131	195.0	5.98	3.00	0.88	6.37	1.10	0.46	36.2	10.55
RDD307491		0.58	1.9	57	2.7	21.4	61	106.0	4.28	2.31	0.76	4.00	0.80	0.36	22.8	6.25
RDD307492		0.80	4.4	31	0.8	32.4	57	457	6.97	3.59	0.61	7.03	1.26	0.52	62.6	19.25
RDD307493		0.65	5.5	30	0.9	32.4	117	386	6.59	3.40	0.80	6.54	1.22	0.53	48.9	15.45
RDD307494		0.88	3.1	86	3.4	30.4	87	207	6.00	3.37	3.10	6.99	1.14	0.54	47.4	13.15
RDD307495		0.41	1.4	63	3.0	17.2	370	111.5	3.64	1.86	2.85	4.16	0.66	0.28	26.9	7.71
RDD307496		0.58	1.8	109	1.4	22.9	492	120.5	4.64	2.33	1.57	5.28	0.87	0.33	27.8	8.01
RDD307497		0.65	2.8	77	1.5	25.6	112	164.0	5.42	2.99	1.28	5.45	1.03	0.49	35.6	10.20
RDD307498		0.73	2.7	70	2.0	24.6	60	160.0	5.09	2.74	1.14	5.25	0.96	0.47	35.7	10.05
RDD307499		1.08	3.7	55	1.6	21.9	56	196.5	4.85	2.51	1.03	5.54	0.89	0.38	38.6	10.90
RDD307500		0.81	2.0	73	1.5	29.4	33	176.0	5.56	3.15	1.08	5.61	1.10	0.49	32.5	9.39
RDD307501		<0.02	0.2	2	0.2	0.9	3	17.2	0.17	0.11	0.03	0.12	0.03	0.02	0.6	0.16
RDD307502		0.84	2.8	70	2.1	25.3	32	151.0	4.80	2.72	1.17	5.11	0.94	0.47	34.5	10.05
RDD307503		0.80	2.2	74	1.8	27.3	43	149.5	5.15	2.92	1.14	5.43	1.05	0.48	33.2	9.44
RDD307504		0.90	3.1	84	2.3	23.1	11	162.0	4.74	2.71	1.34	5.42	0.92	0.45	35.0	10.10
RDD307505		0.85	2.5	76	2.5	22.7	11	151.5	4.52	2.57	1.37	4.92	0.87	0.46	34.8	9.92
RDD307506		0.74	2.5	64	2.4	23.5	95	143.0	4.52	2.47	1.86	4.98	0.87	0.43	37.2	10.65
RDD307507		0.69	2.5	60	3.4	25.3	132	133.0	4.84	2.55	2.35	5.23	0.91	0.39	35.0	10.45
RDD307508		0.84	2.9	69	2.7	23.8	30	159.0	4.55	2.62	1.50	5.14	0.90	0.45	34.6	10.25
RDD307509																
RDD307510		0.07	0.1	279	7.6	19.8	99	47.1	3.78	2.19	0.92	3.23	0.78	0.34	7.1	1.49
RDD307511		0.83	2.7	68	2.1	26.1	44	154.0	5.01	2.71	1.45	5.74	0.95	0.47	38.1	10.80
RDD307512		0.90	3.2	77	2.4	26.5	16	173.5	5.45	2.95	1.66	6.11	1.03	0.51	43.9	12.35
RDD307513		0.88	2.9	81	2.3	23.7	16	168.5	4.78	2.78	1.48	5.31	0.93	0.49	37.4	10.95
RDD307514		0.92	2.8	79	2.2	24.4	15	166.5	4.92	2.81	1.34	5.63	0.94	0.49	39.1	11.50
RDD307515		0.91	2.9	80	2.0	23.9	11	163.5	4.58	2.70	1.18	5.04	0.89	0.46	34.4	10.05
RDD307516		0.93	3.1	80	2.3	25.1	11	170.0	4.91	2.89	1.33	5.44	0.97	0.51	38.4	11.05
RDD307517		0.84	2.7	71	1.9	24.3	17	154.0	4.55	2.54	1.16	5.08	0.90	0.46	36.1	10.30
RDD307518		0.99	2.9	86	2.1	22.4	17	162.0	4.73	2.69	1.24	5.21	0.92	0.47	37.4	10.65
RDD307519		0.92	3.0	78	2.3	25.4	11	162.5	4.86	2.75	1.40	5.47	0.93	0.49	37.9	10.85
RDD307520		0.87	2.7	72	1.9	24.5	11	159.0	4.65	2.62	1.23	5.23	0.91	0.46	38.2	11.10
RDD307521		0.90	2.8	79	2.1	23.6	17	160.5	4.74	2.66	1.19	5.16	0.92	0.47	37.2	10.75
RDD307522		0.86	3.3	73	1.6	29.5	20	143.5	4.99	2.99	1.31	5.98	1.00	0.46	37.4	10.10
RDD307523		0.92	2.9	79	1.9	24.3	22	156.5	4.25	2.65	1.07	4.69	0.87	0.43	37.3	10.10
RDD307524		<0.02	0.2	3	0.2	1.5	4	17.1	0.24	0.15	0.04	0.18	0.05	0.03	0.7	0.18



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 2 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD307485		5.70	0.75	0.50	3.53
RDD307486		5.96	0.76	0.52	3.71
RDD307487		19.30	3.25	1.38	9.10
RDD307488		5.27	0.53	0.25	1.70
RDD307489		8.17	0.92	0.43	2.87
RDD307490		6.85	0.95	0.46	3.08
RDD307491		4.52	0.60	0.34	2.34
RDD307492		9.46	1.06	0.52	3.55
RDD307493		7.91	0.97	0.50	3.44
RDD307494		8.69	0.95	0.52	3.61
RDD307495		5.18	0.56	0.28	1.84
RDD307496		5.56	0.73	0.34	2.20
RDD307497		5.83	0.81	0.46	3.24
RDD307498		6.41	0.75	0.44	3.07
RDD307499		6.82	0.77	0.38	2.55
RDD307500		6.27	0.82	0.47	3.25
RDD307501		0.11	0.02	0.02	0.15
RDD307502		6.08	0.72	0.42	2.99
RDD307503		6.42	0.78	0.44	3.04
RDD307504		6.64	0.74	0.42	2.98
RDD307505		6.45	0.69	0.40	2.85
RDD307506		6.78	0.69	0.38	2.68
RDD307507		6.51	0.74	0.38	2.67
RDD307508		6.45	0.71	0.41	2.89
RDD307509					
RDD307510		2.23	0.53	0.33	2.18
RDD307511		7.09	0.77	0.43	3.05
RDD307512		8.05	0.83	0.46	3.28
RDD307513		7.00	0.73	0.42	3.04
RDD307514		7.11	0.76	0.43	3.06
RDD307515		6.42	0.69	0.41	2.93
RDD307516		7.03	0.75	0.46	3.28
RDD307517		6.64	0.70	0.41	2.93
RDD307518		6.97	0.71	0.42	3.03
RDD307519		7.17	0.76	0.43	3.05
RDD307520		7.11	0.72	0.41	2.87
RDD307521		6.87	0.70	0.42	3.00
RDD307522		7.01	0.81	0.43	2.79
RDD307523		6.38	0.68	0.40	2.64
RDD307524		0.14	0.03	0.02	0.16



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - A
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD307525		2.03		0.002	0.006	0.28	7.29	12.2	330	2.41	0.49	0.20	0.03	95.0	11.6	54
RDD307526		2.06		0.001	0.008	0.12	7.59	7.7	350	2.63	0.48	0.16	<0.02	90.0	7.9	55
RDD307527		1.87	96.2	0.001	0.008	0.13	6.94	7.2	320	2.37	0.43	0.21	0.04	91.2	7.4	52
RDD307528		2.47		<0.001	0.005	0.22	7.18	5.3	260	2.72	0.20	1.46	0.65	107.0	8.6	43
RDD307529		2.10		0.003	<0.005	0.14	1.87	11.2	40	0.87	0.09	1.16	7.04	40.8	3.5	12
RDD307530		1.72		0.002	0.008	0.09	2.56	2.2	80	0.87	0.07	1.24	1.10	49.6	2.3	18
RDD307531		2.52		0.001	0.009	0.12	2.82	2.9	80	1.11	0.06	1.59	1.16	53.1	2.1	21
RDD307532		1.91		<0.001	<0.005	0.08	0.84	4.2	10	0.49	0.05	3.21	0.47	17.05	2.7	10
RDD307533		2.36		<0.001	<0.005	0.13	1.15	1.8	20	0.77	0.03	4.38	3.44	19.60	3.1	8
RDD307534		<0.02			2.49											
RDD307535		0.07		0.001		0.07	7.96	1.3	540	1.98	0.02	5.78	0.13	57.5	41.9	152
RDD307536		1.12		<0.001	<0.005	0.25	3.24	2.6	80	1.49	0.05	3.12	4.68	45.4	4.1	23
RDD307537		1.10		0.003	<0.005	0.35	1.94	43.5	20	0.71	0.29	1.59	2.41	45.8	5.8	17
RDD307538		1.55		0.001	<0.005	0.26	1.57	3.9	30	0.44	0.10	1.07	1.86	40.6	2.2	12
RDD307539		0.99		0.022	0.007	2.05	3.57	6.4	100	1.24	1.13	0.75	14.95	63.5	3.6	23
RDD307540		2.57		0.004	0.009	1.28	7.85	20.1	300	2.86	1.86	0.34	3.23	80.7	7.9	52
RDD307541		1.76		0.001	0.007	1.10	9.01	18.8	350	3.21	0.98	0.18	2.75	94.5	9.3	58
RDD307542		1.95		0.004	<0.005	0.23	7.84	13.8	320	2.14	0.70	0.23	0.08	87.2	9.0	49
RDD307543		1.99		0.003	<0.005	0.34	6.81	7.3	200	1.55	1.00	0.10	0.20	68.6	8.7	44
RDD307544		0.86		0.007	<0.005	0.06	0.04	0.6	10	<0.05	0.05	0.01	0.02	2.22	0.3	5
RDD307545		1.94		0.008	0.006	1.19	6.64	27.4	190	1.58	1.72	0.14	0.24	62.2	19.6	55
RDD307546		1.88		0.006	0.007	0.36	7.64	12.2	340	2.27	0.52	0.16	<0.02	86.3	9.0	50
RDD307547		1.95		0.002	0.007	0.23	8.20	14.8	360	2.51	0.56	0.12	0.02	97.4	11.4	54
RDD307548		1.85		0.001	0.005	0.21	6.63	9.9	290	1.89	0.43	0.11	0.02	88.4	8.7	45
RDD307549		2.08		0.001	0.005	0.23	8.46	19.0	380	2.58	0.59	0.17	0.02	101.0	12.6	57
RDD307550		1.84		0.001	<0.005	0.16	8.10	11.0	370	2.54	0.49	0.14	<0.02	98.5	8.6	56
RDD307551		2.25		0.001	0.008	0.23	7.62	19.2	350	2.30	0.59	0.10	0.03	103.0	13.0	50
RDD307552		1.64		0.001	0.007	0.20	8.03	23.9	350	2.35	0.45	0.18	0.11	89.7	8.6	52
RDD307553		1.91		0.001	0.008	0.26	8.91	19.7	400	2.99	0.57	0.16	<0.02	92.4	12.0	57
RDD307554		2.09		0.003	0.009	0.82	9.44	27.2	530	2.99	0.56	0.11	0.03	79.0	9.7	65
RDD307555		2.17		0.003	<0.005	0.45	8.81	44.6	490	2.74	0.65	0.08	0.05	82.5	9.4	63
RDD307556		1.93		0.001	<0.005	0.20	8.00	30.5	440	2.69	0.40	0.10	0.34	91.9	12.4	52
RDD307557		1.81		0.001	0.010	0.27	8.59	34.6	480	2.77	0.60	0.09	0.33	87.2	13.3	60
RDD307558		2.00		0.001	0.010	0.30	7.38	29.6	410	2.52	0.51	0.28	<0.02	93.0	16.2	50
RDD307559		<0.02			2.68											
RDD307560		0.07		<0.001		0.03	7.86	1.2	540	2.08	0.03	5.74	0.11	60.5	45.4	152
RDD307561		2.05		<0.001	<0.005	0.23	7.43	22.7	400	2.48	0.44	0.13	<0.02	92.2	14.5	58
RDD307562		1.75		<0.001	0.007	0.07	6.49	13.7	320	1.99	0.38	0.34	0.03	90.9	7.8	41
RDD307563		2.09		0.001	0.009	0.21	6.82	15.0	360	2.42	0.40	0.22	<0.02	89.8	12.7	50
RDD307564		0.90		<0.001	<0.005	0.02	0.06	1.4	10	<0.05	0.04	0.01	0.02	1.56	0.3	4



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD307525		16.25	29.0	3.65	20.6	0.12	4.7	0.067	3.53	43.8	7.8	0.76	122	1.88	0.05	14.5
RDD307526		16.85	29.6	2.53	22.6	0.12	4.9	0.070	3.71	43.8	8.7	0.80	102	0.84	0.05	16.4
RDD307527		13.75	17.4	2.55	19.30	0.11	4.6	0.069	3.37	44.1	8.8	0.80	191	0.95	0.05	15.1
RDD307528		10.15	26.9	4.32	22.1	0.16	5.3	0.191	3.08	50.8	39.1	1.36	2150	0.68	0.04	30.5
RDD307529		1.48	6.7	6.00	6.61	0.07	1.6	0.589	0.40	20.0	33.5	0.87	22600	0.48	0.02	7.1
RDD307530		2.21	6.0	3.79	7.40	0.07	1.8	0.204	0.92	23.6	18.6	0.75	7930	0.73	0.03	7.1
RDD307531		2.59	4.4	4.08	7.26	0.08	2.3	0.261	1.00	25.4	24.8	0.82	11150	0.72	0.02	10.7
RDD307532		0.86	4.2	6.17	3.03	0.05	0.7	0.264	0.16	8.6	46.2	1.26	32500	0.72	0.01	2.3
RDD307533		1.17	7.2	11.85	4.71	0.08	0.8	0.506	0.23	9.4	28.6	1.89	81800	0.34	0.01	2.7
RDD307534																
RDD307535		1.16	45.4	8.14	22.8	0.11	4.6	0.071	1.73	27.5	11.5	4.67	1205	4.25	2.37	44.5
RDD307536		3.29	7.8	11.80	10.45	0.10	2.1	0.655	0.92	22.5	41.7	1.65	66500	0.63	0.02	7.6
RDD307537		1.12	7.2	6.22	5.52	0.08	1.4	0.746	0.27	22.3	39.4	0.95	7170	0.87	0.02	5.4
RDD307538		1.20	11.6	3.66	4.47	0.07	1.2	0.319	0.33	20.1	22.9	0.70	4820	0.51	0.02	4.6
RDD307539		4.65	39.6	4.78	10.20	0.10	2.5	1.205	1.17	29.9	29.8	0.76	11000	0.68	0.02	9.3
RDD307540		11.85	15.9	4.31	24.4	0.14	4.8	0.950	3.40	36.2	36.6	0.85	2600	1.04	0.05	12.7
RDD307541		13.80	24.1	4.22	25.8	0.15	5.0	1.010	3.89	43.5	29.0	0.79	2380	1.29	0.06	13.1
RDD307542		10.25	6.4	4.28	21.9	0.13	4.7	0.246	2.90	41.2	30.2	1.64	601	1.17	0.06	15.2
RDD307543		5.68	6.9	6.19	19.45	0.14	4.2	0.509	1.63	34.0	55.6	3.18	793	1.18	0.04	15.0
RDD307544		0.07	2.6	0.51	0.26	<0.05	0.5	<0.005	0.02	1.1	<0.2	0.01	62	0.45	0.01	1.1
RDD307545		5.45	17.6	7.62	17.80	0.13	3.6	0.541	1.67	28.8	60.9	3.28	2490	2.25	0.03	12.0
RDD307546		12.05	15.6	3.25	22.1	0.12	4.4	0.147	3.10	41.1	19.7	1.20	336	1.30	0.06	14.1
RDD307547		13.95	26.9	3.21	23.1	0.14	5.0	0.141	3.38	45.8	15.9	1.06	307	1.36	0.06	20.0
RDD307548		9.78	25.9	3.43	17.40	0.15	4.3	0.150	2.60	41.6	14.2	0.94	442	1.28	0.05	17.9
RDD307549		14.55	23.7	3.67	24.6	0.16	5.0	0.280	3.45	48.8	15.3	0.92	607	1.63	0.06	20.3
RDD307550		13.40	18.9	3.53	22.6	0.17	4.7	0.155	3.37	46.9	13.5	0.79	582	1.62	0.06	17.2
RDD307551		13.65	20.1	3.57	22.4	0.17	4.8	0.128	3.13	48.7	15.1	0.81	368	1.47	0.06	15.0
RDD307552		12.40	53.1	4.23	22.0	0.16	4.5	0.428	3.25	42.2	16.2	0.90	1700	1.42	0.06	13.0
RDD307553		16.35	26.6	4.08	23.0	0.15	4.6	0.144	3.77	43.6	12.8	0.74	1145	1.52	0.07	14.0
RDD307554		16.65	24.5	3.52	25.7	0.15	4.2	0.115	4.22	36.6	11.3	0.67	501	1.69	0.09	11.2
RDD307555		15.30	29.1	3.74	23.2	0.15	4.4	0.636	3.91	38.6	12.0	0.74	601	1.59	0.07	12.4
RDD307556		13.80	25.9	3.18	22.6	0.15	4.3	0.084	3.41	42.6	16.0	0.71	519	1.34	0.07	15.2
RDD307557		14.10	24.7	3.43	23.6	0.15	4.6	0.087	3.83	38.9	15.6	0.74	360	1.66	0.07	13.4
RDD307558		14.30	27.6	3.82	19.50	0.39	4.1	0.103	3.16	46.5	14.6	0.64	270	2.26	0.06	12.4
RDD307559																
RDD307560		1.15	41.9	8.00	21.4	0.37	4.6	0.072	1.69	30.4	12.0	4.67	1135	4.06	2.32	43.0
RDD307561		12.25	23.0	4.71	18.85	0.21	4.0	0.111	3.04	45.4	16.7	0.78	349	1.72	0.05	13.1
RDD307562		9.58	16.4	4.21	16.60	0.29	3.8	0.101	2.41	43.4	16.0	0.89	629	0.66	0.05	12.3
RDD307563		12.85	34.4	4.42	17.45	0.21	3.8	0.102	2.83	43.1	19.1	0.74	441	1.56	0.05	12.5
RDD307564		0.11	3.3	0.45	0.29	0.09	0.4	0.013	0.02	0.8	1.4	0.01	63	0.38	0.01	1.3



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD307525		24.9	520	34.6	186.5	<0.002	2.44	12.45	13.0	1	3.0	22.6	0.95	0.05	15.30
RDD307526		17.8	440	18.4	188.5	<0.002	0.93	7.19	13.8	<1	3.1	20.5	1.00	0.06	16.05
RDD307527		16.6	470	16.6	169.0	<0.002	0.93	6.58	12.4	<1	2.8	22.2	0.98	<0.05	15.30
RDD307528		21.6	320	128.0	173.5	<0.002	0.13	1.70	13.8	<1	13.6	78.4	1.80	<0.05	16.05
RDD307529		9.2	110	7.6	36.5	<0.002	0.22	1.32	3.1	<1	12.4	9.9	0.47	<0.05	4.67
RDD307530		8.9	120	16.0	60.3	<0.002	0.06	0.92	3.5	<1	13.0	14.6	0.46	<0.05	5.64
RDD307531		7.0	150	35.3	77.6	<0.002	0.10	1.29	3.7	<1	22.4	12.9	0.66	<0.05	6.67
RDD307532		6.0	50	22.4	19.3	<0.002	0.09	1.17	1.5	<1	7.4	14.2	0.13	<0.05	2.00
RDD307533		6.7	60	9.3	25.8	<0.002	0.43	1.39	2.3	<1	8.0	21.0	0.16	<0.05	2.36
RDD307534															
RDD307535		141.0	2630	3.7	39.1	<0.002	0.05	0.12	20.5	<1	1.8	792	2.71	<0.05	3.45
RDD307536		11.0	120	28.2	90.7	<0.002	0.14	0.98	6.5	<1	32.6	18.0	0.45	<0.05	6.11
RDD307537		10.0	110	159.5	27.7	<0.002	0.81	5.42	3.2	<1	19.0	10.1	0.32	<0.05	4.88
RDD307538		8.6	130	246	32.8	<0.002	0.14	1.19	2.2	<1	11.7	9.8	0.25	<0.05	4.33
RDD307539		13.4	180	1505	111.0	<0.002	0.38	3.21	5.7	<1	21.4	12.4	0.55	0.05	8.98
RDD307540		20.5	550	619	260	<0.002	0.50	3.96	13.6	<1	33.5	13.7	0.88	<0.05	14.60
RDD307541		19.6	580	396	291	<0.002	0.54	4.20	15.8	<1	25.1	14.4	0.93	<0.05	17.05
RDD307542		19.4	480	21.4	161.5	<0.002	0.36	2.71	13.0	<1	8.0	16.8	1.01	0.05	15.65
RDD307543		20.6	370	33.0	94.1	<0.002	0.37	2.85	11.4	<1	8.1	11.6	0.96	<0.05	14.25
RDD307544		1.3	<10	22.2	0.6	<0.002	<0.01	0.31	0.2	<1	0.2	3.6	<0.05	<0.05	0.33
RDD307545		27.6	460	55.5	92.9	0.003	1.89	10.70	10.8	1	4.9	10.4	0.77	0.14	11.95
RDD307546		19.8	430	17.6	166.0	<0.002	0.73	4.96	13.0	1	4.0	17.2	0.94	0.08	15.60
RDD307547		21.5	460	13.8	187.0	<0.002	0.54	3.82	13.6	<1	3.8	15.0	1.26	0.06	16.70
RDD307548		19.7	350	12.2	143.5	<0.002	0.41	2.94	11.2	<1	3.6	13.4	1.12	0.05	13.95
RDD307549		25.1	680	20.6	195.5	0.002	0.84	4.73	14.7	1	4.5	17.0	1.27	0.06	17.65
RDD307550		20.7	550	9.0	187.5	0.002	0.50	2.26	13.6	1	4.2	17.5	1.12	0.06	16.45
RDD307551		24.4	390	15.0	195.5	0.002	0.72	3.79	13.9	1	4.6	16.2	1.00	0.05	17.55
RDD307552		22.9	430	37.0	173.5	<0.002	0.66	3.62	13.0	1	4.6	15.9	0.86	0.06	15.80
RDD307553		22.5	540	12.6	195.0	<0.002	1.01	6.33	13.8	1	5.9	17.6	0.96	0.06	16.55
RDD307554		25.9	370	33.6	223	0.005	1.95	12.40	14.4	1	3.9	18.2	0.75	0.07	15.10
RDD307555		26.6	310	34.2	214	0.003	2.11	7.78	14.3	2	17.7	15.7	0.79	0.07	15.20
RDD307556		21.3	380	94.0	192.0	<0.002	0.37	2.31	14.2	1	3.5	20.1	0.99	0.05	15.90
RDD307557		26.5	380	35.7	199.0	<0.002	0.90	4.57	14.1	1	3.4	18.8	0.91	0.06	16.65
RDD307558		29.5	1220	21.3	182.5	0.003	1.74	5.58	14.3	1	2.7	25.5	0.81	0.06	16.55
RDD307559															
RDD307560		141.5	2530	3.4	39.1	<0.002	0.04	0.09	21.5	<1	1.6	782	2.71	<0.05	3.78
RDD307561		28.2	460	16.4	176.5	0.002	1.56	4.29	13.2	1	2.8	17.8	0.88	<0.05	15.05
RDD307562		15.5	1060	12.2	140.5	0.002	0.38	1.76	11.5	<1	2.3	23.5	0.86	<0.05	14.05
RDD307563		23.8	450	17.7	160.0	0.002	1.88	3.85	12.4	1	2.7	19.4	0.81	<0.05	14.10
RDD307564		1.1	<10	3.5	1.0	<0.002	0.01	0.19	0.2	<1	0.4	2.8	<0.05	<0.05	0.33



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD307525		0.98	3.3	79	1.9	27.2	20	160.0	5.06	2.98	1.32	5.83	1.04	0.47	42.5	10.95
RDD307526		0.91	3.4	80	1.9	26.0	21	170.0	4.62	2.87	1.22	5.28	0.96	0.46	39.0	10.60
RDD307527		0.85	3.0	74	1.9	25.3	26	160.5	4.48	2.69	1.19	5.41	0.91	0.44	39.1	10.60
RDD307528		0.97	3.3	79	2.5	31.1	200	200	5.53	3.28	1.36	6.29	1.14	0.50	43.5	11.85
RDD307529		0.25	1.1	18	2.1	11.6	1910	56.8	1.93	1.12	0.68	2.19	0.39	0.16	16.3	4.49
RDD307530		0.36	1.4	25	1.9	10.2	321	64.2	1.80	1.02	0.80	2.35	0.35	0.16	19.8	5.73
RDD307531		0.56	2.6	29	2.0	12.5	392	80.4	2.26	1.32	0.85	2.98	0.45	0.20	21.2	6.02
RDD307532		0.19	0.5	11	1.0	9.9	166	25.2	1.62	0.87	0.55	1.66	0.32	0.12	7.5	1.97
RDD307533		0.30	0.6	12	1.1	17.2	1015	29.8	2.88	1.52	0.84	2.71	0.56	0.16	8.7	2.21
RDD307534																
RDD307535		0.12	1.3	201	0.2	19.8	112	202	3.97	1.90	1.80	4.95	0.74	0.21	25.8	6.80
RDD307536		0.75	1.5	37	2.6	23.2	1350	75.5	3.99	2.21	1.20	3.81	0.80	0.29	18.9	5.08
RDD307537		0.29	1.0	18	2.2	9.0	742	46.9	1.66	0.90	0.89	2.28	0.32	0.14	18.5	5.23
RDD307538		0.25	1.0	14	1.5	7.4	540	44.1	1.39	0.77	0.64	2.02	0.27	0.12	16.7	4.62
RDD307539		0.84	1.9	33	2.4	14.8	3880	90.0	2.66	1.52	1.02	3.53	0.52	0.25	26.8	7.77
RDD307540		1.93	3.5	82	4.1	21.4	902	160.0	4.10	2.56	1.57	5.30	0.83	0.44	37.2	9.68
RDD307541		1.89	3.7	85	3.8	23.5	779	170.0	4.34	2.75	1.57	5.70	0.88	0.48	41.9	11.50
RDD307542		0.87	3.5	80	2.4	24.1	53	160.5	4.39	2.71	1.00	4.51	0.89	0.45	35.7	9.84
RDD307543		0.55	3.2	67	2.6	21.6	111	150.0	3.83	2.32	0.84	3.78	0.78	0.39	25.9	7.68
RDD307544		<0.02	0.2	2	0.2	1.2	7	19.1	0.19	0.13	0.03	0.16	0.04	0.03	0.8	0.23
RDD307545		0.56	2.9	92	2.2	20.3	109	130.0	3.38	2.20	0.85	3.90	0.73	0.37	24.8	7.02
RDD307546		0.86	3.4	76	2.1	22.7	26	151.5	4.16	2.60	1.10	4.88	0.86	0.44	36.9	10.10
RDD307547		0.96	3.7	87	2.4	26.3	25	174.0	4.61	2.83	1.30	5.69	0.93	0.47	41.5	11.30
RDD307548		0.71	3.0	73	1.8	22.5	25	150.5	4.01	2.45	1.17	4.90	0.81	0.41	37.9	10.20
RDD307549		1.10	3.8	87	2.5	26.2	26	174.5	4.82	2.96	1.35	5.95	1.00	0.51	43.1	11.45
RDD307550		0.98	3.7	85	2.3	25.4	20	165.5	4.74	2.83	1.35	5.91	0.96	0.47	42.5	11.50
RDD307551		0.99	3.8	76	2.3	23.8	27	162.5	4.33	2.70	1.28	5.50	0.87	0.46	44.3	12.00
RDD307552		0.87	3.5	79	2.2	23.3	43	154.0	4.17	2.60	1.22	5.06	0.87	0.44	38.7	10.30
RDD307553		1.08	3.6	90	2.4	24.5	14	160.5	4.39	2.73	1.29	5.31	0.91	0.47	40.0	10.50
RDD307554		1.22	3.6	93	2.3	22.9	20	149.0	3.99	2.59	1.15	4.75	0.84	0.46	33.2	9.19
RDD307555		1.10	3.5	89	2.7	23.4	34	151.0	4.04	2.58	1.38	4.95	0.84	0.45	35.3	9.64
RDD307556		1.04	3.2	84	2.6	27.9	107	149.0	5.04	3.00	1.31	5.87	1.02	0.48	39.4	10.55
RDD307557		1.16	4.1	89	2.5	24.6	106	158.0	4.63	2.86	1.28	5.62	0.97	0.49	39.1	10.35
RDD307558		0.98	4.8	76	2.0	28.1	15	150.5	4.69	2.75	1.28	5.59	0.95	0.45	39.3	11.30
RDD307559																
RDD307560		0.12	1.3	196	0.2	20.4	110	205	3.88	1.80	1.90	4.90	0.71	0.20	28.1	7.14
RDD307561		0.95	2.8	78	2.0	24.4	21	147.5	4.28	2.50	1.24	5.24	0.87	0.41	38.8	11.30
RDD307562		0.79	2.8	64	2.0	24.1	30	139.5	4.39	2.41	1.26	5.39	0.85	0.38	38.2	10.85
RDD307563		0.91	3.2	74	1.8	23.6	19	142.5	3.98	2.34	1.15	4.68	0.81	0.39	36.3	10.50
RDD307564		<0.02	0.2	2	0.2	1.0	3	16.6	0.16	0.11	<0.03	0.12	0.03	0.02	0.6	0.17



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - E

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD307525		7.58	0.83	0.44	2.89
RDD307526		6.77	0.74	0.43	2.82
RDD307527		7.03	0.75	0.41	2.72
RDD307528		7.67	0.90	0.47	3.08
RDD307529		2.90	0.32	0.16	1.00
RDD307530		3.41	0.30	0.15	0.99
RDD307531		3.94	0.40	0.19	1.26
RDD307532		1.66	0.26	0.12	0.73
RDD307533		2.04	0.44	0.20	1.16
RDD307534					
RDD307535		5.34	0.69	0.24	1.37
RDD307536		3.89	0.61	0.30	1.90
RDD307537		3.26	0.30	0.13	0.89
RDD307538		2.97	0.26	0.11	0.75
RDD307539		4.84	0.47	0.23	1.49
RDD307540		6.78	0.71	0.39	2.61
RDD307541		7.54	0.75	0.42	2.91
RDD307542		5.54	0.68	0.41	2.72
RDD307543		4.23	0.58	0.35	2.42
RDD307544		0.16	0.03	0.02	0.16
RDD307545		4.32	0.56	0.34	2.27
RDD307546		6.33	0.68	0.39	2.66
RDD307547		7.30	0.78	0.43	2.95
RDD307548		6.68	0.68	0.38	2.46
RDD307549		7.48	0.80	0.45	3.05
RDD307550		7.71	0.80	0.43	2.88
RDD307551		7.83	0.73	0.41	2.80
RDD307552		6.71	0.69	0.39	2.68
RDD307553		6.96	0.72	0.42	2.83
RDD307554		6.28	0.66	0.39	2.67
RDD307555		6.46	0.66	0.39	2.70
RDD307556		7.05	0.82	0.44	2.95
RDD307557		7.26	0.78	0.43	2.98
RDD307558		6.71	0.77	0.42	3.00
RDD307559					
RDD307560		5.11	0.68	0.24	1.46
RDD307561		6.49	0.72	0.39	2.80
RDD307562		6.52	0.74	0.37	2.54
RDD307563		6.01	0.65	0.36	2.63
RDD307564		0.10	0.02	0.02	0.14



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: 4 - A
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

Project: EDGI_28A

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD307565		2.08		0.001	0.006	0.11	8.41	11.5	460	2.81	0.46	0.18	<0.02	100.0	8.8	51
RDD307566		1.98		<0.001	<0.005	0.12	8.43	10.4	450	2.58	0.36	0.43	<0.02	107.5	7.1	55
RDD307567		2.01	99.1	0.005	<0.005	1.72	6.80	101.5	240	2.34	0.44	0.13	0.06	95.5	23.2	58
RDD307568		2.00		0.002	0.005	0.79	8.26	46.2	410	2.52	0.26	1.56	0.24	101.5	17.9	67
RDD307569		2.00		0.002	0.009	0.72	5.32	44.0	250	1.76	0.31	0.43	0.09	79.0	20.2	54
RDD307570		2.03		0.001	0.006	0.45	7.81	27.8	410	2.40	0.51	0.55	0.18	103.5	11.8	62
RDD307571		2.09		<0.001	0.006	0.19	6.98	8.9	340	2.05	0.37	0.43	0.27	87.0	7.4	48
RDD307572		1.80		<0.001	<0.005	0.09	3.80	6.4	150	1.00	0.24	0.71	0.31	70.1	5.8	30
RDD307573		1.98		0.001	0.006	0.53	7.45	26.4	470	2.75	0.43	0.68	0.12	100.5	12.8	80
RDD307574		1.89		0.002	0.006	0.12	7.50	14.4	470	2.81	0.41	0.69	0.03	101.0	13.0	69
RDD307575		1.86		0.001	<0.005	0.07	5.52	10.6	130	1.32	0.16	4.84	0.07	82.5	40.9	378
RDD307576		1.85		0.002	0.006	0.16	8.52	15.9	480	3.04	0.55	0.36	0.03	90.1	15.0	57
RDD307577		1.57		0.001	0.006	0.09	6.72	12.4	310	2.25	0.37	1.19	0.03	88.2	17.6	96
RDD307578		1.62		0.002	0.007	0.20	5.31	14.1	180	2.12	0.22	6.98	0.04	73.1	23.6	161
RDD307579		2.25		0.001	<0.005	0.12	6.94	13.0	330	2.39	0.41	0.66	<0.02	83.7	10.4	39
RDD307580		1.64		<0.001	0.006	0.06	7.60	14.6	360	2.51	0.28	0.90	<0.02	92.9	9.6	45
RDD307581		2.06		<0.001	0.008	0.21	6.98	10.8	320	2.04	0.34	0.40	0.74	94.2	4.5	46
RDD307582		1.79		<0.001	0.007	0.12	8.03	8.5	450	2.38	0.25	0.31	0.34	117.0	5.1	58
RDD307583		1.02		0.001	0.008	0.85	5.46	15.8	210	1.50	0.40	1.09	3.74	63.1	7.3	48
RDD307584		<0.02			1.120											
RDD307585		0.07		1.570		0.13	7.65	354	680	2.45	0.34	0.86	0.04	88.9	18.4	123
RDD307586		0.95		0.004	0.010	1.16	9.91	45.9	610	3.76	7.26	0.08	<0.02	107.0	24.7	62
RDD307587		0.72		<0.001	<0.005	0.03	0.07	2.3	10	<0.05	0.07	0.01	0.04	1.71	0.7	8
RDD307588		2.02		0.002	0.008	0.58	8.00	37.9	320	2.67	1.32	0.10	0.06	87.8	22.6	46
RDD307589		2.06		0.001	0.010	1.84	5.16	21.1	410	1.83	0.62	1.75	14.75	67.4	8.9	32
RDD307590		1.88		<0.001	<0.005	0.13	3.13	3.1	350	0.97	0.12	0.38	0.70	47.5	4.1	18
RDD307591		1.36		0.002	0.007	2.43	7.14	19.5	560	2.39	0.74	0.43	121.0	85.2	25.8	38
RDD307592		2.51		0.007	0.006	1.22	7.11	19.0	690	2.61	0.55	0.54	10.25	83.3	16.4	70
RDD307593		2.05		0.010	0.005	0.97	7.04	26.0	580	2.58	0.57	0.74	1.02	75.4	31.7	93
RDD307594		2.46		0.001	0.011	0.76	7.87	14.0	2440	2.85	0.38	1.11	10.75	97.6	12.0	83
RDD307595		1.99		0.006	0.007	1.26	5.64	40.6	780	1.65	0.44	4.99	23.4	58.0	28.8	142
RDD307596		1.92		0.003	0.008	0.50	6.85	7.1	2110	2.61	0.31	1.98	1.98	78.4	17.4	71
RDD307597		1.75		0.010	0.011	1.35	6.60	73.4	920	3.19	0.78	2.08	2.25	109.0	37.9	89
RDD307598		2.04		0.010	0.005	0.22	6.90	36.7	1410	3.09	0.74	1.82	0.20	83.5	40.5	101
RDD307599		1.78		0.004	<0.005	0.19	6.29	23.4	590	2.53	1.10	3.26	0.19	77.1	44.6	81
RDD307600		1.02		0.002	<0.005	1.18	6.17	10.4	520	1.44	0.50	2.87	4.41	39.5	28.9	219
RDD307601		1.34		0.002	0.007	1.00	7.97	20.3	1070	2.02	0.44	0.60	0.90	56.3	26.6	262
RDD307602		1.82		0.009	0.011	2.17	7.80	39.4	420	3.62	0.50	0.54	0.11	78.1	30.5	71
RDD307603		1.75		0.004	0.010	1.49	7.92	40.8	320	3.25	0.40	0.29	0.21	85.1	22.1	97
RDD307604		1.94		0.001	0.006	2.03	5.56	13.6	1060	2.19	0.27	6.73	0.07	72.9	6.5	61



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: 4 – B
Total # Pages: 6 (A – E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

Project: EDGI_28A

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
RDD307565		14.45	13.6	3.73	20.9	0.34	4.5	0.133	3.51	49.2	16.4	0.82	271	0.78	0.06
RDD307566		12.95	10.4	3.50	22.0	0.36	4.8	0.135	3.58	51.8	15.7	0.84	523	0.86	0.06
RDD307567		12.10	56.9	7.71	16.35	0.36	3.8	0.103	2.72	46.4	17.9	0.64	321	3.60	0.05
RDD307568		13.00	47.1	7.31	19.55	0.32	3.9	0.128	3.15	50.4	23.2	0.99	442	1.88	0.06
RDD307569		8.55	34.8	5.72	12.45	0.19	2.8	0.068	2.01	40.7	15.3	0.65	468	2.50	0.04
RDD307570		12.65	17.6	4.29	19.85	0.26	4.5	0.128	3.19	52.6	15.4	0.85	879	1.44	0.06
RDD307571		9.83	12.6	4.12	16.90	0.21	3.7	0.088	2.66	42.9	18.0	1.04	820	0.94	0.05
RDD307572		4.71	12.0	4.23	9.42	0.22	2.7	0.079	1.13	35.1	16.0	0.99	932	2.23	0.03
RDD307573		15.15	36.1	3.91	18.70	0.22	4.5	0.077	3.35	49.4	15.4	1.10	606	3.70	0.04
RDD307574		15.70	34.8	3.69	19.65	0.27	4.5	0.075	3.20	50.4	21.0	1.37	492	2.37	0.04
RDD307575		6.92	28.5	5.18	14.05	0.28	2.8	0.059	0.84	42.2	66.1	6.38	1335	1.63	0.32
RDD307576		16.90	30.0	3.35	22.2	0.21	4.5	0.084	3.96	44.8	15.1	0.96	397	1.60	0.06
RDD307577		11.90	22.4	3.25	16.90	0.23	4.0	0.055	2.66	43.8	23.6	1.76	640	2.14	0.05
RDD307578		7.67	25.8	4.60	13.00	0.20	2.7	0.061	1.53	37.6	50.8	3.23	5390	1.56	0.03
RDD307579		11.05	22.6	3.06	17.55	0.32	3.9	0.065	2.96	41.7	17.2	0.87	832	1.06	0.05
RDD307580		12.10	27.6	4.02	18.85	0.30	4.3	0.091	3.17	45.6	19.3	1.14	1795	0.94	0.05
RDD307581		8.42	8.1	4.67	17.80	0.31	4.1	0.546	2.54	46.9	27.1	1.24	1985	0.91	0.04
RDD307582		9.30	5.4	4.33	19.60	0.29	4.7	0.355	3.23	60.2	23.5	1.31	1225	1.36	0.04
RDD307583		4.55	33.5	9.89	13.25	0.35	2.8	1.105	1.56	30.9	29.6	2.07	8700	1.74	0.05
RDD307584															
RDD307585		10.40	28.4	4.15	19.10	0.28	3.9	0.072	2.77	44.7	54.5	1.74	405	0.91	0.76
RDD307586		16.00	15.0	3.40	26.5	0.41	4.9	0.264	4.68	52.4	11.3	0.66	324	1.46	0.07
RDD307587		0.14	3.7	1.16	0.39	0.10	0.4	0.009	0.02	0.9	1.4	0.02	128	0.72	0.01
RDD307588		11.85	43.4	6.35	21.3	0.38	4.2	0.382	3.44	40.9	17.5	1.18	1935	1.09	0.06
RDD307589		7.10	73.2	4.38	12.85	0.20	2.9	2.29	2.06	32.5	20.8	1.15	3280	1.38	0.04
RDD307590		3.36	12.9	3.09	7.36	0.17	2.1	0.168	1.06	23.5	15.4	0.69	1595	0.88	0.03
RDD307591		10.30	61.5	5.15	18.50	0.36	3.8	20.1	2.74	41.0	28.7	1.15	2220	0.87	0.04
RDD307592		11.50	34.3	4.03	17.05	0.37	3.7	0.535	3.01	40.3	22.2	0.92	1270	2.53	0.05
RDD307593		10.50	53.5	5.01	17.50	0.42	3.4	0.201	2.74	36.0	30.5	1.28	1460	2.26	0.04
RDD307594		11.10	55.7	5.41	19.10	0.34	4.4	1.365	2.79	48.6	34.5	1.51	2170	1.24	0.14
RDD307595		5.60	138.5	9.13	14.20	0.39	2.1	5.13	0.87	27.1	70.1	3.30	7350	10.40	0.04
RDD307596		7.39	37.1	6.52	18.35	0.37	2.9	0.372	1.94	41.8	53.4	2.65	2820	0.27	0.03
RDD307597		9.63	129.0	5.65	18.40	0.31	2.6	0.203	2.46	47.5	35.6	1.72	1935	28.1	0.04
RDD307598		10.50	155.0	6.24	18.25	0.40	2.6	0.088	2.50	38.3	33.8	2.17	2000	25.1	0.04
RDD307599		9.76	52.0	5.87	16.80	0.35	2.5	0.073	2.25	40.5	28.3	2.50	2910	12.20	0.04
RDD307600		3.52	126.5	8.10	14.05	0.46	2.0	0.809	0.67	21.0	54.6	3.91	5420	4.08	0.02
RDD307601		5.70	340	7.60	17.95	0.75	2.7	0.156	1.47	28.3	56.4	3.47	2990	1.05	0.03
RDD307602		13.90	82.6	5.77	20.4	0.29	3.9	0.229	3.94	40.6	21.9	1.29	894	7.34	0.04
RDD307603		12.85	70.8	5.31	20.2	0.37	4.3	0.303	3.75	44.0	23.5	1.26	547	7.48	0.04
RDD307604		8.80	17.9	3.01	14.20	0.24	3.1	0.195	2.82	40.7	12.9	3.92	2390	2.02	0.04



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 4 - C
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD307565		18.1	800	12.7	209	0.002	0.70	2.73	14.2	1	3.1	24.0	0.95	0.05	18.30
RDD307566		14.8	1460	12.4	214	0.002	0.44	2.13	14.9	<1	3.4	31.0	1.01	0.05	18.75
RDD307567		63.2	540	77.5	158.0	0.004	5.36	14.00	13.1	2	2.6	17.2	0.89	0.05	13.90
RDD307568		43.9	7130	48.3	179.5	0.002	3.44	9.23	15.8	1	2.9	78.8	1.08	<0.05	14.75
RDD307569		45.6	1660	33.9	113.0	0.002	3.16	5.66	9.7	1	1.9	24.7	0.82	<0.05	11.20
RDD307570		24.9	1130	105.0	188.5	<0.002	1.42	4.78	13.9	1	4.8	28.2	0.98	0.06	17.45
RDD307571		16.0	320	73.9	150.5	<0.002	0.39	1.68	10.9	<1	3.4	17.6	0.73	<0.05	13.65
RDD307572		15.3	950	25.2	62.6	<0.002	0.19	1.12	6.2	<1	1.6	22.2	0.55	<0.05	9.54
RDD307573		37.8	400	54.6	201	0.011	2.12	7.87	13.1	2	3.1	29.3	1.20	0.07	15.70
RDD307574		37.7	470	21.4	182.0	0.006	1.36	4.55	14.2	1	3.0	29.7	1.15	0.07	16.10
RDD307575		434	1330	17.2	61.2	0.003	0.85	3.62	16.7	1	1.6	258	1.86	<0.05	7.41
RDD307576		28.4	280	26.3	213	0.002	1.72	5.97	15.3	1	3.2	26.5	0.80	0.08	16.80
RDD307577		84.5	510	14.0	151.5	0.004	0.77	3.68	12.4	1	2.5	46.4	0.96	0.05	12.95
RDD307578		172.5	790	20.7	103.0	0.003	1.36	5.41	12.1	1	1.6	136.0	1.14	0.09	8.44
RDD307579		19.6	410	8.8	155.0	0.002	0.60	2.35	11.8	<1	2.5	26.3	0.75	0.06	13.55
RDD307580		20.0	780	4.7	164.5	<0.002	0.16	0.92	13.1	<1	2.7	28.8	0.80	0.05	15.15
RDD307581		14.0	300	114.0	158.0	<0.002	0.33	1.70	11.5	<1	18.6	16.2	0.74	<0.05	13.95
RDD307582		15.4	450	21.3	193.5	<0.002	0.31	1.78	12.5	<1	13.1	16.2	1.92	<0.05	17.80
RDD307583		21.6	550	577	83.4	0.004	1.30	3.35	10.3	1	16.4	29.1	0.51	<0.05	9.56
RDD307584															
RDD307585		66.2	730	18.0	170.5	<0.002	0.14	329	15.8	<1	3.3	150.0	1.07	<0.05	15.20
RDD307586		44.2	280	34.8	251	0.005	2.38	14.75	16.6	1	11.2	20.5	0.80	0.07	18.25
RDD307587		3.2	<10	4.5	1.3	<0.002	0.01	0.29	0.2	<1	0.4	2.7	0.06	<0.05	0.34
RDD307588		38.0	260	35.8	197.0	<0.002	3.65	10.50	14.7	1	6.9	16.6	0.67	0.07	14.55
RDD307589		16.8	210	795	129.0	<0.002	1.18	2.91	8.3	1	8.5	20.7	0.49	0.07	9.89
RDD307590		8.9	130	55.0	56.6	<0.002	0.10	0.65	4.5	<1	2.8	13.0	0.39	<0.05	6.51
RDD307591		23.2	220	670	171.5	0.003	2.74	3.64	12.6	2	15.2	17.2	0.62	0.14	13.30
RDD307592		34.0	250	713	175.5	0.007	1.78	8.56	12.0	2	8.9	20.7	0.62	0.14	12.90
RDD307593		49.0	310	123.5	157.0	0.008	1.68	10.60	13.8	2	3.4	19.6	0.60	0.17	11.55
RDD307594		33.3	440	449	161.0	0.002	0.52	2.16	16.1	1	9.5	32.6	1.16	0.07	14.45
RDD307595		88.7	720	320	76.7	0.034	1.48	4.32	19.7	5	10.4	105.0	0.71	0.21	8.59
RDD307596		79.8	580	97.1	149.0	<0.002	0.23	1.48	16.5	<1	10.7	56.4	0.95	0.17	16.10
RDD307597		87.4	920	355	188.0	0.029	2.16	8.58	16.3	5	8.3	51.3	0.93	0.42	14.90
RDD307598		95.2	900	44.1	155.0	0.023	1.76	5.14	17.3	4	3.0	54.0	0.88	0.45	13.00
RDD307599		76.9	1240	31.9	155.0	0.014	1.66	3.31	15.7	2	2.9	92.3	0.98	0.24	12.45
RDD307600		103.5	420	414	55.8	0.007	0.74	1.82	26.8	1	5.8	60.3	0.62	0.13	6.33
RDD307601		118.5	710	240	110.0	0.003	0.44	1.78	30.0	1	5.6	36.0	0.83	0.11	9.65
RDD307602		85.2	520	101.5	276	0.025	5.36	24.7	18.3	5	6.5	22.5	0.94	0.21	12.20
RDD307603		71.8	700	89.6	287	0.027	4.41	18.55	17.6	5	11.4	19.8	1.10	0.14	11.75
RDD307604		26.1	420	33.3	174.5	0.014	0.81	5.58	8.4	2	3.7	103.5	0.94	<0.05	10.60



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 4 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD307565		1.12	3.7	84	2.1	26.7	22	166.5	4.65	2.88	1.30	5.63	0.97	0.47	41.8	12.05
RDD307566		1.16	3.8	83	2.5	29.5	23	171.5	5.05	3.06	1.47	6.24	1.04	0.49	46.4	13.20
RDD307567		1.11	3.2	84	2.1	21.0	28	146.0	3.55	2.17	1.10	4.12	0.73	0.36	37.1	10.80
RDD307568		1.06	3.8	94	2.4	32.2	97	155.5	5.35	2.93	1.62	6.35	1.02	0.42	40.2	11.65
RDD307569		0.71	2.4	67	1.7	18.6	42	110.0	3.31	1.85	1.02	4.12	0.65	0.29	32.3	9.30
RDD307570		1.16	3.9	77	2.5	26.8	71	161.5	4.44	2.67	1.40	5.50	0.91	0.44	43.5	12.50
RDD307571		0.82	3.2	65	1.9	21.1	106	139.0	3.48	2.11	1.08	4.26	0.71	0.37	36.1	10.30
RDD307572		0.32	2.5	35	1.3	18.7	115	103.0	2.95	1.60	0.98	4.02	0.58	0.24	30.0	8.52
RDD307573		1.34	4.3	110	2.1	28.4	52	176.5	4.59	2.80	1.35	5.54	0.97	0.47	42.0	11.95
RDD307574		1.05	3.8	95	2.1	27.5	34	178.0	4.52	2.68	1.26	5.26	0.92	0.44	42.5	12.00
RDD307575		0.50	1.9	119	0.9	19.6	88	132.0	3.61	1.72	1.75	4.81	0.66	0.22	35.5	10.10
RDD307576		1.26	3.7	97	2.0	25.9	27	157.0	4.26	2.71	1.26	4.96	0.90	0.46	38.2	10.90
RDD307577		0.88	3.1	83	1.6	23.2	32	156.0	3.84	2.31	1.21	4.55	0.77	0.37	37.3	10.65
RDD307578		0.73	1.9	84	1.4	23.0	43	113.5	3.83	2.03	1.40	4.81	0.75	0.28	32.5	8.99
RDD307579		0.83	3.0	70	1.8	22.3	19	144.5	3.73	2.32	1.15	4.53	0.78	0.38	35.4	10.05
RDD307580		0.82	3.4	71	1.7	26.2	22	154.0	4.54	2.62	1.38	5.78	0.90	0.43	40.3	11.25
RDD307581		0.85	3.0	70	2.4	22.8	248	167.0	3.60	2.23	1.25	4.48	0.73	0.39	37.6	10.80
RDD307582		1.14	3.6	81	2.3	23.3	144	179.0	3.93	2.41	1.27	4.59	0.81	0.41	44.8	13.40
RDD307583		0.47	2.3	67	2.0	17.2	1080	108.5	2.87	1.65	1.22	3.98	0.55	0.28	27.1	7.38
RDD307584																
RDD307585		0.86	2.7	107	2.2	18.0	94	145.5	3.26	1.65	1.27	4.36	0.61	0.26	37.0	10.60
RDD307586		1.33	4.0	115	2.0	28.2	27	178.0	4.68	2.92	1.36	5.01	0.97	0.49	44.8	13.00
RDD307587		<0.02	0.2	3	0.3	1.3	6	17.2	0.21	0.13	0.03	0.16	0.04	0.02	0.7	0.19
RDD307588		1.14	3.4	83	1.8	24.3	35	151.5	4.03	2.42	1.26	4.76	0.83	0.41	37.9	10.70
RDD307589		0.80	2.1	49	1.5	20.5	4370	109.0	3.25	1.94	1.27	3.78	0.67	0.31	28.1	7.78
RDD307590		0.28	1.4	28	0.9	12.4	238	75.4	2.07	1.24	0.68	2.31	0.42	0.21	19.8	5.48
RDD307591		0.98	3.0	70	1.7	23.6	>10000	142.5	3.81	2.37	1.28	4.69	0.79	0.40	36.9	10.70
RDD307592		1.06	3.2	87	1.8	25.4	2580	141.5	3.75	2.44	1.19	4.63	0.83	0.43	36.4	10.10
RDD307593		1.10	2.7	100	1.6	25.8	359	131.5	3.93	2.58	1.17	4.43	0.85	0.44	33.6	9.18
RDD307594		0.92	3.1	99	2.0	29.3	3060	176.0	4.63	2.80	1.39	5.30	0.96	0.46	38.4	11.30
RDD307595		0.71	5.1	181	1.8	24.8	6730	85.5	4.01	2.19	1.52	4.62	0.78	0.33	25.3	6.71
RDD307596		0.77	1.9	104	3.1	24.3	724	118.0	4.28	2.61	1.28	5.11	0.85	0.50	31.1	8.96
RDD307597		1.34	6.2	272	2.5	30.6	722	113.0	5.25	2.89	1.68	6.96	1.00	0.49	43.3	11.70
RDD307598		1.14	4.6	262	2.1	27.6	109	108.0	4.80	2.67	1.38	5.85	0.94	0.41	34.0	9.43
RDD307599		1.10	3.9	186	2.0	29.8	97	101.0	5.05	2.86	1.46	6.07	1.00	0.45	33.6	9.47
RDD307600		0.41	2.6	178	1.8	22.1	1395	86.3	3.70	2.21	1.16	4.02	0.77	0.33	17.8	4.64
RDD307601		0.71	2.7	216	1.6	22.4	368	111.0	3.76	2.32	1.04	4.20	0.76	0.38	23.1	6.25
RDD307602		1.76	5.1	170	1.9	29.9	57	164.0	4.94	2.96	1.18	5.33	1.01	0.49	35.6	10.05
RDD307603		1.70	5.6	186	2.1	33.6	100	183.5	5.30	3.19	1.29	5.92	1.08	0.50	39.2	10.90
RDD307604		0.91	3.4	93	1.6	24.0	34	133.0	3.55	2.27	1.00	4.25	0.75	0.37	29.9	8.68



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 4 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD307565		6.96	0.78	0.43	3.16
RDD307566		7.87	0.85	0.47	3.26
RDD307567		5.73	0.58	0.34	2.38
RDD307568		6.82	0.90	0.42	2.91
RDD307569		5.24	0.55	0.27	1.93
RDD307570		7.24	0.74	0.41	2.96
RDD307571		5.88	0.58	0.34	2.45
RDD307572		5.20	0.52	0.23	1.66
RDD307573		6.89	0.76	0.44	3.12
RDD307574		7.19	0.73	0.41	2.98
RDD307575		5.92	0.63	0.24	1.54
RDD307576		6.45	0.71	0.43	3.12
RDD307577		6.23	0.63	0.35	2.53
RDD307578		5.71	0.66	0.29	1.98
RDD307579		6.07	0.62	0.36	2.58
RDD307580		6.96	0.76	0.40	2.90
RDD307581		6.30	0.61	0.34	2.57
RDD307582		6.81	0.62	0.37	2.75
RDD307583		4.97	0.51	0.25	1.86
RDD307584					
RDD307585		6.08	0.58	0.25	1.70
RDD307586		7.24	0.73	0.44	3.24
RDD307587		0.11	0.03	0.02	0.15
RDD307588		6.50	0.66	0.39	2.77
RDD307589		4.79	0.54	0.29	2.09
RDD307590		3.27	0.33	0.19	1.60
RDD307591		6.22	0.63	0.37	2.65
RDD307592		6.35	0.63	0.40	2.87
RDD307593		5.88	0.62	0.39	2.84
RDD307594		6.39	0.75	0.43	3.02
RDD307595		4.87	0.67	0.32	2.22
RDD307596		6.05	0.75	0.42	2.93
RDD307597		8.71	0.97	0.44	3.00
RDD307598		7.15	0.85	0.40	2.61
RDD307599		6.90	0.90	0.42	2.79
RDD307600		4.12	0.64	0.32	2.15
RDD307601		4.80	0.63	0.36	2.32
RDD307602		6.66	0.81	0.45	2.96
RDD307603		7.56	0.86	0.47	3.11
RDD307604		5.53	0.63	0.35	2.33



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 5 - A
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD307605		1.54		0.004	0.008	0.85	6.70	14.9	680	2.32	0.32	2.96	0.09	72.2	12.2	67
RDD307606		2.12		0.004	0.007	0.65	6.71	25.0	220	2.17	0.39	3.17	0.16	75.6	16.4	47
RDD307607		1.63		0.002	0.005	0.27	4.15	15.1	60	1.44	0.08	4.95	0.09	44.0	9.6	26
RDD307608		2.30		0.001	<0.005	0.15	3.12	6.5	60	0.54	0.10	7.97	0.05	33.6	6.4	21
RDD307609		<0.02			2.53											
RDD307610		0.07		<0.001		0.06	7.77	1.1	530	2.07	0.02	5.64	0.10	52.6	40.3	148
RDD307611		2.08		0.004	0.009	0.40	8.63	22.6	580	3.12	0.33	1.99	0.19	73.5	12.4	72
RDD307612		2.22		0.002	0.005	0.22	7.90	19.0	820	3.02	0.45	0.21	<0.02	96.0	10.7	52
RDD307613		1.78		0.001	0.007	1.38	3.65	22.6	160	1.03	1.11	9.11	9.36	29.0	13.2	24
RDD307614		1.09		0.001	0.008	2.57	3.61	21.6	120	0.97	1.04	7.32	106.5	39.0	13.6	23
RDD307615		1.93		0.002	0.005	1.06	4.95	21.3	160	1.51	1.18	5.85	4.44	48.1	16.4	33
RDD307616		1.97		0.004	0.006	0.70	5.61	14.6	230	2.00	0.95	5.61	1.08	58.6	15.0	37
RDD307617		2.03		0.001	0.005	0.47	4.02	19.6	120	1.18	0.25	9.21	1.13	44.6	12.7	28
RDD307618		1.99		0.003	0.008	0.21	3.44	17.2	60	1.02	0.23	8.22	0.06	33.8	11.3	24
RDD307619		2.13		0.001	0.006	0.18	3.21	14.4	60	0.71	0.19	8.34	0.02	28.5	11.4	22
RDD307620		1.97		0.001	0.009	0.62	9.63	80.4	380	2.89	0.11	0.95	3.25	30.9	36.5	212
RDD307621		1.68		<0.001	<0.005	0.58	8.83	44.2	490	2.99	0.17	1.94	0.21	41.1	33.3	279
RDD307622		1.76		0.002	0.008	0.35	7.92	22.1	700	2.90	0.43	0.44	0.21	93.3	8.8	59
RDD307623		1.91		0.006	<0.005	0.17	2.84	11.2	360	1.54	0.17	11.55	0.10	40.6	4.8	50
RDD307624		1.99		0.001	0.009	0.11	7.33	10.7	210	1.20	0.11	3.92	0.26	21.4	40.3	226
RDD307625		2.13		0.001	0.007	0.21	7.88	14.6	410	1.64	0.16	0.68	0.03	53.8	27.4	199
RDD307626		2.02		0.001	0.005	0.45	6.31	7.7	250	1.62	0.16	1.95	0.32	54.7	20.2	89
RDD307627		1.83		0.001	0.006	0.43	6.22	7.3	190	1.50	0.14	2.60	0.61	53.4	20.5	89
RDD307628		1.03		0.003	<0.005	0.28	6.28	23.9	140	1.11	0.12	2.82	0.45	48.4	27.3	118
RDD307629		2.03		0.003	<0.005	0.29	6.60	15.1	70	0.80	0.09	3.65	2.10	39.3	28.6	246
RDD307630		0.89		0.001	<0.005	0.03	0.12	1.9	10	<0.05	0.09	0.18	0.03	1.72	0.5	4
RDD307631		1.29		0.002	<0.005	0.50	8.02	48.3	110	2.12	0.35	2.80	1.54	39.7	41.1	356
RDD307632		0.73		0.001	<0.005	0.48	5.83	18.8	110	1.62	0.23	4.04	0.20	63.4	25.1	170
RDD307633		2.11		0.001	<0.005	0.84	7.55	40.5	110	2.03	0.53	1.69	0.96	36.6	39.1	222
RDD307634		<0.02			2.69											
RDD307635		0.07		0.006		0.09	7.84	2.4	1070	2.70	1.30	1.74	0.20	82.4	8.4	43
RDD307636		2.11		0.003	0.007	0.63	5.14	20.8	280	1.57	0.44	5.57	0.08	46.9	18.8	109
RDD307637		1.11		0.001	0.010	0.86	7.75	32.6	470	2.21	0.52	1.77	2.62	67.8	28.3	186
RDD307638		2.03		<0.001	0.011	1.36	7.96	26.4	650	2.47	1.60	1.44	9.43	64.7	24.0	174
RDD307639		1.03		0.002	0.011	1.10	7.71	59.3	1210	3.41	3.42	0.95	0.15	79.3	26.8	104
RDD307640		0.89		0.002	0.008	0.49	7.61	47.6	330	3.31	2.74	1.95	0.22	78.0	25.1	79
RDD307641		1.95		0.002	0.014	0.35	7.72	32.3	1540	2.70	0.45	1.89	0.04	77.6	35.0	149
RDD307642		1.83		0.002	0.007	0.41	6.61	26.1	550	1.57	0.42	3.09	0.74	51.6	33.9	239
RDD307643		1.90		0.002	0.009	0.27	9.32	14.5	1380	3.25	0.80	0.65	0.12	97.9	16.2	51
RDD307644		2.13		0.001	0.009	1.54	6.67	20.6	960	2.01	0.99	0.42	28.0	55.3	24.1	64



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 5 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

Project: EDGI_28A

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
RDD307605		9.52	42.3	3.91	17.10	0.42	3.2	0.091	3.28	39.8	19.2	2.27	1835	4.59	0.04
RDD307606		19.55	50.3	6.64	17.55	0.30	3.4	0.086	2.89	41.3	20.2	2.04	1335	2.54	0.33
RDD307607		3.35	10.2	8.90	11.60	0.21	2.1	0.047	0.49	24.0	17.7	4.04	1510	0.43	0.39
RDD307608		0.94	16.3	3.44	8.30	0.12	1.9	0.116	0.12	15.1	13.1	5.32	1525	0.51	1.43
RDD307609															
RDD307610		1.03	42.8	7.88	20.9	0.39	4.1	0.063	1.64	28.8	11.7	4.57	1110	3.60	2.29
RDD307611		14.40	52.0	3.83	20.1	0.63	3.5	0.098	3.94	39.3	28.7	2.17	1320	1.87	0.07
RDD307612		16.05	25.0	2.79	20.6	0.36	4.3	0.105	3.82	50.5	17.7	1.04	283	1.16	0.05
RDD307613		4.63	81.4	5.98	8.47	0.16	1.8	0.843	0.83	14.6	44.5	6.04	5920	0.95	0.06
RDD307614		2.53	149.0	6.04	9.15	0.16	1.9	9.35	0.70	20.4	42.5	5.19	5940	0.69	0.06
RDD307615		7.43	50.1	6.02	11.80	0.20	2.4	0.723	1.39	25.7	60.2	5.44	4250	1.32	0.06
RDD307616		11.05	26.4	4.77	13.80	0.19	2.7	0.435	2.07	31.4	49.4	5.19	3210	1.16	0.15
RDD307617		13.35	33.4	5.02	8.98	0.17	2.3	0.287	0.98	24.0	32.7	6.55	2920	1.76	0.08
RDD307618		9.12	15.2	4.28	7.48	0.13	1.9	0.121	0.79	18.0	30.7	4.80	2100	0.94	0.29
RDD307619		6.21	12.8	3.79	6.68	0.12	1.7	0.088	0.66	14.6	12.3	4.64	1870	0.79	0.91
RDD307620		11.95	66.1	9.93	24.5	1.00	1.8	0.162	3.08	14.4	73.6	2.85	1990	0.47	0.02
RDD307621		14.05	71.9	10.15	22.5	1.04	2.6	0.160	2.32	20.4	76.4	3.16	2320	0.35	0.02
RDD307622		14.65	51.2	3.47	20.2	0.29	4.6	0.099	3.84	49.2	17.9	0.83	514	1.45	0.05
RDD307623		5.60	16.8	2.06	7.50	0.13	1.8	0.059	1.43	22.7	7.8	6.65	5240	2.19	0.03
RDD307624		8.42	119.0	8.73	18.45	0.50	1.7	0.088	1.83	11.0	38.7	1.93	1865	0.59	1.59
RDD307625		3.91	85.6	8.15	20.1	0.66	2.3	0.169	0.90	26.9	43.8	2.55	1070	0.42	2.07
RDD307626		8.34	106.0	6.74	16.85	0.24	2.3	0.425	1.26	26.4	45.9	2.16	1750	0.51	0.35
RDD307627		9.81	101.0	6.38	16.55	0.31	2.3	0.133	1.12	26.1	51.1	2.26	2180	0.38	0.34
RDD307628		8.27	85.0	6.24	14.10	0.18	2.9	0.097	0.58	24.0	44.6	2.93	2110	0.53	1.62
RDD307629		1.49	76.5	7.48	13.60	0.36	1.9	0.363	0.13	21.8	58.4	4.09	2540	0.33	2.29
RDD307630		0.17	3.5	0.42	0.38	0.13	0.5	0.009	0.03	1.0	1.5	0.07	90	0.33	0.01
RDD307631		14.20	68.7	8.83	16.10	0.60	2.4	0.243	1.34	20.0	94.5	4.30	2790	0.59	0.03
RDD307632		9.18	117.5	7.76	13.70	0.29	1.6	0.369	0.74	33.1	75.9	3.51	3300	1.61	0.03
RDD307633		9.92	113.5	10.15	19.75	0.70	2.8	0.511	0.92	17.0	94.9	4.30	2730	0.24	0.01
RDD307634															
RDD307635		12.35	21.6	3.03	21.1	0.19	1.8	0.068	2.98	40.6	56.0	0.73	366	2.44	2.07
RDD307636		2.69	45.3	8.85	17.30	0.19	1.9	0.782	0.67	20.5	64.0	3.28	6530	0.20	0.02
RDD307637		5.75	50.3	10.30	22.5	0.66	2.5	0.870	1.46	30.8	100.0	3.37	3630	0.58	0.02
RDD307638		6.05	74.8	10.50	22.4	1.02	3.0	1.600	1.75	31.1	94.5	2.89	3340	1.72	0.02
RDD307639		9.53	129.0	4.73	21.1	0.30	3.5	0.763	3.33	39.5	44.7	1.70	1385	2.74	0.03
RDD307640		10.70	41.4	5.91	21.0	0.33	3.3	0.616	3.38	35.3	44.1	1.76	2030	2.69	0.03
RDD307641		8.75	156.0	7.00	20.0	0.81	2.6	1.035	2.70	39.3	38.6	2.04	3170	0.72	0.15
RDD307642		6.85	61.5	7.32	17.10	0.39	1.9	0.241	1.13	23.3	57.5	3.73	3100	0.38	0.57
RDD307643		16.60	42.1	4.46	24.6	0.49	4.1	0.395	4.25	47.0	24.9	1.22	1530	0.83	0.06
RDD307644		6.06	224	7.03	17.50	0.34	2.8	1.520	2.18	25.4	64.6	1.63	1445	0.78	0.03



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 5 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD307605		39.3	580	30.8	202	0.008	2.05	4.28	12.6	1	3.4	72.1	0.80	0.06	11.25
RDD307606		47.2	540	73.8	256	0.008	6.21	10.85	14.8	2	2.7	86.1	0.88	0.14	11.40
RDD307607		19.4	450	32.3	56.3	<0.002	7.64	2.04	9.2	<1	1.7	185.5	0.50	<0.05	7.00
RDD307608		13.4	340	17.9	7.1	<0.002	2.16	1.52	6.6	<1	1.2	472	0.35	<0.05	5.22
RDD307609															0.184
RDD307610		133.0	2470	3.3	34.2	<0.002	0.04	0.09	18.3	<1	1.5	769	2.56	<0.05	3.34
RDD307611		38.9	560	53.0	181.5	0.004	1.65	3.69	15.6	1	5.1	67.2	0.81	0.09	13.35
RDD307612		22.0	330	18.3	180.5	0.002	1.56	6.22	12.6	1	4.5	25.4	1.01	<0.05	15.20
RDD307613		18.2	270	755	83.7	0.002	1.76	4.06	7.7	1	11.0	179.5	0.40	<0.05	5.51
RDD307614		16.2	270	1040	53.9	<0.002	2.81	3.25	8.5	2	21.7	121.0	0.39	<0.05	5.84
RDD307615		22.6	370	518	112.5	0.002	2.53	5.22	11.2	1	14.5	114.0	0.51	<0.05	7.54
RDD307616		23.4	420	195.0	165.5	<0.002	2.50	5.26	12.3	<1	13.5	157.0	0.62	<0.05	9.06
RDD307617		24.3	300	59.4	109.0	0.003	2.99	6.03	8.7	1	2.4	282	0.40	<0.05	6.81
RDD307618		18.4	300	16.2	102.0	<0.002	2.74	4.06	6.8	1	1.5	183.0	0.31	<0.05	5.30
RDD307619		17.2	300	14.2	82.9	0.002	2.21	3.31	6.0	<1	1.0	178.0	0.27	<0.05	4.78
RDD307620		108.5	680	315	221	<0.002	0.78	7.06	34.7	<1	3.9	36.4	0.69	0.09	3.80
RDD307621		121.0	1060	16.6	177.0	<0.002	0.20	3.18	31.5	<1	3.0	48.7	1.22	0.18	5.38
RDD307622		30.6	380	32.4	209	0.002	1.86	3.97	12.6	2	3.1	26.8	1.26	<0.05	16.15
RDD307623		24.0	710	20.4	76.2	0.005	0.60	4.90	6.3	1	1.1	94.0	0.35	0.05	5.90
RDD307624		97.6	870	26.1	69.5	<0.002	2.51	2.66	32.3	1	1.3	303	0.75	<0.05	3.12
RDD307625		82.0	840	7.2	53.5	<0.002	0.06	0.78	30.7	<1	4.2	41.5	1.34	0.17	4.68
RDD307626		44.7	1100	16.4	97.0	<0.002	0.06	0.73	21.2	<1	3.8	47.9	1.18	0.17	3.61
RDD307627		46.5	1060	23.1	92.5	<0.002	0.07	0.63	21.5	<1	3.1	67.4	1.14	0.17	3.77
RDD307628		57.6	640	23.8	43.7	0.002	0.14	0.69	21.4	<1	1.6	74.7	1.12	0.13	3.85
RDD307629		108.0	790	49.7	12.2	<0.002	0.11	0.88	31.3	<1	1.5	83.2	0.87	0.08	3.44
RDD307630		1.3	10	4.4	1.6	<0.002	0.02	0.23	0.4	<1	0.4	4.8	<0.05	<0.05	0.36
RDD307631		140.0	620	161.0	196.0	0.004	0.33	7.13	38.1	1	2.0	49.5	1.18	0.12	4.52
RDD307632		84.7	3470	64.6	98.8	<0.002	0.39	6.73	27.9	<1	2.9	80.7	0.75	0.13	3.50
RDD307633		110.0	500	187.5	120.5	<0.002	0.15	2.55	33.4	1	7.1	36.9	0.93	0.31	4.66
RDD307634															0.814
RDD307635		19.1	850	22.8	171.5	<0.002	0.14	0.25	8.6	1	4.7	165.0	1.04	<0.05	15.60
RDD307636		76.3	480	23.9	48.2	<0.002	0.09	1.54	19.9	<1	12.9	82.4	0.68	0.25	6.90
RDD307637		95.6	900	97.4	128.5	0.002	0.07	2.30	27.6	<1	23.2	39.8	1.01	0.25	9.64
RDD307638		84.7	780	370	123.0	0.005	0.31	4.47	24.7	1	32.8	32.2	0.89	0.24	10.95
RDD307639		62.0	690	48.9	179.5	0.008	0.76	9.53	20.0	1	38.4	22.5	0.92	0.10	14.60
RDD307640		60.1	810	26.4	206	0.003	2.97	8.37	18.8	1	11.0	30.9	0.87	0.11	13.15
RDD307641		80.1	1310	18.6	144.0	0.003	0.44	5.10	24.0	<1	53.9	46.3	1.14	0.16	9.82
RDD307642		131.0	490	78.5	87.5	<0.002	0.12	1.48	28.1	1	4.3	100.0	0.76	0.28	7.43
RDD307643		26.7	390	20.4	221	<0.002	1.34	3.60	15.1	1	8.9	26.4	0.74	0.06	17.20
RDD307644		29.4	450	1895	106.0	<0.002	0.85	3.92	13.3	3	24.6	14.3	0.57	0.21	8.72



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 5 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

Project: EDGI_28A

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1
RDD307605		1.22	3.5	129	1.8	23.1	41	126.5	3.88	2.29	1.08	4.51	0.77	0.36	29.7
RDD307606		2.26	3.1	116	1.8	25.4	60	136.5	4.32	2.53	1.17	5.06	0.88	0.40	32.4
RDD307607		0.61	1.6	87	1.5	19.1	34	81.4	3.19	1.84	0.86	3.53	0.64	0.27	17.9
RDD307608		0.08	1.4	56	1.0	16.8	16	73.1	2.87	1.64	0.93	3.28	0.56	0.23	17.0
RDD307609															4.31
RDD307610		0.11	1.2	193	0.2	18.2	107	197.5	3.58	1.67	1.58	4.60	0.65	0.19	24.0
RDD307611		1.04	3.2	149	2.2	23.4	79	140.5	3.97	2.45	1.02	4.54	0.83	0.40	30.5
RDD307612		0.87	3.0	84	2.2	25.4	14	160.5	4.17	2.71	1.04	4.87	0.86	0.44	38.3
RDD307613		0.80	1.4	62	1.1	17.3	2950	72.5	2.90	1.64	0.90	3.12	0.59	0.23	13.7
RDD307614		0.42	1.5	62	2.1	19.0	>10000	75.5	3.36	1.84	1.25	3.86	0.66	0.24	17.6
RDD307615		0.83	1.9	89	1.6	20.5	1460	93.0	3.63	2.03	1.06	4.06	0.72	0.29	21.3
RDD307616		1.18	2.1	91	1.5	21.4	399	107.5	3.78	2.28	1.00	4.20	0.77	0.33	24.6
RDD307617		1.26	1.9	73	1.0	19.0	346	88.5	3.20	1.84	0.92	3.57	0.64	0.27	19.2
RDD307618		1.18	1.4	54	0.7	16.2	28	74.6	2.77	1.53	0.70	3.04	0.55	0.23	14.8
RDD307619		0.88	1.3	48	0.5	15.4	11	68.0	2.70	1.54	0.71	2.94	0.53	0.22	13.0
RDD307620		2.69	0.6	220	1.5	13.7	1110	71.8	2.95	1.67	0.76	3.08	0.58	0.23	15.0
RDD307621		2.07	0.7	190	1.4	20.4	136	101.5	3.88	2.17	0.99	4.24	0.76	0.32	20.1
RDD307622		1.26	3.5	83	2.4	27.1	78	170.5	4.59	2.80	1.19	5.51	0.94	0.46	39.8
RDD307623		0.45	1.8	31	1.1	20.1	32	82.9	3.18	1.94	0.89	3.74	0.66	0.30	20.0
RDD307624		0.71	0.5	207	0.5	11.1	178	62.7	2.36	1.24	0.83	2.71	0.45	0.16	11.2
RDD307625		0.30	0.7	188	0.9	19.4	90	165.0	3.75	2.01	1.22	4.80	0.72	0.28	24.7
RDD307626		0.95	0.6	146	1.1	20.0	176	184.0	3.99	1.95	1.39	5.38	0.73	0.24	25.6
RDD307627		0.92	0.7	144	0.9	21.6	291	162.0	4.11	2.00	1.43	5.46	0.75	0.26	25.9
RDD307628		0.49	0.8	140	0.5	22.5	207	189.0	4.04	2.20	1.12	4.82	0.78	0.30	23.1
RDD307629		0.14	0.7	193	0.8	15.5	687	107.0	2.58	1.54	0.93	3.12	0.53	0.25	17.8
RDD307630		0.02	0.2	4	0.2	1.2	9	16.8	0.20	0.14	0.03	0.18	0.04	0.02	0.7
RDD307631		1.92	1.1	200	0.7	16.0	608	105.5	2.66	1.74	0.79	3.07	0.56	0.30	17.3
RDD307632		1.38	0.7	157	2.0	27.4	146	99.0	4.91	2.23	2.17	6.85	0.91	0.28	32.1
RDD307633		1.15	1.0	224	1.6	17.9	415	119.5	3.11	1.92	0.82	3.21	0.65	0.30	17.8
RDD307634															4.54
RDD307635		0.87	3.7	63	9.7	16.6	87	63.9	3.64	1.33	1.30	5.18	0.56	0.16	36.7
RDD307636		0.30	1.1	126	2.4	20.6	102	79.8	3.87	1.83	1.25	4.06	0.70	0.22	19.4
RDD307637		0.84	1.4	168	3.5	20.3	865	140.0	3.58	1.97	1.02	4.06	0.70	0.29	26.9
RDD307638		0.79	2.6	178	4.5	22.9	2680	127.5	4.40	2.58	1.20	4.67	0.89	0.35	28.3
RDD307639		1.06	4.3	168	2.9	21.6	128	141.0	3.98	2.31	1.33	4.74	0.78	0.37	34.7
RDD307640		1.44	3.6	157	2.2	22.7	101	135.5	4.33	2.42	1.34	5.19	0.83	0.36	35.0
RDD307641		0.75	1.8	147	3.4	28.0	164	146.0	5.31	2.61	2.11	6.29	0.98	0.38	37.2
RDD307642		0.71	1.0	162	1.7	19.0	345	79.6	3.28	1.80	0.90	3.51	0.64	0.25	20.9
RDD307643		1.16	3.5	92	2.0	26.8	65	161.0	4.62	2.67	1.34	5.29	0.93	0.44	42.6
RDD307644		0.70	2.1	95	3.3	15.3	7860	108.5	2.92	1.71	0.96	3.47	0.58	0.28	25.2



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 5 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD307605		5.72	0.67	0.35	2.34
RDD307606		6.30	0.75	0.38	2.51
RDD307607		3.84	0.53	0.27	1.70
RDD307608		3.65	0.49	0.23	1.48
RDD307609					
RDD307610		4.92	0.67	0.22	1.32
RDD307611		5.93	0.66	0.38	2.54
RDD307612		6.90	0.72	0.40	2.78
RDD307613		3.16	0.48	0.24	1.48
RDD307614		3.79	0.60	0.25	1.63
RDD307615		4.49	0.62	0.30	1.90
RDD307616		4.69	0.65	0.33	2.12
RDD307617		3.84	0.56	0.27	1.76
RDD307618		3.17	0.47	0.22	1.46
RDD307619		2.91	0.45	0.23	1.42
RDD307620		3.29	0.49	0.25	1.55
RDD307621		4.59	0.65	0.32	2.00
RDD307622		7.45	0.80	0.44	2.90
RDD307623		4.10	0.53	0.29	1.90
RDD307624		2.64	0.41	0.17	1.10
RDD307625		5.27	0.68	0.29	1.79
RDD307626		5.68	0.76	0.27	1.60
RDD307627		5.87	0.79	0.28	1.74
RDD307628		5.23	0.72	0.31	1.96
RDD307629		3.64	0.45	0.23	1.50
RDD307630		0.15	0.03	0.02	0.17
RDD307631		3.56	0.44	0.27	1.92
RDD307632		7.05	0.96	0.31	2.27
RDD307633		3.68	0.50	0.30	2.10
RDD307634					
RDD307635		7.08	0.71	0.18	1.10
RDD307636		4.43	0.66	0.26	1.68
RDD307637		5.34	0.62	0.30	2.03
RDD307638		5.70	0.73	0.38	2.55
RDD307639		6.65	0.65	0.37	2.56
RDD307640		6.89	0.76	0.37	2.58
RDD307641		7.80	0.95	0.39	2.68
RDD307642		4.27	0.56	0.26	1.77
RDD307643		7.68	0.78	0.44	3.05
RDD307644		4.99	0.49	0.26	1.88

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 9-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25248993

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

REEs may not be totally soluble in this method.
ME-MS61r

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-ICP21

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia
Au-ICP21

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-MS61r ME-XRF15b

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.
BAG-01 BAG-21
LOG-22 LOG-24
SPL-21 WEI-21

CRU-21

PUL-23

LEV-01

PUL-QC