



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 1

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE BU25248993

Project: EDGI_28A

P.O. No.: 271046

This report is for 165 samples of 1/2 Core submitted to our lab in Burnie, TAS, Australia on 18-AUG-2025.

The following have access to data associated with this certificate:

ESTHER LITTLE

MITCHELL PETERSEN

DECLAN RADFORD

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
SPL-21	Split sample – riffle splitter
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
CRU-21	Crush entire sample
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF15b	Various elements in ores by fusion XRF	XRF
ME-MS61r	4A multi-element ICP-MS + REE	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager

Australian Laboratory Services Pty. Ltd.

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
STANDARDS																
AMIS0020																
AMIS0020																
AMIS0020																
AMIS0020																
Target Range – Lower Bound																
Upper Bound																
AMIS0448																
Target Range – Lower Bound																
Upper Bound																
BEG-24																
BEG-24																
BEG-24																
Target Range – Lower Bound																
Upper Bound																
EMOG-17		4.70	11.85	0.18	1.9	0.896	1.61	23.1	25.7	0.92	722	1055	1.06	14.8	7410	770
EMOG-17		4.84	11.55	0.28	1.8	0.916	1.63	24.3	26.9	0.93	718	1060	1.09	13.7	7470	800
EMOG-17		4.99	11.80	0.22	1.7	0.876	1.69	24.4	27.3	0.96	750	1115	1.13	14.7	7660	830
Target Range – Lower Bound		4.42	10.75	<0.05	1.6	0.823	1.49	20.7	23.9	0.86	670	997	0.99	12.7	6820	700
Upper Bound		5.42	13.25	0.25	2.2	1.015	1.85	26.4	29.7	1.08	830	1220	1.23	15.7	8330	880
GBM321-8		5.63	21.5	0.14	3.5	0.075	2.17	53.2	10.8	1.84	822	67.2	2.19	10.5	2240	1000
GBM321-8		5.70	19.95	0.25	3.4	0.074	2.18	62.1	11.4	1.84	825	62.4	2.18	11.0	2250	1000
Target Range – Lower Bound		5.04	18.65	<0.05	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2020	880
Upper Bound		6.18	22.9	0.24	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480	1100
GPP-14																
GPP-14																
GPP-14																
Target Range – Lower Bound																
Upper Bound																
ISA-24																
Target Range – Lower Bound																
Upper Bound																
MRCA-21		3.48	20.9	0.14	1.7	0.113	2.88	51.2	60.0	0.72	8110	23.8	2.00	14.2	963	870
MRCA-21		3.38	20.0	0.21	1.8	0.117	2.87	55.6	60.5	0.70	8150	23.4	2.00	14.8	960	880
Target Range – Lower Bound		3.05	18.75	<0.05	1.5	0.103	2.58	49.0	54.7	0.65	7330	22.5	1.79	12.9	849	770
Upper Bound		3.75	23.0	0.23	2.1	0.137	3.18	61.0	67.3	0.82	8970	27.7	2.21	15.9	1040	970

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 2 - C
Total # Pages: 6 (A - E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02
STANDARDS															
AMIS0020															
AMIS0020															
AMIS0020															
AMIS0020															
Target Range - Lower Bound															
Upper Bound															
AMIS0448															
Target Range - Lower Bound															
Upper Bound															
BEG-24															
BEG-24															
BEG-24															
Target Range - Lower Bound															
Upper Bound															
EMOG-17		7090	112.0	0.293	3.08	751	7.7	6	2.5	196.5	0.94	1.24	10.30	0.308	2.8
EMOG-17		7520	110.5	0.310	3.25	716	7.9	6	2.3	198.0	0.79	1.12	10.60	0.312	3.0
EMOG-17		7700	104.5	0.296	3.38	795	7.2	6	2.4	206	0.85	1.26	10.60	0.325	2.9
Target Range - Lower Bound		6570	98.9	0.286	2.91	643	7.2	4	2.2	184.5	0.78	1.10	10.35	0.285	2.8
Upper Bound		8030	121.0	0.354	3.57	869	9.0	9	3.2	226	1.08	1.46	12.65	0.359	3.7
GBM321-8		2130	173.0	<0.002	0.31	1.69	18.0	<1	3.1	297	0.76	0.06	17.45	0.667	2.2
GBM321-8		2160	170.0	<0.002	0.31	1.58	17.1	<1	2.9	295	0.76	0.05	20.1	0.677	2.3
Target Range - Lower Bound		1845	153.0	<0.002	0.31	1.40	16.7	<1	2.7	258	0.64	<0.05	16.00	0.591	2.0
Upper Bound		2250	187.0	0.005	0.41	2.01	20.7	2	3.9	316	0.92	0.15	19.55	0.733	2.6
GPP-14															
GPP-14															
GPP-14															
Target Range - Lower Bound															
Upper Bound															
ISA-24															
Target Range - Lower Bound															
Upper Bound															
MRCA-21		921	164.5	0.010	0.44	26.7	8.6	1	4.6	172.0	0.98	0.15	14.55	0.361	4.1
MRCA-21		953	162.5	0.012	0.44	25.0	8.2	1	4.4	173.5	1.06	0.14	15.65	0.367	3.9
Target Range - Lower Bound		816	154.5	0.008	0.38	22.8	8.0	<1	4.3	156.5	0.98	<0.05	13.95	0.328	3.7
Upper Bound		998	189.5	0.018	0.49	31.0	10.0	3	5.7	191.5	1.30	0.23	17.05	0.412	4.8



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 2 – D
Total # Pages: 6 (A – E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03
STANDARDS															
AMIS0020															
AMIS0020															
AMIS0020															
AMIS0020															
Target Range – Lower Bound															
Upper Bound															
AMIS0448															
Target Range – Lower Bound															
Upper Bound															
BEG-24															
BEG-24															
BEG-24															
Target Range – Lower Bound															
Upper Bound															
EMOG-17		70	3.7	15.8	7350	63.1	3.05	1.58	0.88	3.23	0.58	0.23	19.4	5.37	3.64
EMOG-17		72	3.5	16.0	7390	64.3	2.65	1.48	0.83	2.99	0.54	0.20	20.4	5.51	3.43
EMOG-17		75	3.4	15.9	7610	63.8	2.73	1.47	0.78	2.87	0.55	0.21	19.4	5.31	3.60
Target Range – Lower Bound		67	3.3	14.3	6800	55.6	2.53	1.41	0.71	2.85	0.48	0.19	17.8	4.65	3.40
Upper Bound		84	4.7	17.7	8320	76.4	3.53	1.97	1.03	3.97	0.68	0.27	24.3	6.37	4.66
GBM321-8		141	3.1	37.0	1080	131.0	6.58	3.73	1.77	7.04	1.32	0.47	44.5	12.25	7.75
GBM321-8		144	3.0	37.7	1085	143.0	6.46	3.60	1.77	7.30	1.29	0.49	44.2	12.30	8.06
Target Range – Lower Bound		123	2.9	33.7	961	117.5	5.70	3.26	1.57	6.49	1.14	0.42	36.2	9.83	7.02
Upper Bound		153	4.1	41.4	1180	160.5	7.82	4.48	2.19	8.89	1.56	0.60	49.2	13.35	9.56
GPP-14															
GPP-14															
GPP-14															
Target Range – Lower Bound															
Upper Bound															
ISA-24															
Target Range – Lower Bound															
Upper Bound															
MRCA-21		64	10.2	17.1	816	53.7	3.81	1.42	1.46	5.72	0.61	0.16	39.7	11.05	7.14
MRCA-21		65	10.3	17.8	829	63.1	3.74	1.39	1.38	5.77	0.60	0.18	38.8	11.30	7.39
Target Range – Lower Bound		57	9.3	15.6	740	50.5	3.43	1.28	1.33	5.30	0.53	0.14	35.4	9.83	6.97
Upper Bound		71	12.9	19.2	908	69.5	4.75	1.81	1.87	7.28	0.74	0.21	48.2	13.35	9.49



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 2 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r
		Tm	Yb
		ppm	ppm
		0.01	0.03
STANDARDS			
AMIS0020			
AMIS0020			
AMIS0020			
AMIS0020			
Target Range – Lower Bound			
Upper Bound			
AMIS0448			
Target Range – Lower Bound			
Upper Bound			
BEG-24			
BEG-24			
BEG-24			
Target Range – Lower Bound			
Upper Bound			
EMOG-17		0.22	1.52
EMOG-17		0.21	1.40
EMOG-17		0.22	1.50
Target Range – Lower Bound		0.19	1.30
Upper Bound		0.29	1.82
GBM321-8		0.50	3.10
GBM321-8		0.52	3.21
Target Range – Lower Bound		0.46	2.83
Upper Bound		0.64	3.91
GPP-14			
GPP-14			
GPP-14			
Target Range – Lower Bound			
Upper Bound			
ISA-24			
Target Range – Lower Bound			
Upper Bound			
MRCA-21		0.18	1.08
MRCA-21		0.18	1.12
Target Range – Lower Bound		0.15	1.02
Upper Bound		0.23	1.45



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Sn	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
		0.2													
STANDARDS															
NCSDC35012			4.00												
NCSDC35012			3.97												
NCSDC35012			3.95												
NCSDC35012			4.06												
Target Range - Lower Bound			3.78												
Upper Bound			4.18												
OREAS 130				6.27	5.55	206	90	2.66	2.87	1.85	27.3	54.2	24.7	42	5.94
OREAS 130				6.11	5.56	204	620	2.69	2.80	1.86	26.9	53.9	26.4	38	6.04
Target Range - Lower Bound				5.90		185.0	<10		2.79	1.65	26.6	52.2	25.6		5.76
Upper Bound				7.24		227	20		3.43	2.03	32.6	63.8	31.6		7.16
OREAS 243				3.00	6.53	86.1	260	0.45	0.08	5.77	0.77	15.35	39.2	85	1.28
OREAS 243				2.85	6.27	82.5	250	0.51	0.08	5.53	0.91	15.50	38.8	81	1.26
OREAS 243				2.82	6.47	86.1	260	0.55	0.07	5.66	0.73	14.80	39.4	84	1.23
Target Range - Lower Bound				2.73	5.73	76.3	200	0.36	0.05	5.02	0.69	13.40	35.3	76	1.09
Upper Bound				3.35	7.03	93.7	300	0.60	0.10	6.16	0.89	16.40	43.3	95	1.45
BLANKS															
BLANK		<0.001													
BLANK		<0.001													
BLANK		<0.001													
BLANK		<0.001													
Target Range - Lower Bound		<0.001													
Upper Bound		0.002													
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	<0.2
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	0.02	<0.1	<1	<0.05	<0.2
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
BLANK			<0.01	0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
BLANK			<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	0.01	<0.1	<1	<0.05	<0.2
Target Range - Lower Bound			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
Upper Bound			0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4
BLANK		<0.005													
BLANK		<0.005													
BLANK		<0.005													
BLANK		<0.005													
Target Range - Lower Bound		<0.005													
Upper Bound		0.010													



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
STANDARDS																
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
Target Range – Lower Bound																
Upper Bound																
OREAS 130		7.29	12.50	0.15	3.1	0.191	4.87	23.8	50.0	1.08	1850	7.80	0.20	6.2	33.7	880
OREAS 130		7.28	12.75	0.95	3.1	0.205	4.90	23.9	50.2	1.06	1810	7.89	0.19	6.6	34.4	860
Target Range – Lower Bound			12.55	<0.05	2.9	0.184		23.7				7.74		6.0	32.1	
Upper Bound			15.45	0.27	3.7	0.236		30.1				9.57		7.6	39.7	
OREAS 243		7.85	15.30	0.11	1.8	0.085	0.66	6.5	14.2	3.26	1285	1.84	2.09	3.6	64.8	460
OREAS 243		7.45	14.40	0.43	1.6	0.106	0.62	6.8	13.0	3.11	1220	1.72	1.97	3.5	64.6	450
OREAS 243		7.70	15.10	0.19	1.6	0.075	0.63	6.5	13.3	3.21	1260	1.70	2.04	3.6	67.6	460
Target Range – Lower Bound		6.79	13.80	<0.05	1.6	0.066	0.57	5.0	11.8	2.86	1130	1.69	1.83	3.2	58.3	390
Upper Bound		8.32	17.00	0.21	2.1	0.094	0.72	7.7	14.8	3.52	1390	2.17	2.25	4.2	71.7	490
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	<10
BLANK		<0.01	0.05	0.06	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
BLANK		<0.01	0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	0.2	<10
Target Range – Lower Bound		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
Upper Bound		0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
STANDARDS																
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
Target Range – Lower Bound																
Upper Bound																
OREAS 130		1315	219	0.008	5.96	5.46	7.9	2	1.3	152.5	0.43	0.19	9.57	0.186	32.6	9.4
OREAS 130		1370	224	0.009	6.05	5.29	8.2	2	1.2	149.5	0.48	0.16	9.16	0.187	30.7	9.5
Target Range – Lower Bound		1170	212	0.005		4.89	7.7	<1	0.9	142.0	0.35	0.09	9.08	0.154	30.1	8.9
Upper Bound		1430	260	0.013		6.73	9.6	4	1.9	174.0	0.59	0.31	11.10	0.200	40.7	11.1
OREAS 243		34.6	18.0	0.003	0.54	2.25	37.0	1	1.2	98.6	0.25	0.15	1.22	0.612	0.33	0.4
OREAS 243		37.1	18.6	0.004	0.53	2.10	36.3	1	1.1	97.4	0.23	0.12	1.38	0.585	0.32	0.4
OREAS 243		34.2	17.5	0.003	0.55	2.10	34.6	1	1.1	100.5	0.23	0.14	1.30	0.602	0.28	0.4
Target Range – Lower Bound		34.0	16.0	<0.002	0.46	1.85	32.2	<1	0.8	88.0	0.15	<0.05	1.19	0.535	0.25	0.2
Upper Bound		42.6	19.8	0.007	0.59	2.63	39.6	2	1.7	108.0	0.37	0.24	1.48	0.665	0.39	0.6
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
Target Range – Lower Bound		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
Upper Bound		1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
STANDARDS																
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
Target Range - Lower Bound																
Upper Bound																
OREAS 130		80	2.7	18.2	>10000	110.0	3.13	1.79	0.76	3.76	0.62	0.25	24.4	6.85	4.43	0.52
OREAS 130		76	2.4	19.6	>10000	122.5	3.17	1.82	0.76	3.82	0.64	0.27	24.9	6.92	4.65	0.56
Target Range - Lower Bound			2.3	17.5		99.8	3.04	1.79		3.72	0.62		23.4		4.30	
Upper Bound			3.3	21.7		136.0	4.22	2.49		5.16	0.86		31.8		5.88	
OREAS 243		262	37.0	20.1	171	65.3	3.82	2.22	0.92	3.33	0.78	0.33	9.2	2.07	2.54	0.54
OREAS 243		250	32.9	20.4	178	57.2	3.21	1.96	0.86	3.01	0.69	0.28	9.0	2.03	2.29	0.48
OREAS 243		254	32.5	19.6	168	56.5	3.33	1.96	0.80	2.88	0.68	0.28	8.9	1.97	2.47	0.50
Target Range - Lower Bound		231	31.9	18.2	142	51.4	3.17	1.93	0.76	2.78	0.67	0.27	7.7	1.72	2.16	0.45
Upper Bound		285	43.5	22.4	178	70.7	4.41	2.68	1.10	3.88	0.93	0.39	10.7	2.40	3.00	0.63
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<1	0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	0.01	<0.01	<0.1	<0.03	<0.03	0.01
Target Range - Lower Bound		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
Upper Bound		2	0.2	0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 3 - E

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r
		Tm	Yb
		ppm	ppm
		0.01	0.03
STANDARDS			
NCSDC35012			
NCSDC35012			
NCSDC35012			
NCSDC35012			
Target Range – Lower Bound			
Upper Bound			
OREAS 130		0.24	1.63
OREAS 130		0.27	1.70
Target Range – Lower Bound			
Upper Bound			
OREAS 243		0.32	2.17
OREAS 243		0.28	1.94
OREAS 243		0.29	1.93
Target Range – Lower Bound		0.28	1.84
Upper Bound		0.40	2.56
BLANKS			
BLANK			
BLANK			
BLANK			
BLANK			
Target Range – Lower Bound			
Upper Bound			
BLANK		<0.01	<0.03
BLANK		<0.01	<0.03
BLANK		<0.01	<0.03
BLANK		<0.01	<0.03
BLANK		<0.01	<0.03
Target Range – Lower Bound		<0.01	<0.03
Upper Bound		0.02	0.06
BLANK			
BLANK			
BLANK			
BLANK			
Target Range – Lower Bound			
Upper Bound			



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 4 – A
Total # Pages: 6 (A – E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
DUPLICATES																
ORIGINAL		<0.001														
DUP		0.001														
Target Range – Lower Bound		<0.001														
Upper Bound		0.002														
RDD307486		0.007														
DUP		0.007														
Target Range – Lower Bound		0.006														
Upper Bound		0.008														
RDD307494			0.010	1.24	7.48	21.8	470	3.09	0.48	0.25	0.20	114.0	17.2	56	12.70	26.6
DUP			0.011	1.25	7.58	21.9	480	3.10	0.45	0.25	0.19	112.5	17.0	56	13.05	25.0
Target Range – Lower Bound			<0.005	1.17	7.14	20.6	430	2.89	0.43	0.23	0.17	107.5	16.1	52	12.20	24.7
Upper Bound			0.016	1.32	7.92	23.1	520	3.30	0.50	0.27	0.22	119.0	18.1	60	13.55	26.9
RDD307506		0.005														
DUP		0.005														
Target Range – Lower Bound		0.004														
Upper Bound		0.006														
RDD307515			0.009													
DUP			0.007													
Target Range – Lower Bound			<0.005													
Upper Bound			0.010													
RDD307531				0.12	2.82	2.9	80	1.11	0.06	1.59	1.16	53.1	2.1	21	2.59	4.4
DUP				0.12	2.77	3.1	80	1.10	0.07	1.60	1.18	54.1	2.3	20	2.77	4.8
Target Range – Lower Bound				0.10	2.65	2.7	60	1.00	0.05	1.51	1.09	50.9	2.0	18	2.50	4.2
Upper Bound				0.14	2.94	3.4	100	1.21	0.08	1.68	1.25	56.3	2.4	23	2.86	5.0
RDD307539			0.007													
DUP			<0.005													
Target Range – Lower Bound			<0.005													
Upper Bound			0.010													
RDD307556		0.001														
DUP		0.003														
Target Range – Lower Bound		<0.001														
Upper Bound		0.003														



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 4 – B

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD307486 DUP Target Range – Lower Bound Upper Bound																
RDD307494 DUP Target Range – Lower Bound Upper Bound		6.72	22.0	0.16	5.3	1.690	3.73	52.7	16.7	1.27	7030	1.55	0.04	29.4	26.4	620
		6.68	21.1	0.20	5.1	1.705	3.80	51.7	17.1	1.28	7030	1.60	0.04	25.5	26.0	620
		6.36	20.4	0.12	4.8	1.610	3.57	49.1	15.9	1.20	6670	1.45	0.03	26.0	24.7	580
		7.05	22.7	0.24	5.6	1.785	3.96	55.3	17.9	1.35	7390	1.70	0.05	28.9	27.7	660
RDD307506 DUP Target Range – Lower Bound Upper Bound																
RDD307515 DUP Target Range – Lower Bound Upper Bound																
RDD307531 DUP Target Range – Lower Bound Upper Bound		4.08	7.26	0.08	2.3	0.261	1.00	25.4	24.8	0.82	11150	0.72	0.02	10.7	7.0	150
		4.13	7.60	0.10	2.2	0.274	1.04	26.3	25.0	0.83	11250	0.73	0.02	11.1	7.0	140
		3.89	7.01	<0.05	2.0	0.249	0.96	24.1	23.5	0.77	10650	0.64	<0.01	10.3	6.5	130
		4.32	7.85	0.10	2.5	0.286	1.08	27.6	26.3	0.88	11750	0.81	0.03	11.5	7.6	160
RDD307539 DUP Target Range – Lower Bound Upper Bound																
RDD307556 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 4 – C
Total # Pages: 6 (A – E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD307486 DUP Target Range – Lower Bound Upper Bound																
RDD307494 DUP Target Range – Lower Bound Upper Bound		73.7 71.6 68.5 76.8	195.5 200 188.0 208	0.005 0.004 <0.002 0.007	1.02 1.02 0.96 1.08	11.45 11.10 10.40 12.15	14.6 14.4 13.7 15.3	1 1 <1 2	47.4 46.1 44.2 49.3	14.1 14.2 13.2 15.1	1.86 1.62 1.60 1.88	0.07 0.07 <0.05 0.10	14.40 14.10 13.55 14.95	0.299 0.268 0.264 0.303	0.88 0.91 0.81 0.98	3.1 3.0 2.8 3.3
RDD307506 DUP Target Range – Lower Bound Upper Bound																
RDD307515 DUP Target Range – Lower Bound Upper Bound																
RDD307531 DUP Target Range – Lower Bound Upper Bound		35.3 37.0 33.8 38.5	77.6 81.3 75.4 83.5	<0.002 <0.002 <0.002 0.004	0.10 0.10 0.09 0.12	1.29 1.35 1.17 1.47	3.7 3.9 3.5 4.1	<1 <1 <1 2	22.4 23.2 21.5 24.1	12.9 12.8 12.0 13.7	0.66 0.64 0.57 0.73	<0.05 <0.05 <0.05 0.10	6.67 6.86 6.42 7.11	0.144 0.144 0.132 0.156	0.56 0.58 0.51 0.63	2.6 2.6 2.4 2.8
RDD307539 DUP Target Range – Lower Bound Upper Bound																
RDD307556 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_28A

Page: 4 – D
Total # Pages: 6 (A – E)
Plus Appendix Pages
Finalized Date: 9-SEP-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD307486 DUP Target Range – Lower Bound Upper Bound																
RDD307494 DUP Target Range – Lower Bound Upper Bound		86 80 78 88	3.4 3.2 3.0 3.6	30.4 30.1 28.6 31.9	87 89 82 94	207 197.5 191.5 213	6.00 5.91 5.46 6.45	3.37 3.18 3.00 3.55	3.10 3.14 2.86 3.38	6.99 6.71 6.29 7.41	1.14 1.12 1.04 1.22	0.54 0.53 0.48 0.59	47.4 45.3 42.8 49.9	13.15 13.05 12.10 14.10	8.69 8.43 7.89 9.23	0.95 0.93 0.86 1.02
RDD307506 DUP Target Range – Lower Bound Upper Bound																
RDD307515 DUP Target Range – Lower Bound Upper Bound																
RDD307531 DUP Target Range – Lower Bound Upper Bound		29 30 27 32	2.0 2.0 1.8 2.3	12.5 12.8 11.9 13.4	392 383 366 409	80.4 81.3 76.3 85.4	2.26 2.28 2.05 2.49	1.32 1.32 1.19 1.45	0.85 0.86 0.76 0.95	2.98 2.87 2.66 3.19	0.45 0.45 0.41 0.49	0.20 0.20 0.18 0.23	21.2 21.5 19.6 23.1	6.02 6.22 5.63 6.61	3.94 3.91 3.60 4.25	0.40 0.39 0.36 0.43
RDD307539 DUP Target Range – Lower Bound Upper Bound																
RDD307556 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 4 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r
		Tm	Yb
		ppm	ppm
		0.01	0.03
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES	
RDD307486 DUP Target Range – Lower Bound Upper Bound			
RDD307494 DUP Target Range – Lower Bound Upper Bound		0.52 0.50 0.46 0.56	3.61 3.40 3.21 3.80
RDD307506 DUP Target Range – Lower Bound Upper Bound			
RDD307515 DUP Target Range – Lower Bound Upper Bound			
RDD307531 DUP Target Range – Lower Bound Upper Bound		0.19 0.20 0.17 0.22	1.26 1.28 1.14 1.40
RDD307539 DUP Target Range – Lower Bound Upper Bound			
RDD307556 DUP Target Range – Lower Bound Upper Bound			



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 5 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Sn	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs
		ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05
RDD307559		2.68													
DUP		2.67													
Target Range - Lower Bound		2.60													
Upper Bound		2.75													
RDD307568		0.79													
DUP		0.80													
Target Range - Lower Bound		0.75													
Upper Bound		0.84													
RDD307583		0.008													
DUP		0.008													
Target Range - Lower Bound		<0.005													
Upper Bound		0.010													
RDD307588		0.002													
DUP		0.002													
Target Range - Lower Bound		<0.001													
Upper Bound		0.003													
RDD307604		0.006													
DUP		<0.005													
Target Range - Lower Bound		<0.005													
Upper Bound		0.010													
RDD307605		0.85													
DUP		0.28													
Target Range - Lower Bound		0.53													
Upper Bound		0.60													
RDD307617		0.001													
DUP		0.001													
Target Range - Lower Bound		<0.001													
Upper Bound		0.002													
RDD307628		<0.005													
DUP		<0.005													
Target Range - Lower Bound		<0.005													
Upper Bound		0.010													



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 5 – B

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	
RDD307559 DUP Target Range – Lower Bound Upper Bound		DUPLICATES															
RDD307568 DUP Target Range – Lower Bound Upper Bound		7.31 7.40 6.98 7.73	19.55 20.1 18.80 20.9	0.32 0.45 0.31 0.46	3.9 4.1 3.7 4.3	0.128 0.124 0.115 0.137	3.15 3.17 2.99 3.33	50.4 49.4 46.9 52.9	23.2 23.8 22.1 24.9	0.99 1.01 0.94 1.06	442 451 419 474	1.88 2.06 1.82 2.12	0.06 0.07 0.05 0.08	17.2 18.4 16.8 18.8	43.9 45.1 42.1 46.9	7130 7370 6880 7620	
RDD307583 DUP Target Range – Lower Bound Upper Bound																	
RDD307588 DUP Target Range – Lower Bound Upper Bound																	
RDD307604 DUP Target Range – Lower Bound Upper Bound																	
RDD307605 DUP Target Range – Lower Bound Upper Bound		3.91 3.89 3.70 4.11	17.10 17.80 16.55 18.35	0.42 0.29 0.28 0.43	3.2 3.3 3.0 3.5	0.091 0.092 0.082 0.101	3.28 3.30 3.12 3.46	39.8 37.2 36.1 40.9	19.2 18.9 17.9 20.2	2.27 2.24 2.13 2.38	1835 1855 1750 1940	4.59 4.65 4.34 4.90	0.04 0.04 0.03 0.05	11.4 11.6 10.8 12.2	39.3 40.4 37.7 42.0	580 560 530 610	
RDD307617 DUP Target Range – Lower Bound Upper Bound																	
RDD307628 DUP Target Range – Lower Bound Upper Bound																	



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 5 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
RDD307559 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD307568 DUP Target Range – Lower Bound Upper Bound		48.3 51.8 47.0 53.1	179.5 183.0 172.0 190.5	0.002 <0.002 <0.002 0.004	3.44 3.48 3.28 3.64	9.23 9.81 8.76 10.30	15.8 15.8 14.9 16.7	1 1 <1 2	2.9 3.0 2.6 3.3	78.8 81.1 75.8 84.1	1.08 1.15 1.01 1.22	<0.05 <0.05 <0.05 0.10	14.75 15.85 14.55 16.10	0.416 0.415 0.390 0.441	1.06 1.12 0.99 1.19	3.8 3.9 3.6 4.1
RDD307583 DUP Target Range – Lower Bound Upper Bound																
RDD307588 DUP Target Range – Lower Bound Upper Bound																
RDD307604 DUP Target Range – Lower Bound Upper Bound																
RDD307605 DUP Target Range – Lower Bound Upper Bound		30.8 31.6 29.1 33.3	202 204 193.0 213	0.008 0.009 0.006 0.011	2.05 2.10 1.96 2.19	4.28 4.39 3.96 4.71	12.6 13.5 12.3 13.8	1 2 <1 2	3.4 3.7 3.2 3.9	72.1 71.9 68.2 75.8	0.80 0.82 0.72 0.90	0.06 0.07 <0.05 0.10	11.25 11.15 10.65 11.75	0.308 0.313 0.290 0.331	1.22 1.24 1.12 1.34	3.5 3.5 3.2 3.8
RDD307617 DUP Target Range – Lower Bound Upper Bound																
RDD307628 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 5 – D

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01
RDD307559 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD307568 DUP Target Range – Lower Bound Upper Bound		94 94 88 100	2.4 2.6 2.2 2.8	32.2 32.6 30.7 34.1	97 106 94 109	155.5 160.5 149.5 166.5	5.35 5.37 4.91 5.81	2.93 3.06 2.74 3.25	1.62 1.65 1.48 1.79	6.35 6.35 5.82 6.88	1.02 1.10 0.97 1.15	0.42 0.46 0.40 0.48	40.2 40.6 37.3 43.5	11.65 11.65 10.75 12.55	6.82 6.98 6.35 7.45	0.90 0.92 0.83 0.99
RDD307583 DUP Target Range – Lower Bound Upper Bound																
RDD307588 DUP Target Range – Lower Bound Upper Bound																
RDD307604 DUP Target Range – Lower Bound Upper Bound																
RDD307605 DUP Target Range – Lower Bound Upper Bound		129 131 123 138	1.8 1.8 1.6 2.0	23.1 22.8 21.7 24.2	41 40 36 45	126.5 126.5 119.5 133.5	3.88 3.90 3.55 4.23	2.29 2.26 2.07 2.48	1.08 1.07 0.96 1.19	4.51 4.57 4.15 4.93	0.77 0.78 0.71 0.84	0.36 0.37 0.33 0.40	29.7 27.9 26.5 31.1	8.58 8.02 7.65 8.95	5.72 5.57 5.19 6.10	0.67 0.69 0.62 0.74
RDD307617 DUP Target Range – Lower Bound Upper Bound																
RDD307628 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 5 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03
RDD307559 DUP Target Range – Lower Bound Upper Bound		DUPLICATES	
RDD307568 DUP Target Range – Lower Bound Upper Bound		0.42 0.44 0.39 0.47	2.91 3.01 2.71 3.21
RDD307583 DUP Target Range – Lower Bound Upper Bound			
RDD307588 DUP Target Range – Lower Bound Upper Bound			
RDD307604 DUP Target Range – Lower Bound Upper Bound			
RDD307605 DUP Target Range – Lower Bound Upper Bound		0.35 0.35 0.31 0.39	2.34 2.30 2.12 2.52
RDD307617 DUP Target Range – Lower Bound Upper Bound			
RDD307628 DUP Target Range – Lower Bound Upper Bound			



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 6 – A

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Sn	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
DUPLICATES																
RDD307638		<0.001														
DUP		<0.001														
Target Range – Lower Bound		<0.001														
Upper Bound		0.002														
RDD307642				0.41	6.61	26.1	550	1.57	0.42	3.09	0.74	51.6	33.9	239	6.85	61.5
DUP				0.39	6.64	26.7	550	1.60	0.43	3.17	0.72	52.0	34.1	245	6.71	60.6
Target Range – Lower Bound				0.37	6.28	24.9	500	1.46	0.39	2.96	0.67	49.2	32.2	229	6.39	58.7
Upper Bound				0.43	6.97	27.9	600	1.71	0.46	3.30	0.79	54.4	35.8	255	7.17	63.4
RDD307649			<0.005													
DUP			0.005													
Target Range – Lower Bound			<0.005													
Upper Bound			0.010													
ORIGINAL		0.130														
DUP		0.128														
Target Range – Lower Bound		0.122														
Upper Bound		0.136														
ORIGINAL		0.002														
DUP		0.001														
Target Range – Lower Bound		<0.001														
Upper Bound		0.002														
ORIGINAL		0.092														
DUP		0.091														
Target Range – Lower Bound		0.086														
Upper Bound		0.097														
ORIGINAL		0.001														
DUP		<0.001														
Target Range – Lower Bound		<0.001														
Upper Bound		0.002														



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 6 – B

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
RDD307638 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD307642 DUP Target Range – Lower Bound Upper Bound		7.32 7.32 6.94 7.70	17.10 16.45 15.90 17.65	0.39 0.48 0.35 0.52	1.9 1.9 1.7 2.1	0.241 0.234 0.221 0.254	1.13 1.13 1.06 1.20	23.3 23.4 21.7 25.0	57.5 59.0 55.1 61.4	3.73 3.79 3.56 3.96	3100 3120 2950 3270	0.38 0.33 0.29 0.42	0.57 0.58 0.54 0.61	12.2 12.2 11.5 12.9	131.0 130.0 124.0 137.0	490 500 460 530
RDD307649 DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 6 – C

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
RDD307638 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD307642 DUP Target Range – Lower Bound Upper Bound		78.5 76.3 73.0 81.8	87.5 87.5 83.0 92.0	<0.002 <0.002 <0.002 0.004	0.12 0.12 0.10 0.14	1.48 1.52 1.34 1.66	28.1 27.0 26.1 29.0	1 <1 <1 2	4.3 4.2 3.8 4.7	100.0 101.0 95.3 105.5	0.76 0.73 0.66 0.83	0.28 0.31 0.23 0.36	7.43 7.42 7.04 7.81	0.539 0.535 0.505 0.569	0.71 0.71 0.64 0.78	1.0 1.0 0.9 1.2
RDD307649 DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 6 – D

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01
RDD307638 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD307642 DUP Target Range – Lower Bound Upper Bound		162 163 153 172	1.7 1.6 1.4 1.9	19.0 18.4 17.7 19.7	345 347 327 365	79.6 77.5 74.1 83.0	3.28 3.25 2.97 3.56	1.80 1.76 1.62 1.94	0.90 0.92 0.81 1.01	3.51 3.47 3.18 3.80	0.64 0.64 0.58 0.70	0.25 0.24 0.22 0.27	20.9 21.0 19.3 22.6	5.55 5.58 5.12 6.01	4.27 4.26 3.92 4.61	0.56 0.54 0.50 0.60
RDD307649 DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: 6 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r
		Tm	Yb
		ppm	ppm
		0.01	0.03
RDD307638 DUP Target Range – Lower Bound Upper Bound		DUPLICATES	
RDD307642 DUP Target Range – Lower Bound Upper Bound		0.26 0.26 0.23 0.29	1.77 1.72 1.58 1.91
RDD307649 DUP Target Range – Lower Bound Upper Bound			
ORIGINAL DUP Target Range – Lower Bound Upper Bound			
ORIGINAL DUP Target Range – Lower Bound Upper Bound			
ORIGINAL DUP Target Range – Lower Bound Upper Bound			
ORIGINAL DUP Target Range – Lower Bound Upper Bound			



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_28A

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 9-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25248993

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

REEs may not be totally soluble in this method.
ME-MS61r

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-ICP21

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia
Au-ICP21

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-MS61r ME-XRF15b

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.
BAG-01 BAG-21
LOG-22 LOG-24
SPL-21 WEI-21

CRU-21

PUL-23

LEV-01

PUL-QC