



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 1

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE BU25257586

Project: EDGI\_29\_P1

P.O. No.: 271046

This report is for 188 samples of 1/2 Core submitted to our lab in Burnie, TAS, Australia on 26-AUG-2025.

The following have access to data associated with this certificate:

ESTHER LITTLE

MITCHELL PETERSEN

DECLAN RADFORD

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
SPL-21	Split sample – riffle splitter
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
CRU-21	Crush entire sample
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF15b	Various elements in ores by fusion XRF	XRF
ME-MS61r	4A multi-element ICP-MS + REE	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 2 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD307916		2.53	99.1	0.003	0.005	0.91	6.76	14.0	300	1.62	0.40	0.10	0.67	89.9	9.5	58
RDD307917		2.70	96.2	0.002	0.006	0.12	9.31	7.5	380	2.06	0.33	0.43	0.26	89.9	28.9	109
RDD307918		3.60	98.2	0.003	0.007	0.52	9.31	8.6	530	3.74	0.29	0.20	0.24	70.9	30.0	133
RDD307919		1.05		0.014	0.006	41.2	7.50	13.3	360	2.78	6.96	0.17	13.40	38.9	26.7	102
RDD307920		2.06		0.001	<0.005	0.01	0.03	0.6	10	<0.05	0.02	0.01	<0.02	1.21	0.2	3
RDD307921		4.12		0.002	0.007	0.37	9.29	24.3	530	3.41	0.34	0.23	0.08	72.4	32.0	123
RDD307922		4.24		0.002	0.006	0.08	9.01	37.2	470	3.28	0.33	0.40	0.04	72.6	34.0	123
RDD307923		3.70		0.002	<0.005	0.09	7.94	4.2	550	2.70	0.22	0.25	<0.02	78.0	32.6	180
RDD307924		2.42		0.008	<0.005	0.99	7.32	23.0	550	2.77	0.90	1.33	0.35	116.5	47.0	150
RDD307925		3.07		0.002	<0.005	0.29	5.71	2.1	80	1.25	0.08	3.60	0.61	41.5	32.4	79
RDD307926		3.06		0.004	0.006	0.72	6.80	18.4	380	2.34	0.67	0.45	1.52	71.5	12.0	62
RDD307927		0.88		0.002	<0.005	0.59	0.50	12.8	10	0.26	0.25	7.25	2.28	10.70	4.9	18
RDD307928		3.17		0.005	0.006	1.82	6.16	22.1	350	2.74	1.54	0.56	18.75	81.4	13.7	54
RDD307929		3.25		0.004	0.010	0.94	7.73	24.1	490	3.52	2.06	0.17	1.92	109.5	10.7	66
RDD307930		3.88		0.001	<0.005	0.19	0.27	7.4	10	0.33	0.10	19.60	0.82	7.55	1.3	4
RDD307931		3.76		0.001	<0.005	0.09	0.39	5.7	10	0.51	0.12	20.9	0.22	8.28	1.1	4
RDD307932		4.45		0.001	<0.005	0.04	0.26	2.8	10	0.41	0.04	20.1	0.10	8.75	1.0	2
RDD307933		3.63		0.002	<0.005	0.07	0.35	0.6	10	0.49	0.07	20.3	0.21	8.18	0.9	3
RDD307934		4.16		0.003	<0.005	0.51	0.49	59.2	10	0.53	0.48	19.20	3.42	8.39	2.9	4
RDD307935		4.12		0.002	<0.005	0.18	1.49	2.2	50	0.68	0.26	16.55	0.28	24.1	2.3	11
RDD307936		3.70		0.003	0.007	0.12	7.14	9.8	380	2.72	0.25	0.99	0.04	110.5	5.3	82
RDD307937		3.78		0.001	<0.005	0.03	4.88	4.9	250	1.72	0.21	9.35	0.06	67.3	5.6	29
RDD307938		3.91		0.002	<0.005	0.05	3.54	6.8	180	1.27	0.15	12.40	0.41	51.1	6.9	21
RDD307939		3.72		0.002	<0.005	0.03	3.36	0.7	160	1.12	0.12	13.35	0.11	47.8	3.4	19
RDD307940		<0.02			1.135											
RDD307941		0.06		0.002		0.01	7.84	1.2	550	2.05	0.02	5.76	0.12	56.1	41.7	153
RDD307942		3.78		0.003	<0.005	0.04	7.37	7.7	360	2.95	0.34	1.75	<0.02	100.5	8.5	52
RDD307943		3.50		0.003	0.005	0.03	6.85	18.2	320	2.43	0.41	3.11	0.02	86.6	16.1	55
RDD307944		3.75		0.002	<0.005	0.03	4.79	2.0	240	1.52	0.22	8.34	0.04	58.6	5.1	25
RDD307945		3.36		0.001	<0.005	0.03	4.19	2.4	210	1.39	0.18	9.93	0.06	51.5	6.1	24
RDD307946		4.21		0.001	<0.005	0.03	3.77	1.8	180	1.33	0.17	11.60	0.07	44.0	6.1	21
RDD307947		3.82		0.002	<0.005	0.03	2.02	1.0	100	0.68	0.10	26.3	0.12	23.9	3.9	12
RDD307948		3.45		<0.001	<0.005	0.01	4.14	0.2	200	1.28	0.15	14.70	0.09	46.8	3.3	21
RDD307949		3.70		0.002	<0.005	0.04	3.35	5.4	150	1.05	0.17	20.1	0.08	40.2	6.6	18
RDD307950		4.13		0.006	<0.005	0.06	3.62	11.0	160	1.16	0.20	21.6	0.04	40.1	7.4	21
RDD307951		4.04		0.002	<0.005	0.04	2.92	10.4	130	0.96	0.14	25.4	0.05	33.8	4.7	18
RDD307952		4.34		0.001	<0.005	0.05	2.82	11.1	80	0.56	0.15	21.4	4.21	27.5	5.9	16
RDD307953		2.05		0.003	0.006	0.04	7.21	13.8	280	2.66	0.35	4.31	0.84	88.5	9.3	42
RDD307954		3.78		0.002	<0.005	0.05	3.94	6.5	140	1.34	0.20	11.65	1.35	46.8	5.0	22
RDD307955		3.87		0.001	<0.005	0.04	0.83	0.9	30	0.53	0.08	19.00	0.13	12.75	1.5	6



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 2 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD307916		9.54	19.8	4.71	17.55	0.17	4.8	0.246	2.85	43.1	24.6	0.93	810	1.60	0.03	16.4
RDD307917		14.40	24.6	6.76	23.0	0.37	3.5	0.082	3.24	39.8	47.6	2.31	531	0.38	0.03	20.8
RDD307918		20.0	45.7	7.03	24.2	0.30	3.1	0.096	3.62	32.3	40.8	1.75	969	0.28	0.03	21.9
RDD307919		9.96	104.0	8.95	20.9	0.40	3.0	0.463	2.28	14.5	66.2	2.26	1900	0.31	0.02	17.4
RDD307920		0.06	2.1	0.38	0.15	<0.05	0.4	<0.005	0.01	0.6	0.2	<0.01	41	0.34	0.01	1.0
RDD307921		19.60	71.0	7.69	23.7	0.42	3.5	0.092	3.24	32.8	53.4	2.41	1865	0.20	0.03	19.6
RDD307922		20.9	69.2	7.96	22.4	0.34	3.5	0.095	3.02	33.1	58.4	2.52	1145	0.48	0.03	20.0
RDD307923		16.00	57.6	8.94	21.5	0.39	3.4	0.079	2.30	35.4	40.3	2.77	1090	0.42	0.02	24.2
RDD307924		11.95	93.6	8.87	22.6	0.41	4.3	0.153	2.17	49.5	46.4	2.37	1910	7.37	0.02	22.8
RDD307925		2.46	51.5	12.35	17.20	0.42	1.5	0.096	0.27	18.6	77.2	3.90	6170	0.28	0.01	10.4
RDD307926		10.10	48.5	6.29	16.65	0.29	3.4	0.762	2.38	33.8	35.7	1.71	1630	2.62	0.03	12.8
RDD307927		0.50	85.2	6.27	1.87	0.06	0.3	0.851	0.05	3.7	8.0	2.32	9140	0.65	0.01	2.5
RDD307928		11.50	59.6	4.52	16.20	0.13	4.1	2.48	2.63	38.5	24.0	1.03	1690	1.55	0.03	16.6
RDD307929		16.10	21.9	3.02	21.2	0.17	5.8	0.614	3.76	53.8	18.0	0.90	443	1.40	0.05	22.6
RDD307930		0.30	12.8	3.91	0.84	0.05	0.2	0.805	0.02	3.2	4.3	9.90	8560	0.07	0.01	0.6
RDD307931		0.23	5.5	3.84	1.14	<0.05	0.3	0.632	0.02	3.5	5.3	10.65	9310	0.07	0.01	1.1
RDD307932		0.31	3.0	3.66	0.92	<0.05	0.2	0.838	0.02	3.9	4.7	9.93	15000	0.05	0.01	1.3
RDD307933		0.22	3.7	2.85	1.03	<0.05	0.3	0.379	0.01	3.8	4.1	10.85	6900	0.08	0.01	0.8
RDD307934		0.19	37.5	4.03	1.46	<0.05	0.4	1.225	0.01	3.7	6.4	9.91	10300	1.08	0.01	1.0
RDD307935		1.20	12.8	3.48	3.83	0.06	1.1	0.594	0.39	12.1	12.8	9.21	4290	8.39	0.01	3.1
RDD307936		16.70	32.5	1.60	17.65	0.18	4.2	0.084	3.80	53.8	13.8	0.90	298	0.28	0.04	13.3
RDD307937		7.77	16.4	2.24	11.45	0.12	2.7	0.051	2.61	32.8	10.1	5.02	730	0.16	0.03	7.4
RDD307938		4.35	18.0	2.46	8.42	0.10	1.9	0.036	1.91	25.1	7.0	6.48	906	0.23	0.02	5.2
RDD307939		3.71	7.5	2.73	7.69	0.09	1.8	0.033	1.80	23.1	5.9	6.78	1135	0.13	0.02	4.8
RDD307940																
RDD307941		1.11	40.3	8.07	20.0	0.20	4.4	0.067	1.69	27.7	10.7	4.72	1155	3.96	2.33	42.6
RDD307942		20.5	31.4	1.75	17.75	0.17	4.2	0.058	3.93	47.9	13.5	1.39	248	0.31	0.04	11.0
RDD307943		17.80	34.6	2.27	16.60	0.14	3.6	0.053	3.52	41.9	13.6	2.08	371	0.65	0.03	10.8
RDD307944		8.33	18.9	2.77	11.70	0.11	2.6	0.048	2.58	27.8	9.4	4.22	748	0.16	0.03	7.2
RDD307945		6.44	14.0	2.77	9.98	0.12	2.2	0.044	2.29	24.3	8.9	4.91	1070	0.16	0.02	5.8
RDD307946		5.83	12.0	2.05	8.89	0.09	2.0	0.034	2.04	20.9	9.2	5.96	1035	0.12	0.03	5.1
RDD307947		4.05	11.8	1.24	4.76	0.06	1.1	0.021	1.05	11.6	5.0	2.05	978	0.07	0.05	2.6
RDD307948		7.29	17.4	2.43	9.79	0.10	2.0	0.040	2.23	22.7	10.4	2.92	658	0.09	0.03	5.5
RDD307949		5.24	17.0	1.78	7.88	0.08	1.8	0.033	1.73	19.6	6.5	2.19	1065	0.11	0.10	4.5
RDD307950		6.22	18.0	1.63	8.70	0.08	1.9	0.034	1.89	19.2	6.2	1.05	464	0.13	0.03	4.7
RDD307951		4.91	15.7	1.29	7.10	0.07	1.6	0.029	1.54	16.2	4.2	0.85	479	0.10	0.03	3.9
RDD307952		3.45	15.4	1.60	6.36	0.07	1.5	0.036	0.99	12.7	1.8	2.07	1070	0.11	0.77	3.9
RDD307953		21.4	19.2	1.78	18.75	0.11	4.2	0.063	3.84	44.0	19.1	2.44	681	0.18	0.13	11.0
RDD307954		9.66	9.2	1.96	9.71	0.07	2.3	0.069	1.90	23.2	10.7	6.05	1490	0.12	0.35	5.8
RDD307955		1.38	3.0	2.02	2.10	<0.05	0.6	0.113	0.35	5.4	6.0	10.15	2550	0.05	0.03	1.6



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Page: 2 - C  
Total # Pages: 6 (A - E)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2025  
Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD307916		17.8	620	233	160.5	0.004	1.83	5.56	12.2	1	6.4	12.9	1.27	0.08	13.90
RDD307917		67.0	2190	46.7	241	<0.002	0.14	1.52	29.0	<1	3.4	19.2	1.40	0.24	11.65
RDD307918		76.2	850	54.8	283	<0.002	0.04	1.86	33.0	<1	4.1	13.3	1.43	0.24	9.73
RDD307919		73.8	740	>10000	109.0	<0.002	0.66	29.2	27.4	3	23.6	10.5	1.16	0.74	6.17
RDD307920		0.8	10	4.5	0.4	<0.002	<0.01	0.19	<0.1	<1	0.2	2.3	<0.05	<0.05	0.23
RDD307921		76.8	870	69.7	221	<0.002	0.10	1.33	30.4	<1	3.3	13.6	1.33	0.19	11.25
RDD307922		78.7	1630	29.0	216	<0.002	0.10	1.08	30.2	<1	2.8	18.0	1.31	0.20	9.88
RDD307923		99.6	930	6.2	193.0	<0.002	0.15	1.35	28.2	<1	2.8	12.9	1.52	0.17	7.97
RDD307924		90.2	4440	118.5	203	0.003	1.29	8.44	29.9	<1	6.4	42.0	1.51	0.11	9.67
RDD307925		70.8	860	406	24.0	<0.002	0.05	1.53	25.8	<1	9.0	37.3	0.65	<0.05	1.90
RDD307926		30.1	550	184.5	136.5	<0.002	0.73	5.79	16.7	1	11.6	12.2	0.88	0.17	11.40
RDD307927		9.2	200	290	3.7	<0.002	0.62	2.72	11.1	1	2.9	49.5	0.08	0.08	0.51
RDD307928		22.9	360	876	159.5	0.002	1.48	7.52	11.3	1	18.8	12.6	0.99	0.05	12.10
RDD307929		21.1	520	370	209	0.002	1.20	7.06	14.2	1	24.4	14.2	1.68	0.07	16.80
RDD307930		1.5	220	164.0	1.3	<0.002	0.21	0.61	0.5	<1	1.0	240	<0.05	<0.05	0.54
RDD307931		1.0	450	37.6	1.1	<0.002	0.13	0.43	0.6	<1	1.6	164.5	0.07	<0.05	0.86
RDD307932		0.8	440	15.2	1.9	<0.002	0.04	0.66	0.4	<1	1.3	135.0	0.06	<0.05	0.62
RDD307933		0.8	480	39.7	1.0	<0.002	0.01	0.38	0.6	<1	1.1	121.0	0.05	<0.05	0.81
RDD307934		3.3	490	228	0.6	<0.002	0.83	1.19	0.8	<1	2.0	104.0	0.06	<0.05	1.00
RDD307935		6.5	960	59.6	24.1	0.019	0.17	0.82	2.9	<1	3.6	119.0	0.21	<0.05	3.09
RDD307936		22.0	1770	12.0	203	<0.002	0.68	2.98	13.6	1	4.0	28.3	0.88	0.06	15.20
RDD307937		13.5	900	7.6	127.5	0.003	0.11	1.73	8.8	<1	1.7	114.5	0.52	<0.05	9.11
RDD307938		14.0	720	38.1	92.2	<0.002	0.26	2.00	6.6	<1	1.3	147.5	0.36	0.05	6.52
RDD307939		8.3	680	9.2	84.1	<0.002	0.01	0.29	6.2	<1	1.1	158.0	0.34	0.05	5.96
RDD307940															
RDD307941		138.5	2590	3.4	36.9	<0.002	0.04	0.10	20.0	<1	1.7	778	2.77	<0.05	3.38
RDD307942		22.1	970	8.3	190.0	<0.002	0.41	3.71	14.1	<1	2.6	38.7	0.78	0.08	14.35
RDD307943		29.4	450	5.8	172.0	<0.002	0.33	2.92	14.2	<1	2.4	48.6	0.72	0.06	12.45
RDD307944		10.0	410	3.6	128.0	<0.002	0.04	0.89	9.2	<1	1.7	113.0	0.52	0.06	8.27
RDD307945		12.5	410	6.1	114.0	<0.002	0.11	1.26	8.5	<1	1.5	126.5	0.40	0.06	7.09
RDD307946		13.2	380	9.7	104.0	<0.002	0.07	0.65	7.0	<1	1.3	118.5	0.37	0.07	6.27
RDD307947		9.5	270	9.5	67.5	<0.002	0.08	0.67	4.0	<1	0.7	308	0.19	<0.05	3.37
RDD307948		7.7	410	3.9	113.0	<0.002	0.01	0.43	7.8	<1	1.4	148.0	0.37	0.08	6.64
RDD307949		9.8	350	8.9	95.1	<0.002	0.11	1.63	6.5	1	1.2	200	0.33	0.07	5.68
RDD307950		12.8	340	11.0	114.0	<0.002	0.46	3.46	6.7	1	1.2	195.0	0.31	0.09	5.77
RDD307951		8.3	330	7.1	93.2	<0.002	0.28	2.67	5.1	1	1.0	216	0.28	0.08	4.99
RDD307952		9.4	290	12.8	77.9	<0.002	0.43	2.88	5.6	1	0.9	179.0	0.28	0.06	4.62
RDD307953		18.6	600	9.0	198.0	<0.002	0.16	4.95	12.2	<1	3.1	47.8	0.74	0.15	12.75
RDD307954		9.8	430	9.2	102.5	<0.002	0.10	2.31	6.7	<1	1.9	91.6	0.39	0.07	6.79
RDD307955		1.9	560	9.9	21.6	<0.002	0.03	0.42	1.7	<1	1.6	109.0	0.11	<0.05	1.56



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 2 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD307916		1.00	3.0	78	2.3	20.8	151	166.5	3.74	2.29	1.12	4.41	0.75	0.38	38.1	10.45
RDD307917		1.96	1.7	153	2.4	26.5	103	135.5	5.42	2.92	1.86	6.32	1.04	0.41	39.5	10.35
RDD307918		2.22	1.2	164	2.7	27.1	178	166.0	5.16	2.85	1.36	5.21	1.02	0.39	29.5	8.16
RDD307919		1.46	1.3	142	2.9	17.8	3040	110.5	4.06	2.33	0.97	4.00	0.82	0.33	18.9	4.72
RDD307920		<0.02	0.2	2	0.2	0.8	3	12.5	0.13	0.10	<0.03	0.10	0.03	0.02	0.5	0.13
RDD307921		1.68	1.3	151	2.2	25.2	119	133.5	4.66	2.67	1.26	5.01	0.94	0.39	29.5	8.28
RDD307922		1.71	1.4	161	2.0	30.6	123	137.0	5.67	3.07	1.59	6.31	1.10	0.41	32.9	8.60
RDD307923		1.70	1.4	195	2.1	24.7	121	189.0	4.82	2.49	1.62	5.54	0.90	0.34	35.0	9.62
RDD307924		2.07	3.0	202	2.3	45.5	182	173.5	9.17	4.06	3.33	12.75	1.63	0.52	63.8	15.00
RDD307925		0.20	0.5	259	1.5	19.0	329	114.0	3.99	1.70	1.58	5.10	0.68	0.17	23.4	5.43
RDD307926		0.90	2.2	91	2.6	20.0	437	129.0	3.49	2.17	0.95	3.95	0.72	0.36	30.3	8.56
RDD307927		0.30	0.1	56	1.2	8.2	647	11.4	1.62	0.59	0.84	2.00	0.26	0.06	6.6	1.44
RDD307928		1.04	2.6	72	2.0	22.6	5020	157.0	3.83	2.39	1.02	4.19	0.78	0.39	32.8	9.48
RDD307929		1.26	3.6	87	2.5	27.1	567	208	4.76	2.96	0.97	5.06	0.99	0.50	46.9	13.05
RDD307930		0.02	0.4	2	0.3	4.9	246	8.6	0.79	0.36	0.63	1.04	0.15	0.04	4.4	1.05
RDD307931		0.02	0.4	3	0.6	5.0	61	12.8	0.84	0.39	0.59	1.08	0.16	0.05	4.7	1.10
RDD307932		0.02	0.7	1	0.4	5.0	33	10.2	0.86	0.40	0.64	1.06	0.15	0.05	4.8	1.13
RDD307933		0.02	1.2	3	0.7	4.7	53	11.6	0.79	0.40	0.46	0.96	0.15	0.05	4.7	1.10
RDD307934		<0.02	0.8	3	1.1	5.5	979	15.1	0.91	0.48	0.65	1.06	0.17	0.06	4.7	1.12
RDD307935		0.20	4.2	11	1.3	12.5	83	41.4	1.97	1.12	0.73	2.10	0.39	0.16	12.2	3.09
RDD307936		1.07	2.4	63	1.8	31.8	17	149.0	5.70	3.17	1.70	7.05	1.12	0.51	58.0	15.00
RDD307937		0.67	2.1	42	1.2	23.0	23	98.5	3.77	2.17	1.10	4.37	0.76	0.34	32.2	8.72
RDD307938		0.52	1.6	30	0.9	22.3	169	72.3	3.57	2.05	0.94	4.10	0.72	0.29	26.6	6.97
RDD307939		0.38	1.2	28	0.8	21.0	47	66.1	3.36	1.94	0.93	3.76	0.67	0.27	24.8	6.50
RDD307940																
RDD307941		0.12	1.2	195	0.2	19.0	113	199.0	3.67	1.70	1.72	4.48	0.68	0.20	26.5	6.94
RDD307942		1.05	3.8	68	1.8	31.5	14	150.0	5.49	3.21	1.66	6.74	1.10	0.50	51.5	13.25
RDD307943		0.88	2.5	62	1.6	22.5	17	140.5	3.79	2.38	1.08	4.13	0.77	0.39	37.2	10.40
RDD307944		0.66	1.2	45	1.3	19.2	17	93.3	3.20	1.98	0.90	3.55	0.64	0.30	25.5	6.97
RDD307945		0.58	1.2	41	1.2	17.8	20	81.0	2.91	1.74	0.81	3.15	0.59	0.27	23.0	6.03
RDD307946		0.53	1.4	36	0.9	15.0	24	71.9	2.49	1.48	0.63	2.72	0.51	0.24	19.4	5.23
RDD307947		0.51	1.3	21	0.5	9.0	44	38.0	1.49	0.93	0.39	1.62	0.30	0.13	11.2	2.89
RDD307948		0.56	0.9	40	1.0	16.7	28	77.3	2.68	1.65	0.69	2.93	0.56	0.25	21.4	5.59
RDD307949		0.64	2.0	33	0.8	15.2	34	63.8	2.47	1.46	0.63	2.64	0.51	0.22	18.6	4.87
RDD307950		0.80	2.4	38	0.8	15.8	22	75.7	2.49	1.52	0.59	2.65	0.52	0.23	18.8	4.94
RDD307951		0.72	2.6	30	0.7	14.4	24	58.7	2.30	1.33	0.53	2.47	0.46	0.20	16.1	4.18
RDD307952		0.67	2.3	29	0.7	12.9	2320	59.7	2.00	1.22	0.46	2.02	0.41	0.19	13.3	3.38
RDD307953		1.22	2.2	71	1.8	24.2	465	144.5	4.25	2.51	0.90	4.63	0.83	0.41	36.3	10.15
RDD307954		0.67	1.3	37	0.9	15.6	729	80.1	2.65	1.62	0.63	2.84	0.53	0.23	20.7	5.52
RDD307955		0.15	0.5	8	0.4	6.6	44	21.0	1.05	0.55	0.38	1.26	0.19	0.07	6.7	1.58



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 2 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD307916		6.53	0.66	0.36	2.47
RDD307917		7.70	0.95	0.42	2.69
RDD307918		5.89	0.86	0.41	2.59
RDD307919		4.14	0.67	0.34	2.15
RDD307920		0.09	0.02	0.02	0.11
RDD307921		5.79	0.79	0.40	2.55
RDD307922		7.23	0.97	0.42	2.68
RDD307923		7.06	0.84	0.35	2.22
RDD307924		13.95	1.76	0.54	3.37
RDD307925		5.65	0.75	0.21	1.22
RDD307926		5.43	0.60	0.33	2.21
RDD307927		1.94	0.30	0.07	0.41
RDD307928		5.76	0.66	0.35	2.49
RDD307929		7.56	0.78	0.46	3.12
RDD307930		1.14	0.15	0.05	0.29
RDD307931		1.16	0.15	0.05	0.33
RDD307932		1.15	0.16	0.05	0.31
RDD307933		1.08	0.14	0.05	0.33
RDD307934		1.12	0.15	0.07	0.38
RDD307935		2.42	0.32	0.16	1.04
RDD307936		10.30	1.00	0.48	3.25
RDD307937		6.00	0.64	0.33	2.15
RDD307938		5.17	0.62	0.29	1.88
RDD307939		4.77	0.60	0.27	1.76
RDD307940					
RDD307941		5.32	0.66	0.23	1.34
RDD307942		9.34	0.96	0.48	3.20
RDD307943		6.36	0.63	0.37	2.48
RDD307944		4.74	0.57	0.30	1.92
RDD307945		4.19	0.48	0.26	1.70
RDD307946		3.57	0.42	0.22	1.52
RDD307947		2.02	0.24	0.13	0.86
RDD307948		4.00	0.45	0.24	1.60
RDD307949		3.48	0.41	0.22	1.44
RDD307950		3.54	0.41	0.22	1.44
RDD307951		3.07	0.37	0.20	1.26
RDD307952		2.68	0.32	0.18	1.22
RDD307953		6.52	0.70	0.40	2.72
RDD307954		4.02	0.44	0.24	1.57
RDD307955		1.46	0.19	0.08	0.50



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Page: 3 - A  
Total # Pages: 6 (A - E)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2025  
Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-ICP21 Au ppm	ME-XRF15b Sn %	ME-MS61r Ag ppm	ME-MS61r Al %	ME-MS61r As ppm	ME-MS61r Ba ppm	ME-MS61r Be ppm	ME-MS61r Bi ppm	ME-MS61r Ca %	ME-MS61r Cd ppm	ME-MS61r Ce ppm	ME-MS61r Co ppm	ME-MS61r Cr ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD307956		4.63		0.002	<0.005	0.03	0.29	1.3	10	0.27	0.03	19.65	0.55	7.40	1.1	2
RDD307957		3.97		0.001	<0.005	0.03	0.71	0.6	10	0.43	0.05	19.30	0.13	12.15	1.2	5
RDD307958		3.95	94.3	0.001	<0.005	0.02	0.63	0.6	20	0.45	0.02	19.90	0.09	11.40	1.2	4
RDD307959		4.03		0.002	<0.005	0.03	0.55	<0.2	10	0.41	0.02	19.45	0.18	11.10	1.3	3
RDD307960		3.75		0.003	<0.005	0.08	1.33	0.4	60	0.66	0.11	17.65	0.14	19.65	1.4	10
RDD307961		3.74		0.003	<0.005	0.05	1.67	0.7	140	0.77	0.07	17.45	0.13	26.8	1.6	14
RDD307962		3.77		0.002	<0.005	0.09	1.31	1.3	90	0.66	0.06	18.10	0.20	22.8	2.3	9
RDD307963		3.71		0.003	0.005	0.23	7.17	5.5	300	2.40	0.31	1.88	0.22	109.5	5.7	84
RDD307964		3.50		0.002	0.010	0.05	7.57	4.4	340	2.61	0.20	0.55	0.02	105.5	4.2	102
RDD307965		<0.02			2.54											
RDD307966		0.07		0.338		0.12	7.26	17.5	80	0.34	0.02	7.73	0.26	10.85	45.9	108
RDD307967		3.34		0.002	0.005	0.07	7.73	4.0	320	2.72	0.17	0.54	0.64	104.5	5.3	98
RDD307968		3.52		0.009	0.006	0.46	7.69	22.2	320	2.71	0.29	1.00	0.17	111.5	12.1	85
RDD307969		4.36		0.002	<0.005	0.02	2.23	0.6	90	0.62	0.07	16.25	0.42	33.8	1.9	19
RDD307970		3.66		0.002	<0.005	0.03	0.61	0.2	50	0.26	0.04	20.4	0.50	10.40	1.3	4
RDD307971		4.18		0.002	<0.005	0.04	1.06	0.6	60	0.47	0.05	18.60	0.72	18.75	1.6	9
RDD307972		4.34		0.001	<0.005	0.02	0.54	<0.2	40	0.30	0.03	19.85	0.11	10.10	1.1	4
RDD307973		3.05		0.002	<0.005	0.03	2.01	1.0	80	0.71	0.06	15.45	0.16	32.3	2.1	18
RDD307974		3.48		0.003	<0.005	0.05	1.79	0.9	90	0.66	0.06	16.50	0.15	28.7	1.8	15
RDD307975		3.40		0.003	<0.005	0.06	1.77	3.7	80	0.79	0.08	17.00	0.24	31.7	2.8	11
RDD307976		3.26		0.003	0.008	0.20	7.57	12.5	320	3.30	0.58	0.57	0.04	120.5	5.4	103
RDD307977		1.68		0.002	0.005	0.09	4.98	6.2	200	1.93	0.22	8.65	0.13	67.0	6.8	29
RDD307978		1.98		0.003	<0.005	0.03	3.12	2.1	120	1.19	0.12	13.25	0.11	43.1	3.8	17
RDD307979		1.83		0.002	<0.005	0.07	5.19	4.2	200	1.81	0.22	8.37	0.24	68.7	6.7	28
RDD307980		1.91		0.002	<0.005	0.06	4.31	2.6	170	1.60	0.17	10.85	0.23	61.0	4.6	23
RDD307981		1.84		0.002	<0.005	0.09	3.14	4.4	130	1.30	0.13	13.70	0.15	44.1	5.2	16
RDD307982		1.95		0.002	<0.005	0.07	2.84	3.1	120	1.20	0.13	14.45	0.28	40.9	4.9	15
RDD307983		2.28		0.002	<0.005	0.03	3.25	0.9	130	1.29	0.14	14.00	0.07	46.1	3.1	17
RDD307984		2.10		0.004	0.005	0.07	7.36	9.5	280	2.64	0.29	1.72	0.05	108.5	10.9	52
RDD307985		1.98		0.003	<0.005	0.08	7.08	28.6	290	2.60	0.31	0.66	0.04	78.4	10.8	56
RDD307986		2.42		0.001	<0.005	0.03	4.32	3.0	170	1.48	0.18	9.82	0.06	53.5	6.5	24
RDD307987		2.32		0.003	<0.005	0.02	5.31	0.9	210	1.82	0.21	7.45	0.05	64.3	4.7	27
RDD307988		2.16		0.005	<0.005	0.03	4.69	2.4	180	1.72	0.26	9.14	0.07	55.2	7.7	24
RDD307989		1.84		0.005	0.006	0.07	3.96	1.8	160	1.51	0.20	11.20	0.08	45.1	5.6	22
RDD307990		<0.02			2.55											
RDD307991		0.07		0.330		0.12	7.30	17.4	80	0.29	0.02	7.74	0.24	10.30	46.0	107
RDD307992		1.97		0.006	<0.005	0.13	3.45	2.0	130	1.42	0.29	13.05	0.11	41.4	6.3	19
RDD307993		1.47		0.002	<0.005	0.03	1.15	2.1	50	0.51	0.06	31.6	0.07	13.50	3.3	6
RDD307994		1.95		0.001	<0.005	0.06	4.34	6.7	170	1.62	0.20	13.30	0.10	53.0	6.8	23
RDD307995		1.91		0.002	0.016	0.07	4.30	8.9	170	1.55	0.21	13.85	0.14	53.3	8.0	23



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 3 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD307956		0.20	2.0	1.95	0.62	<0.05	0.3	0.292	0.02	2.8	5.8	10.95	3050	<0.05	0.02	1.1
RDD307957		0.35	2.8	2.15	1.96	<0.05	0.8	0.501	0.09	5.3	9.2	10.85	3930	<0.05	0.02	2.3
RDD307958		0.67	1.8	1.48	1.68	<0.05	0.5	0.160	0.16	5.2	7.6	11.30	2380	<0.05	0.02	1.3
RDD307959		0.44	2.0	1.68	1.36	0.05	0.4	0.131	0.06	4.8	9.4	11.00	3400	0.05	0.02	1.1
RDD307960		1.54	3.5	2.00	3.54	0.05	1.0	0.179	0.59	9.2	8.3	9.55	3100	0.08	0.02	2.8
RDD307961		2.06	5.3	1.30	4.28	0.05	1.3	0.069	0.87	13.2	7.5	9.26	1180	0.20	0.02	3.7
RDD307962		2.04	6.6	1.81	3.53	0.06	1.0	0.050	0.68	11.0	5.9	9.51	1480	0.17	0.02	2.8
RDD307963		18.50	63.5	1.80	19.20	0.21	4.5	0.081	3.64	54.8	16.3	1.49	292	0.25	0.04	13.3
RDD307964		20.2	26.4	1.42	20.6	0.21	4.4	0.066	4.05	50.7	16.6	0.92	89	0.21	0.04	14.1
RDD307965																
RDD307966		0.38	177.0	8.02	16.60	0.10	1.6	0.067	0.25	4.1	11.3	3.91	1340	0.71	1.64	3.4
RDD307967		22.5	61.6	1.30	19.95	0.20	4.5	0.078	4.05	49.2	15.0	0.90	67	0.31	0.04	13.6
RDD307968		24.9	42.0	2.73	20.5	0.22	4.8	0.068	3.98	56.0	14.1	1.07	125	1.65	0.04	13.2
RDD307969		3.41	3.4	1.27	5.75	0.08	1.8	0.020	1.21	16.8	7.9	8.75	518	0.09	0.03	4.9
RDD307970		0.93	3.6	0.69	1.48	0.07	0.5	0.008	0.31	5.0	3.6	11.25	369	0.07	0.03	1.4
RDD307971		2.61	5.7	0.93	2.83	0.07	0.8	0.029	0.56	9.3	5.1	10.10	513	0.08	0.03	2.4
RDD307972		0.93	3.2	0.97	1.33	0.07	0.4	0.032	0.28	4.5	3.2	10.85	862	0.06	0.02	1.2
RDD307973		3.62	7.1	1.32	5.15	0.09	1.5	0.080	1.07	15.6	6.9	8.36	715	0.10	0.03	4.5
RDD307974		3.32	6.9	1.27	4.60	0.08	1.3	0.063	0.95	13.6	6.3	8.85	747	0.15	0.02	3.8
RDD307975		4.81	7.5	2.02	4.75	0.08	1.2	0.097	0.94	16.0	5.8	8.88	914	0.33	0.02	3.5
RDD307976		28.8	27.8	1.21	20.2	0.24	4.8	0.490	4.05	58.3	13.5	0.81	97	0.35	0.05	14.8
RDD307977		11.70	23.8	2.08	12.85	0.13	2.9	0.046	2.71	32.9	11.7	4.53	780	0.29	0.03	7.8
RDD307978		6.52	11.4	2.80	8.18	0.11	2.0	0.033	1.59	22.3	12.1	6.61	1500	0.35	0.03	5.2
RDD307979		10.90	24.4	2.17	13.50	0.13	3.3	0.055	2.74	34.4	14.7	4.42	917	0.61	0.03	8.5
RDD307980		8.05	16.6	2.14	11.45	0.12	2.7	0.045	2.35	31.5	10.9	5.51	988	0.20	0.03	6.9
RDD307981		4.51	13.0	2.57	8.07	0.11	1.9	0.030	1.71	21.7	9.6	6.67	1190	0.31	0.02	4.8
RDD307982		3.85	13.4	2.38	7.22	0.10	1.7	0.030	1.56	20.4	9.1	7.00	957	0.18	0.02	4.3
RDD307983		4.82	10.5	2.51	8.23	0.11	1.9	0.032	1.77	23.0	9.3	6.70	1115	0.10	0.03	4.9
RDD307984		20.0	36.2	2.15	19.45	0.20	4.4	0.069	3.75	53.1	18.2	1.48	256	0.46	0.04	11.8
RDD307985		19.90	28.4	2.15	19.20	0.16	4.3	0.055	3.77	35.8	18.6	1.02	185	0.78	0.04	11.3
RDD307986		10.40	14.5	3.73	11.25	0.10	2.5	0.062	2.27	26.3	13.4	4.27	2560	0.15	0.04	6.6
RDD307987		13.60	21.3	3.03	13.35	0.11	2.9	0.053	2.76	31.2	18.5	3.68	1160	0.17	0.03	8.5
RDD307988		11.25	14.6	2.99	11.90	0.11	2.7	0.050	2.47	26.1	17.0	4.41	1450	0.17	0.03	6.6
RDD307989		8.64	22.0	2.95	10.35	0.11	2.2	0.046	2.13	21.5	15.0	5.44	2170	0.18	0.03	5.9
RDD307990																
RDD307991		0.36	174.5	8.10	16.25	0.12	1.5	0.067	0.26	3.8	10.9	3.98	1355	0.78	1.67	3.4
RDD307992		7.05	23.7	2.64	9.18	0.12	1.9	0.036	1.86	19.4	13.8	6.36	1965	0.21	0.03	5.1
RDD307993		2.79	11.4	1.31	2.81	0.06	0.6	0.011	0.56	6.6	5.6	1.12	1865	0.20	0.01	1.5
RDD307994		10.30	22.9	2.74	11.45	0.12	2.5	0.044	2.21	25.7	17.6	3.25	1855	0.19	0.03	6.5
RDD307995		9.87	23.3	2.31	11.55	0.12	2.6	0.046	2.28	25.1	15.4	3.43	1730	0.20	0.03	6.5





Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 3 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD307956		0.8	490	10.8	1.8	<0.002	0.05	0.15	0.7	<1	1.0	116.5	0.06	<0.05	0.64
RDD307957		1.1	970	19.2	5.5	<0.002	0.03	0.17	1.6	<1	2.8	113.5	0.13	<0.05	1.70
RDD307958		1.1	720	11.7	12.4	<0.002	0.02	0.17	1.4	<1	1.8	145.0	0.08	<0.05	1.30
RDD307959		1.5	580	26.7	5.2	<0.002	<0.01	0.16	1.2	<1	1.3	154.5	0.07	<0.05	1.09
RDD307960		2.6	830	21.9	33.8	<0.002	0.04	0.28	2.8	<1	2.6	148.0	0.20	<0.05	2.72
RDD307961		4.3	1030	17.0	45.4	<0.002	0.03	0.55	3.4	<1	2.1	132.5	0.26	<0.05	3.40
RDD307962		5.3	790	22.0	37.5	<0.002	0.19	0.66	3.0	<1	1.3	130.5	0.19	<0.05	2.74
RDD307963		23.8	1710	36.0	186.0	<0.002	0.44	2.62	15.0	2	3.3	36.0	0.87	0.06	14.65
RDD307964		17.4	1610	8.2	188.5	<0.002	0.35	1.65	15.1	2	2.9	23.5	0.96	<0.05	14.55
RDD307965															
RDD307966		90.1	390	8.4	6.6	0.002	0.18	0.57	46.4	1	0.7	237	0.21	<0.05	0.47
RDD307967		21.6	1580	21.4	189.5	<0.002	0.31	1.89	14.6	2	2.9	23.8	0.93	<0.05	14.35
RDD307968		43.7	1540	46.4	197.0	0.013	1.84	19.70	15.0	5	2.9	29.2	0.91	<0.05	15.25
RDD307969		4.5	1420	10.3	58.2	<0.002	0.10	0.52	4.4	<1	0.9	150.0	0.34	<0.05	4.43
RDD307970		1.7	480	15.3	20.6	<0.002	0.07	0.37	1.4	<1	0.3	146.0	0.09	<0.05	1.26
RDD307971		2.5	740	11.0	28.3	<0.002	0.11	0.77	2.3	<1	0.5	128.0	0.16	<0.05	2.22
RDD307972		1.6	470	6.8	14.0	<0.002	0.05	0.39	1.3	<1	0.3	120.5	0.08	<0.05	1.12
RDD307973		4.7	1280	6.6	50.2	<0.002	0.12	0.97	4.2	<1	1.6	112.5	0.31	<0.05	4.12
RDD307974		4.1	1050	15.3	44.2	<0.002	0.09	0.85	3.6	<1	1.3	114.5	0.26	<0.05	3.52
RDD307975		6.8	940	8.8	44.5	<0.002	0.46	1.89	4.3	<1	1.6	128.0	0.23	<0.05	3.50
RDD307976		21.9	1830	15.6	196.5	<0.002	0.40	6.30	15.6	1	13.1	25.0	1.00	0.06	15.95
RDD307977		13.2	740	11.4	134.5	<0.002	0.14	3.39	9.6	<1	1.9	80.6	0.54	<0.05	9.20
RDD307978		7.2	520	11.6	83.9	<0.002	0.12	1.52	6.7	<1	1.2	110.5	0.34	<0.05	5.91
RDD307979		13.5	760	19.6	146.0	<0.002	0.20	2.44	10.2	<1	2.1	77.4	0.61	0.05	9.96
RDD307980		10.2	790	26.6	127.5	<0.002	0.12	2.15	8.7	<1	1.7	93.7	0.49	<0.05	7.99
RDD307981		10.1	610	28.0	85.2	<0.002	0.58	2.97	6.3	<1	1.1	114.0	0.33	<0.05	5.85
RDD307982		9.9	620	29.7	74.3	<0.002	0.28	2.70	5.8	<1	1.1	123.5	0.30	<0.05	5.34
RDD307983		7.1	640	16.3	86.5	<0.002	0.03	0.57	6.7	<1	1.2	114.5	0.35	<0.05	6.24
RDD307984		27.5	990	15.2	194.0	0.002	0.74	4.98	15.2	1	2.8	30.1	0.82	0.07	14.60
RDD307985		25.1	480	12.1	160.0	<0.002	0.68	4.26	12.9	<1	2.7	17.6	0.81	<0.05	12.15
RDD307986		10.2	380	9.1	122.5	<0.002	0.08	1.16	9.9	<1	1.6	83.3	0.47	<0.05	7.56
RDD307987		9.7	470	6.3	136.5	<0.002	0.04	0.93	10.7	<1	1.9	67.7	0.59	0.06	9.46
RDD307988		12.4	410	21.0	123.0	<0.002	0.07	2.32	9.4	<1	1.7	76.8	0.48	0.07	7.96
RDD307989		10.6	370	12.2	117.5	<0.002	0.16	1.74	8.4	<1	1.4	75.3	0.39	0.08	6.92
RDD307990															
RDD307991		90.5	390	8.4	6.8	0.002	0.19	0.53	44.3	1	0.7	237	0.21	0.06	0.47
RDD307992		12.2	360	44.0	108.5	<0.002	0.16	1.26	7.6	<1	1.3	83.1	0.34	0.10	6.14
RDD307993		5.1	190	5.8	46.1	<0.002	0.18	1.26	2.6	<1	0.4	323	0.10	<0.05	1.85
RDD307994		12.2	410	7.1	139.0	<0.002	0.05	1.96	9.8	<1	1.5	115.0	0.42	0.08	7.92
RDD307995		13.4	420	11.4	151.5	<0.002	0.07	2.86	9.6	<1	1.6	112.0	0.43	0.08	7.83



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 3 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD307956		0.02	0.2	2	0.4	4.5	161	10.1	0.71	0.35	0.33	0.88	0.13	0.04	4.5	1.02
RDD307957		0.03	0.6	6	1.0	7.4	36	27.1	1.11	0.63	0.50	1.26	0.21	0.08	7.2	1.64
RDD307958		0.11	0.4	5	0.4	5.5	24	18.4	0.92	0.51	0.38	1.08	0.17	0.07	5.9	1.44
RDD307959		0.06	0.3	4	0.4	5.6	50	16.4	0.92	0.51	0.38	0.96	0.17	0.07	5.5	1.34
RDD307960		0.21	0.6	10	0.7	10.0	42	35.8	1.73	0.99	0.53	1.86	0.33	0.13	9.7	2.41
RDD307961		0.27	0.9	13	0.6	12.2	36	47.2	1.96	1.12	0.47	2.12	0.38	0.15	12.6	3.15
RDD307962		0.23	1.3	10	0.5	11.2	43	36.5	1.77	0.99	0.49	1.92	0.33	0.14	10.8	2.74
RDD307963		0.99	2.4	63	1.9	37.2	62	156.5	6.05	3.51	1.79	8.13	1.16	0.51	54.8	14.15
RDD307964		1.00	1.9	72	2.0	30.4	20	155.5	5.93	3.18	1.75	7.80	1.08	0.48	56.6	14.05
RDD307965																
RDD307966		0.08	0.1	279	7.9	21.1	101	51.8	3.62	2.17	0.89	3.16	0.71	0.31	7.6	1.50
RDD307967		1.04	2.3	71	1.9	30.0	278	157.5	5.94	3.23	1.78	7.89	1.07	0.49	54.1	13.85
RDD307968		1.52	4.8	69	1.9	35.5	50	166.0	6.31	3.54	1.78	7.95	1.19	0.55	54.1	14.20
RDD307969		0.30	1.1	17	0.7	15.2	185	66.5	2.50	1.43	0.53	2.72	0.49	0.21	15.8	4.02
RDD307970		0.12	0.6	5	0.2	4.5	213	18.1	0.71	0.42	0.21	0.78	0.14	0.06	4.6	1.20
RDD307971		0.15	0.7	8	0.4	8.8	316	29.6	1.38	0.78	0.34	1.57	0.27	0.11	9.0	2.27
RDD307972		0.07	0.5	5	0.2	5.2	30	16.4	0.84	0.49	0.24	0.89	0.16	0.06	5.0	1.24
RDD307973		0.26	1.0	15	0.7	15.8	32	54.3	2.54	1.48	0.56	2.76	0.49	0.19	15.8	3.95
RDD307974		0.21	1.0	13	0.6	13.2	34	46.4	2.15	1.24	0.50	2.34	0.41	0.17	13.7	3.45
RDD307975		0.24	1.3	14	0.6	15.2	22	44.3	2.30	1.32	0.68	2.66	0.44	0.20	16.2	3.99
RDD307976		1.00	2.7	69	2.4	36.6	24	161.5	7.14	3.75	1.98	9.53	1.29	0.54	66.0	16.10
RDD307977		0.74	1.7	43	1.3	21.6	40	102.0	3.73	2.18	1.02	4.35	0.71	0.32	31.0	8.13
RDD307978		0.47	1.3	26	0.9	18.2	32	70.5	2.88	1.76	0.87	3.33	0.58	0.26	21.4	5.44
RDD307979		0.91	1.9	45	1.5	23.1	77	106.5	4.00	2.37	1.16	4.78	0.78	0.35	32.3	8.44
RDD307980		0.74	1.6	38	1.2	23.9	77	92.6	4.08	2.44	1.06	4.80	0.76	0.31	31.1	7.98
RDD307981		0.55	1.3	27	0.9	20.5	57	65.4	3.41	1.92	0.85	3.88	0.64	0.26	22.3	5.53
RDD307982		0.47	1.1	24	0.8	22.5	92	59.6	3.17	1.86	0.81	3.66	0.63	0.25	20.3	5.22
RDD307983		0.42	1.2	28	0.9	21.3	31	66.7	3.57	2.06	0.98	4.09	0.69	0.28	23.8	5.94
RDD307984		1.10	3.4	63	1.9	36.3	27	152.0	6.42	3.81	1.92	8.35	1.21	0.55	55.6	14.00
RDD307985		0.98	2.6	69	1.8	21.9	27	144.5	4.29	2.57	1.16	4.93	0.83	0.42	34.4	9.19
RDD307986		0.74	1.2	39	1.2	22.1	23	86.7	3.67	2.09	0.96	4.06	0.72	0.30	24.1	6.36
RDD307987		0.74	1.3	49	1.6	21.2	111	101.5	3.67	2.25	0.99	4.16	0.71	0.33	27.7	7.54
RDD307988		0.72	1.2	44	1.3	18.4	25	90.4	3.23	1.89	0.85	3.57	0.63	0.28	23.4	6.21
RDD307989		0.68	1.3	40	1.2	18.0	29	80.3	2.90	1.74	0.75	3.27	0.60	0.26	19.8	5.54
RDD307990																
RDD307991		0.08	0.1	286	8.4	22.0	101	53.2	3.52	2.19	0.91	3.08	0.76	0.31	7.2	1.46
RDD307992		0.62	1.3	35	1.0	17.2	31	69.3	2.66	1.60	0.68	2.98	0.55	0.23	18.2	5.00
RDD307993		0.45	0.8	12	0.3	6.1	18	23.1	0.96	0.55	0.30	1.06	0.20	0.08	6.2	1.62
RDD307994		0.85	1.5	43	1.2	21.0	32	90.6	3.38	2.00	0.86	3.80	0.70	0.30	23.9	6.41
RDD307995		0.94	1.6	42	1.2	21.1	49	91.2	3.25	1.96	0.84	3.56	0.68	0.30	23.1	6.25



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 3 - E

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD307956		1.04	0.13	0.05	0.30
RDD307957		1.56	0.19	0.09	0.57
RDD307958		1.22	0.15	0.07	0.48
RDD307959		1.12	0.15	0.07	0.45
RDD307960		2.05	0.29	0.14	0.89
RDD307961		2.45	0.33	0.17	1.08
RDD307962		2.18	0.29	0.15	0.93
RDD307963		10.40	1.17	0.50	3.37
RDD307964		10.70	1.08	0.48	3.21
RDD307965					
RDD307966		2.36	0.54	0.32	2.05
RDD307967		10.55	1.12	0.47	3.20
RDD307968		10.40	1.12	0.53	3.46
RDD307969		3.11	0.41	0.21	1.36
RDD307970		0.90	0.12	0.06	0.40
RDD307971		1.73	0.24	0.11	0.72
RDD307972		1.01	0.14	0.06	0.43
RDD307973		3.19	0.42	0.21	1.34
RDD307974		2.77	0.36	0.18	1.14
RDD307975		3.23	0.40	0.20	1.24
RDD307976		12.80	1.34	0.56	3.69
RDD307977		5.82	0.64	0.33	2.15
RDD307978		4.11	0.49	0.26	1.68
RDD307979		6.09	0.69	0.36	2.33
RDD307980		6.07	0.70	0.34	2.20
RDD307981		4.53	0.58	0.29	1.77
RDD307982		4.15	0.55	0.28	1.68
RDD307983		4.66	0.61	0.30	1.83
RDD307984		10.50	1.12	0.60	3.51
RDD307985		6.39	0.72	0.40	2.71
RDD307986		4.84	0.64	0.32	2.01
RDD307987		5.20	0.63	0.33	2.20
RDD307988		4.40	0.56	0.28	1.86
RDD307989		3.68	0.49	0.25	1.68
RDD307990					
RDD307991		2.18	0.55	0.32	2.08
RDD307992		3.43	0.46	0.23	1.52
RDD307993		1.13	0.16	0.08	0.54
RDD307994		4.42	0.57	0.30	1.96
RDD307995		4.28	0.55	0.29	1.91



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 4 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD307996		1.89		0.001	<0.005	0.02	1.77	4.2	70	0.65	0.10	30.3	0.04	23.3	3.8	9
RDD307997		1.81		0.001	<0.005	0.03	3.69	9.9	140	1.20	0.17	20.3	0.07	44.1	7.8	20
RDD307998		2.01	99.1	0.002	<0.005	0.04	4.79	4.8	190	1.52	0.24	11.20	0.05	58.6	6.5	26
RDD307999		1.87		0.002	0.005	0.04	4.82	6.8	190	1.53	0.20	12.15	0.03	53.8	8.2	26
RDD308000		1.87		0.002	<0.005	0.04	2.87	2.7	120	1.01	0.20	18.10	0.02	36.4	4.0	17
RDD308001		2.03		0.001	<0.005	0.04	2.99	3.2	120	0.91	0.20	22.0	0.03	38.6	4.5	17
RDD308002		1.88		0.002	0.009	0.05	5.87	12.0	230	1.91	0.30	7.49	0.04	65.7	11.9	31
RDD308003		2.00		0.002	<0.005	0.03	3.05	4.5	120	0.96	0.15	22.7	0.03	35.7	4.7	17
RDD308004		1.94		0.002	<0.005	0.06	2.12	8.2	90	0.69	0.11	25.6	0.03	26.2	5.2	13
RDD308005		1.93		0.001	<0.005	0.03	1.84	2.4	80	0.57	0.08	27.9	0.03	21.6	2.6	10
RDD308006		1.94		0.002	<0.005	0.05	2.46	5.0	100	0.82	0.12	24.3	0.02	31.0	4.3	13
RDD308007		1.89		0.001	0.005	0.16	3.18	7.8	120	1.13	0.92	15.90	0.02	40.2	6.8	24
RDD308008		1.60		0.003	0.006	0.28	4.76	9.4	190	1.53	1.16	7.44	0.32	65.0	7.2	38
RDD308009		2.36		0.002	0.005	0.09	5.00	9.1	230	1.66	0.32	6.34	0.05	66.3	10.6	29
RDD308010		1.77		0.002	<0.005	0.03	5.20	2.3	240	1.73	0.25	5.55	0.04	70.5	8.3	30
RDD308011		1.95		0.003	<0.005	0.02	5.38	1.7	240	1.76	0.22	5.20	0.03	74.3	6.9	34
RDD308012		1.89		0.001	0.009	0.01	5.10	1.7	230	1.56	0.20	5.99	0.03	61.1	6.4	29
RDD308013		1.97		0.003	<0.005	0.02	5.22	4.1	250	1.57	0.28	5.45	0.07	64.8	11.5	29
RDD308014		1.98		0.002	0.005	0.07	4.70	6.2	220	1.36	0.26	6.39	0.08	59.0	9.9	28
RDD308015		<0.02			2.65											
RDD308016		0.07		1.650		0.14	7.75	349	690	2.42	0.31	0.91	0.03	83.7	17.9	127
RDD308017		2.00		0.003	0.005	0.04	5.00	4.1	230	1.43	0.25	6.35	0.07	58.1	5.7	28
RDD308018		1.97		0.001	0.005	0.03	3.83	0.8	160	1.16	0.21	10.00	0.06	44.1	5.6	20
RDD308019		2.40		0.001	<0.005	0.02	2.51	2.0	110	0.93	0.13	13.90	0.13	35.0	6.3	12
RDD308020		1.45		0.003	<0.005	0.03	0.71	0.3	20	0.40	0.07	19.00	0.20	14.15	1.4	5
RDD308021		1.91		0.004	<0.005	0.34	0.23	32.2	20	0.30	0.79	21.0	0.33	7.56	1.1	2
RDD308022		2.02		0.009	<0.005	0.85	0.27	356	20	0.34	1.54	20.2	2.69	7.32	1.8	2
RDD308023		1.93		0.004	<0.005	0.36	0.32	282	20	0.41	0.72	19.90	1.66	8.42	1.5	1
RDD308024		2.04		0.025	<0.005	0.71	0.29	3260	20	0.40	2.64	19.20	0.67	7.86	8.1	<1
RDD308025		2.08		0.002	<0.005	0.39	0.33	6.5	20	0.38	0.71	20.3	0.79	7.61	1.1	2
RDD308026		2.25		0.004	<0.005	0.37	0.22	144.0	10	0.25	0.63	19.40	1.76	5.69	2.1	1
RDD308027		2.12		0.001	<0.005	0.03	0.28	18.0	10	0.31	0.08	20.1	0.17	6.83	1.1	1
RDD308028		1.95		0.004	<0.005	0.32	0.58	56.1	10	0.36	0.70	19.70	0.17	8.94	2.0	2
RDD308029		1.91		0.004	<0.005	0.04	0.37	1.8	10	0.39	0.08	20.4	0.10	6.99	1.2	2
RDD308030		1.73		0.002	<0.005	0.10	0.27	1.8	10	0.35	0.12	20.2	0.08	8.83	1.0	2
RDD308031		2.44		0.001	<0.005	0.03	0.37	<0.2	10	0.31	0.05	19.85	0.45	8.07	1.0	2
RDD308032		1.97		0.003	<0.005	0.35	0.33	6.1	10	0.28	0.33	19.45	0.36	6.90	1.3	2
RDD308033		2.50		0.002	<0.005	0.19	0.46	11.1	10	0.31	0.21	19.55	1.44	8.74	1.5	3
RDD308034		1.66		0.004	0.006	0.14	6.11	11.6	260	2.48	0.35	4.82	0.14	99.7	8.9	59
RDD308035		1.94		0.001	0.007	0.07	5.33	8.9	230	2.24	0.27	7.06	0.09	76.6	7.3	39



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 4 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
RDD307996		2.74	11.2	1.19	4.56	0.09	1.1	0.024	0.88	11.4	6.1	0.81	1265	0.10	0.01
RDD307997		8.12	20.5	1.70	9.73	0.12	2.2	0.048	1.85	21.2	12.7	1.26	1275	0.17	0.03
RDD307998		10.90	28.3	3.22	12.65	0.15	2.9	0.063	2.44	27.8	17.0	2.60	2510	0.24	0.03
RDD307999		11.00	42.0	2.96	12.65	0.14	2.7	0.076	2.45	25.7	16.2	2.34	2330	0.19	0.03
RDD308000		4.91	21.2	3.63	7.47	0.12	1.7	0.277	1.52	17.8	8.9	4.27	4010	0.12	0.02
RDD308001		5.51	24.1	2.86	7.77	0.10	1.8	0.108	1.57	18.4	8.7	2.05	3180	0.15	0.02
RDD308002		14.25	26.7	2.92	15.20	0.15	3.3	0.060	3.14	32.2	14.0	2.71	1555	0.19	0.04
RDD308003		5.71	14.2	1.78	7.92	0.12	1.8	0.040	1.62	17.6	7.7	1.85	1915	0.12	0.02
RDD308004		3.60	17.3	2.52	5.45	0.10	1.2	0.041	1.13	12.7	5.7	1.87	3110	0.24	0.02
RDD308005		2.31	7.2	1.61	4.88	0.09	1.1	0.036	0.98	10.4	4.8	1.83	1900	0.12	0.01
RDD308006		3.72	14.8	2.16	6.47	0.10	1.5	0.050	1.25	15.2	7.0	1.86	2590	0.12	0.02
RDD308007		4.79	26.8	4.39	8.45	0.14	2.1	0.313	1.44	19.7	15.0	3.39	4660	0.89	0.03
RDD308008		7.10	11.0	2.77	12.75	0.14	3.8	0.508	2.30	31.5	14.9	3.31	2560	0.42	0.03
RDD308009		9.54	20.9	2.46	13.30	0.15	3.9	0.138	2.57	32.4	11.8	3.60	1100	0.25	0.06
RDD308010		10.75	20.7	2.47	14.10	0.15	3.9	0.051	2.62	33.2	18.5	3.34	759	0.43	0.05
RDD308011		11.90	39.7	2.57	14.45	0.16	4.3	0.054	2.70	36.6	18.7	3.22	941	0.31	0.04
RDD308012		10.85	22.3	2.34	13.25	0.16	3.6	0.050	2.54	29.3	15.2	3.69	916	0.28	0.08
RDD308013		11.25	30.3	2.94	13.35	0.15	3.8	0.052	2.67	31.7	13.1	3.47	597	0.37	0.06
RDD308014		10.15	46.0	3.58	12.45	0.15	3.4	0.045	2.45	28.5	11.2	3.86	519	0.43	0.04
RDD308015															
RDD308016		10.10	30.0	4.20	20.5	0.20	4.1	0.069	2.81	41.6	55.8	1.80	413	1.00	0.77
RDD308017		10.55	37.4	2.55	12.95	0.14	3.3	0.044	2.54	27.5	13.9	4.10	408	0.38	0.04
RDD308018		7.47	11.3	2.53	9.89	0.12	2.5	0.037	1.83	20.7	14.8	6.01	612	0.36	0.03
RDD308019		5.44	8.6	1.84	6.62	0.11	1.7	0.041	1.28	17.5	10.6	7.69	1480	0.25	0.02
RDD308020		0.87	4.1	2.66	2.22	0.08	0.6	0.227	0.06	6.8	10.4	10.45	3640	0.10	0.02
RDD308021		0.17	5.2	2.42	0.73	0.07	0.2	0.198	0.02	2.9	3.6	11.20	3100	0.10	0.02
RDD308022		0.15	28.3	3.17	0.89	0.06	0.3	0.356	0.02	3.0	4.3	10.70	3750	0.09	0.02
RDD308023		0.13	9.2	2.73	1.02	<0.05	0.3	0.383	0.01	3.6	5.0	10.85	3290	0.05	0.02
RDD308024		0.12	14.6	3.46	0.93	<0.05	0.2	0.329	0.01	3.2	4.7	10.40	3980	0.10	0.02
RDD308025		0.14	6.8	2.90	1.05	<0.05	0.3	0.282	0.01	3.0	5.8	11.05	4390	0.05	0.02
RDD308026		0.12	16.4	2.91	0.65	<0.05	0.2	0.301	0.01	2.1	3.8	10.65	3250	0.07	0.02
RDD308027		0.15	4.2	2.97	0.93	<0.05	0.3	0.130	0.01	2.3	5.3	10.90	3220	<0.05	0.02
RDD308028		0.22	23.7	3.88	1.90	<0.05	0.5	0.202	0.02	3.3	9.3	10.95	3790	0.08	0.02
RDD308029		0.13	6.0	2.92	1.14	<0.05	0.3	0.116	0.02	3.1	5.7	11.15	3500	0.09	0.02
RDD308030		0.13	6.4	3.37	0.91	<0.05	0.3	0.162	0.01	3.3	4.4	10.95	3740	0.14	0.02
RDD308031		0.14	3.5	3.05	1.20	<0.05	0.3	0.171	0.01	3.2	6.1	10.70	3810	0.08	0.02
RDD308032		0.12	58.1	4.24	0.97	<0.05	0.2	0.226	0.01	2.8	4.8	10.40	4220	0.13	0.02
RDD308033		0.23	13.1	3.52	1.48	<0.05	0.4	0.331	0.03	3.5	7.0	10.60	4410	0.06	0.02
RDD308034		17.65	29.9	3.73	17.80	0.12	4.8	0.069	3.13	48.8	18.1	2.90	1130	0.44	0.06
RDD308035		15.55	32.3	2.61	14.05	0.10	3.9	0.065	2.78	36.4	13.7	4.00	917	0.63	0.03



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 4 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD307996		5.3	220	6.2	59.3	<0.002	0.13	2.06	4.4	<1	0.7	314	0.18	0.06	3.18
RDD307997		12.5	340	6.7	124.0	<0.002	0.12	3.71	8.1	<1	1.4	184.0	0.37	0.07	6.60
RDD307998		13.4	400	7.6	137.0	<0.002	0.07	1.58	9.9	<1	1.8	105.0	0.53	0.11	9.10
RDD307999		15.4	380	7.1	138.0	<0.002	0.11	2.36	10.1	<1	2.1	108.0	0.53	0.07	8.58
RDD308000		7.7	300	5.6	79.1	<0.002	0.14	1.38	5.7	<1	2.4	177.0	0.34	0.06	5.27
RDD308001		8.0	290	7.4	91.3	<0.002	0.18	1.90	6.7	<1	1.9	225	0.30	0.05	5.28
RDD308002		20.5	450	10.0	174.5	<0.002	0.15	3.44	11.7	<1	2.2	63.0	0.62	0.11	10.65
RDD308003		8.3	280	6.6	92.4	<0.002	0.09	1.58	6.6	<1	1.2	226	0.36	0.07	5.27
RDD308004		8.1	270	10.8	60.0	<0.002	0.42	2.56	4.6	<1	0.9	271	0.21	0.06	3.71
RDD308005		3.5	220	7.0	51.1	<0.002	0.13	1.17	3.9	<1	0.7	296	0.19	<0.05	3.28
RDD308006		6.3	260	4.9	69.0	<0.002	0.20	2.44	5.4	<1	1.2	235	0.26	0.06	4.50
RDD308007		15.4	320	13.6	84.3	<0.002	0.59	2.82	6.7	1	6.8	143.5	0.38	<0.05	5.84
RDD308008		21.0	320	67.9	138.5	0.002	0.23	2.36	9.6	1	17.3	74.5	0.99	<0.05	9.62
RDD308009		22.3	320	11.6	131.5	<0.002	0.79	2.83	9.2	<1	4.4	69.8	1.30	<0.05	10.35
RDD308010		21.9	380	7.2	137.5	<0.002	0.69	1.36	10.0	<1	2.2	67.0	1.12	<0.05	10.80
RDD308011		21.4	380	6.1	141.5	<0.002	0.54	0.78	9.8	<1	2.2	59.4	1.34	<0.05	11.55
RDD308012		20.0	350	5.8	121.5	<0.002	0.56	0.56	9.8	<1	1.9	72.3	0.88	0.05	9.96
RDD308013		28.1	370	12.1	127.5	<0.002	1.66	1.38	9.8	<1	1.9	67.3	0.95	0.06	10.15
RDD308014		25.8	360	13.2	118.5	<0.002	2.38	1.60	9.7	<1	1.8	72.3	0.80	0.05	9.26
RDD308015															
RDD308016		70.4	750	19.6	169.0	<0.002	0.15	325	15.8	<1	3.7	152.5	1.18	<0.05	14.95
RDD308017		19.9	390	8.3	121.5	<0.002	0.98	1.14	10.4	<1	1.8	72.6	0.71	0.07	9.16
RDD308018		19.6	450	3.4	88.7	<0.002	0.09	0.44	8.1	<1	1.4	95.3	0.55	0.09	6.90
RDD308019		11.8	660	4.7	68.0	<0.002	0.06	1.12	5.3	<1	1.4	111.0	0.46	0.06	4.77
RDD308020		2.9	730	5.9	6.3	<0.002	<0.01	0.28	1.7	<1	1.5	151.5	0.20	<0.05	1.62
RDD308021		1.9	510	27.7	0.8	<0.002	0.01	0.22	0.8	<1	0.6	122.0	0.06	<0.05	0.62
RDD308022		2.2	460	111.0	0.8	<0.002	0.68	2.94	0.7	<1	11.1	101.5	0.15	<0.05	0.76
RDD308023		1.5	490	46.2	0.6	<0.002	0.13	1.78	0.7	<1	2.3	99.1	0.11	<0.05	0.83
RDD308024		1.5	490	72.0	0.5	<0.002	0.33	20.8	0.7	<1	1.0	100.5	0.10	0.05	0.73
RDD308025		1.8	600	67.7	0.5	<0.002	0.01	0.26	0.9	<1	1.2	155.5	0.06	<0.05	0.80
RDD308026		2.9	490	66.3	0.3	<0.002	0.39	1.72	0.6	<1	1.3	159.0	<0.05	<0.05	0.50
RDD308027		1.9	640	3.7	0.5	<0.002	0.05	0.24	0.7	<1	0.4	122.0	0.09	<0.05	0.72
RDD308028		2.4	570	16.2	0.7	<0.002	0.40	0.52	1.3	1	1.0	127.0	0.15	<0.05	1.24
RDD308029		1.5	270	4.2	0.6	<0.002	0.01	0.16	1.0	<1	0.7	141.0	0.08	<0.05	0.74
RDD308030		1.7	260	6.9	0.4	<0.002	0.08	0.27	0.8	<1	0.6	167.5	0.06	<0.05	0.64
RDD308031		1.8	770	9.1	0.5	<0.002	<0.01	0.12	0.8	<1	0.5	147.0	0.09	<0.05	0.78
RDD308032		1.8	580	80.1	0.4	<0.002	1.29	1.22	0.7	<1	0.7	139.5	0.07	<0.05	0.63
RDD308033		2.6	650	85.9	1.4	<0.002	0.44	0.37	1.0	<1	0.9	105.5	0.12	<0.05	0.97
RDD308034		25.8	1050	13.0	157.5	<0.002	1.94	2.35	10.4	1	2.6	46.5	2.23	0.06	12.25
RDD308035		17.3	670	11.5	146.0	0.003	0.67	3.34	10.0	1	2.2	70.5	1.17	<0.05	11.40



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 4 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1
															0.03
RDD307996		0.46	1.6	18	0.5	11.4	16	39.4	1.73	1.00	0.47	1.88	0.35	0.14	10.8
RDD307997		0.82	2.0	38	1.0	17.5	32	77.0	2.67	1.62	0.69	2.95	0.56	0.24	19.8
RDD307998		0.77	1.6	45	1.2	22.1	29	101.0	3.60	2.12	0.95	4.09	0.75	0.32	27.1
RDD307999		0.79	1.8	48	1.2	20.9	22	98.4	3.44	2.03	0.87	3.80	0.71	0.31	23.4
RDD308000		0.43	1.6	27	0.8	14.5	14	60.6	2.37	1.42	0.80	2.65	0.49	0.21	16.7
RDD308001		0.51	1.3	28	0.9	15.8	14	63.4	2.45	1.46	0.83	2.79	0.50	0.21	17.8
RDD308002		0.91	1.5	59	1.5	23.3	17	119.0	3.90	2.31	0.88	4.35	0.81	0.36	29.2
RDD308003		0.55	2.0	30	0.8	14.8	12	66.3	2.32	1.40	0.61	2.48	0.49	0.21	15.8
RDD308004		0.39	1.4	21	0.5	11.9	13	44.6	1.87	1.08	0.53	2.02	0.39	0.15	12.2
RDD308005		0.28	1.0	18	0.5	9.3	12	39.2	1.42	0.87	0.38	1.53	0.30	0.13	9.7
RDD308006		0.40	1.4	23	0.7	13.8	10	54.0	2.19	1.28	0.59	2.31	0.44	0.19	13.8
RDD308007		0.50	1.8	32	1.0	17.4	27	76.6	2.76	1.58	0.84	2.97	0.55	0.24	18.2
RDD308008		0.71	1.9	60	2.3	25.7	123	140.0	3.99	2.47	0.99	4.15	0.84	0.36	26.6
RDD308009		0.62	1.8	56	1.9	24.3	22	147.0	4.22	2.33	0.86	4.17	0.81	0.36	27.0
RDD308010		0.66	1.9	54	2.1	24.1	22	144.0	4.02	2.37	0.91	4.41	0.82	0.37	29.6
RDD308011		0.66	2.1	60	1.9	27.5	25	173.5	4.53	2.67	0.99	4.84	0.94	0.41	30.1
RDD308012		0.53	1.6	47	1.7	25.0	25	132.0	4.16	2.45	0.96	4.62	0.84	0.35	26.4
RDD308013		0.56	1.6	56	1.9	23.4	37	137.0	4.12	2.29	0.95	4.26	0.79	0.35	27.2
RDD308014		0.53	1.6	64	1.7	22.1	33	126.0	3.58	2.15	0.88	3.90	0.75	0.32	25.0
RDD308015															6.96
RDD308016		0.83	2.7	110	2.4	18.4	97	144.5	3.41	1.91	1.26	4.66	0.67	0.28	36.8
RDD308017		0.53	1.5	59	2.0	22.3	27	119.0	3.73	2.14	0.90	3.99	0.77	0.33	24.3
RDD308018		0.38	1.1	48	1.5	19.0	32	89.8	3.04	1.82	0.75	3.21	0.64	0.27	18.4
RDD308019		0.34	1.0	27	1.2	14.8	24	62.3	2.38	1.42	0.59	2.48	0.49	0.21	14.6
RDD308020		0.08	0.4	9	0.8	12.0	30	23.0	1.48	0.94	0.50	1.50	0.32	0.14	7.4
RDD308021		0.02	0.2	2	0.3	8.1	49	8.6	0.96	0.59	0.38	1.06	0.21	0.08	4.6
RDD308022		0.02	0.2	3	0.5	8.4	705	12.6	1.00	0.64	0.39	1.02	0.22	0.09	4.2
RDD308023		0.02	0.3	4	0.6	6.3	407	11.0	0.90	0.51	0.35	1.01	0.17	0.07	4.8
RDD308024		0.02	0.2	4	0.5	6.9	150	10.4	1.04	0.56	0.42	1.18	0.20	0.07	4.7
RDD308025		<0.02	0.2	4	0.5	7.2	184	11.7	1.06	0.57	0.43	1.17	0.20	0.08	4.8
RDD308026		0.02	0.2	3	0.3	6.3	445	7.3	0.87	0.51	0.35	0.95	0.17	0.07	3.7
RDD308027		<0.02	0.2	4	0.3	7.0	23	11.1	0.97	0.56	0.43	1.22	0.20	0.08	4.8
RDD308028		<0.02	0.3	7	0.5	7.3	39	18.1	1.07	0.63	0.47	1.34	0.21	0.08	5.6
RDD308029		<0.02	0.8	12	0.5	4.7	26	15.1	0.67	0.38	0.32	0.79	0.12	0.05	3.6
RDD308030		<0.02	0.8	11	0.4	6.0	19	10.5	0.95	0.44	0.52	1.28	0.17	0.05	5.6
RDD308031		<0.02	0.3	4	0.3	6.7	92	11.0	0.90	0.56	0.41	1.04	0.19	0.07	4.7
RDD308032		0.03	0.2	4	0.3	5.6	81	9.9	0.84	0.46	0.38	0.97	0.16	0.06	3.9
RDD308033		0.02	0.2	7	0.6	6.8	367	15.0	1.02	0.61	0.39	1.17	0.19	0.07	4.8
RDD308034		0.72	2.1	61	2.0	31.2	25	175.0	5.43	3.16	1.12	6.36	1.03	0.44	41.7
RDD308035		0.82	2.7	53	2.2	26.4	21	137.5	4.19	2.66	1.00	4.80	0.89	0.40	32.6



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 4 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD307996		2.04	0.29	0.15	0.96
RDD307997		3.63	0.56	0.24	1.58
RDD307998		4.84	0.63	0.32	2.11
RDD307999		4.34	0.59	0.30	2.04
RDD308000		3.01	0.40	0.21	1.34
RDD308001		3.27	0.42	0.22	1.42
RDD308002		5.17	0.66	0.35	2.33
RDD308003		2.88	0.39	0.21	1.37
RDD308004		2.32	0.31	0.16	1.02
RDD308005		1.77	0.24	0.13	0.85
RDD308006		2.59	0.37	0.19	1.24
RDD308007		3.43	0.46	0.24	1.54
RDD308008		4.74	0.67	0.37	2.43
RDD308009		4.79	0.69	0.35	2.39
RDD308010		5.19	0.74	0.36	2.43
RDD308011		5.38	0.76	0.40	2.64
RDD308012		5.10	0.71	0.36	2.34
RDD308013		4.94	0.65	0.34	2.24
RDD308014		4.61	0.60	0.32	2.09
RDD308015					
RDD308016		6.41	0.66	0.27	1.85
RDD308017		4.48	0.64	0.32	2.15
RDD308018		3.54	0.52	0.27	1.74
RDD308019		2.76	0.39	0.21	1.33
RDD308020		1.56	0.24	0.14	0.90
RDD308021		1.12	0.16	0.09	0.57
RDD308022		1.01	0.16	0.10	0.56
RDD308023		1.17	0.15	0.07	0.45
RDD308024		1.26	0.17	0.08	0.49
RDD308025		1.26	0.17	0.08	0.50
RDD308026		0.96	0.14	0.07	0.43
RDD308027		1.32	0.17	0.08	0.49
RDD308028		1.44	0.19	0.09	0.54
RDD308029		0.85	0.11	0.05	0.32
RDD308030		1.48	0.17	0.06	0.33
RDD308031		1.12	0.15	0.08	0.50
RDD308032		0.98	0.14	0.06	0.37
RDD308033		1.18	0.16	0.09	0.50
RDD308034		7.92	0.90	0.45	2.98
RDD308035		5.98	0.71	0.37	2.62





Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 5 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-ICP21 Au ppm	ME-XRF15b Sn %	ME-MS61r Ag ppm	ME-MS61r Al %	ME-MS61r As ppm	ME-MS61r Ba ppm	ME-MS61r Be ppm	ME-MS61r Bi ppm	ME-MS61r Ca %	ME-MS61r Cd ppm	ME-MS61r Ce ppm	ME-MS61r Co ppm	ME-MS61r Cr ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD308036		1.93		0.001	<0.005	0.08	6.00	7.3	250	2.37	0.28	6.32	0.06	119.5	7.1	28
RDD308037		1.95		0.003	0.006	0.05	6.63	3.3	280	2.73	0.28	4.07	0.06	127.0	6.7	35
RDD308038		1.77	99.1	0.002	0.005	0.02	4.34	1.7	190	1.61	0.19	7.76	0.07	64.9	4.2	26
RDD308039		1.99		0.002	0.007	0.05	5.75	3.7	270	2.24	0.29	6.55	0.06	83.2	6.9	36
RDD308040		<0.02			2.51											
RDD308041		0.07		0.006		0.08	7.99	1.8	1080	2.69	1.00	1.80	0.19	82.3	8.7	50
RDD308042		2.21		0.002	0.005	0.02	3.69	1.6	160	1.31	0.16	12.90	0.08	50.1	4.6	23
RDD308043		1.96		0.001	<0.005	0.04	3.05	2.0	140	1.17	0.15	14.40	0.07	41.8	3.3	22
RDD308044		1.90		0.001	<0.005	0.02	4.14	2.0	200	1.47	0.19	10.65	0.03	56.1	4.6	26
RDD308045		2.04		0.001	<0.005	0.07	4.23	7.1	190	1.66	0.18	13.45	0.03	67.2	4.8	39
RDD308046		1.88		0.001	0.006	0.24	5.08	13.1	200	2.14	0.19	13.40	0.10	129.5	4.3	44
RDD308047		2.02		0.001	<0.005	0.12	7.25	7.6	320	3.31	0.27	2.31	0.05	146.5	5.6	69
RDD308048		2.60		0.001	<0.005	0.05	4.95	2.5	230	2.11	0.21	8.55	0.06	71.6	4.8	32
RDD308049		2.50		0.002	<0.005	0.11	4.98	13.6	220	1.88	0.29	9.22	0.18	67.6	10.2	32
RDD308050		2.37		0.003	0.006	0.42	7.65	22.6	320	3.14	0.61	1.08	0.07	114.0	13.0	58
RDD308051		2.33		0.004	<0.005	0.51	8.16	35.0	330	3.38	0.50	0.43	0.02	113.0	16.9	72
RDD308052		1.95		0.002	0.007	0.20	7.99	14.6	320	2.89	0.34	0.87	<0.02	106.0	10.9	63
RDD308053		1.97		0.003	0.008	0.29	8.25	24.3	330	3.36	0.41	0.17	0.02	105.0	12.6	69
RDD308054		2.19		0.006	<0.005	0.73	8.15	20.7	320	3.26	0.49	0.46	1.73	104.0	15.0	70
RDD308055		1.56		0.002	0.006	0.13	8.75	5.0	400	3.41	0.49	0.59	0.03	124.0	10.9	50
RDD308056		2.20		0.004	0.007	0.05	8.06	9.1	380	2.82	0.44	0.24	0.03	128.0	17.0	45
RDD308057		1.59		0.002	<0.005	0.04	8.22	0.7	400	3.24	0.16	0.11	<0.02	112.5	11.4	49
RDD308058		2.15		0.002	0.007	0.02	8.18	0.5	490	3.09	0.38	0.11	<0.02	103.5	10.4	48
RDD308059		2.07		0.001	0.010	0.03	7.39	1.4	420	2.40	0.33	0.15	<0.02	111.0	13.0	41
RDD308060		2.27		0.002	0.007	0.04	8.91	1.1	620	3.49	0.56	0.13	<0.02	95.3	9.8	53
RDD308061		1.64		0.003	0.009	0.03	7.99	3.2	500	3.02	0.36	0.24	0.07	91.4	11.4	48
RDD308062		1.87		0.003	<0.005	0.08	3.58	5.3	160	1.27	0.19	0.18	0.07	65.5	10.6	41
RDD308063		1.96		0.002	<0.005	0.07	7.68	1.8	450	2.93	0.17	0.16	0.06	98.1	10.0	52
RDD308064		2.34		0.002	<0.005	0.06	1.79	4.8	80	0.60	0.12	0.03	<0.02	40.7	2.7	17
RDD308065		<0.02			2.67											
RDD308066		0.07		1.650		0.15	7.79	368	700	2.46	0.35	0.87	0.03	79.8	17.4	134
RDD308067		2.12		0.002	<0.005	0.18	4.47	10.4	240	1.77	0.41	0.04	<0.02	67.5	5.4	30
RDD308068		0.89		0.003	0.601	2.88	1.52	24.6	10	0.75	2.22	0.06	3.33	29.2	21.8	14
RDD308069		1.91		0.001	<0.005	0.01	0.03	0.9	<10	<0.05	0.01	0.01	<0.02	1.08	0.4	8
RDD308070		2.21		0.001	<0.005	0.13	1.76	5.4	80	0.61	0.22	0.03	0.26	47.4	2.9	16
RDD308071		1.84		0.002	0.006	0.06	4.13	10.4	220	1.73	0.29	0.04	0.08	74.0	7.2	27
RDD308072		1.93		0.001	<0.005	0.09	2.01	4.9	80	0.66	0.13	0.11	<0.02	54.3	3.9	22
RDD308073		1.88		0.002	<0.005	0.17	1.99	4.1	80	0.66	0.21	0.10	1.58	50.5	3.3	26
RDD308074		1.12		0.014	<0.005	>100	0.97	11.0	10	0.66	75.0	9.08	598	36.2	55.0	3
RDD308075		1.74		0.001	<0.005	0.02	0.03	1.1	<10	<0.05	0.04	0.01	0.08	1.22	0.4	8



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 5 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD308036		15.60	19.8	3.23	16.55	0.14	6.5	0.065	3.17	59.6	13.4	3.48	880	0.57	0.09	55.9
RDD308037		17.80	31.4	2.73	18.20	0.14	7.5	0.077	3.50	65.0	15.4	2.44	469	0.43	0.23	64.8
RDD308038		6.75	13.6	2.21	10.95	0.10	3.3	0.044	2.26	31.6	10.3	4.07	783	0.25	0.11	16.4
RDD308039		11.70	34.9	2.31	14.80	0.12	4.3	0.054	2.99	40.4	12.4	3.45	786	0.37	0.17	18.3
RDD308040																
RDD308041		12.75	23.9	3.10	20.6	0.12	2.1	0.072	3.02	39.3	56.1	0.76	366	2.60	2.07	14.0
RDD308042		4.58	10.0	2.60	9.34	0.08	2.5	0.038	1.84	24.2	7.5	6.41	774	0.16	0.22	8.6
RDD308043		3.48	14.2	2.26	7.77	0.09	2.1	0.033	1.56	19.6	6.0	7.03	534	0.32	0.12	7.2
RDD308044		4.81	15.8	2.16	10.45	0.09	3.0	0.041	2.06	27.4	8.1	5.25	542	0.26	0.22	10.6
RDD308045		5.66	19.6	2.46	12.50	0.07	3.6	0.054	2.09	32.1	9.7	3.88	726	0.67	0.23	21.5
RDD308046		6.53	33.1	3.04	17.35	0.12	6.9	0.105	2.21	62.6	10.8	1.42	625	3.09	0.73	60.9
RDD308047		13.05	27.1	2.51	21.8	0.15	8.0	0.080	3.44	69.3	18.3	1.42	320	1.05	0.42	58.0
RDD308048		5.85	14.5	3.71	14.25	0.09	4.0	0.050	2.35	33.9	11.2	3.59	1475	0.16	0.49	24.1
RDD308049		7.82	27.6	3.45	13.45	0.08	3.9	0.055	2.26	31.8	13.0	2.64	1475	0.99	0.44	17.2
RDD308050		15.55	27.4	3.86	23.1	0.15	6.3	0.083	3.51	54.7	28.0	1.21	523	1.25	0.05	35.4
RDD308051		17.15	37.3	4.78	24.1	0.16	6.2	0.087	3.82	53.9	29.9	1.14	360	1.76	0.05	32.6
RDD308052		16.30	22.1	4.80	23.3	0.14	5.6	0.098	3.36	51.3	30.7	1.62	600	0.52	0.05	28.0
RDD308053		17.45	26.6	4.19	22.7	0.12	5.6	0.084	3.75	49.9	29.0	1.10	271	1.33	0.05	27.1
RDD308054		17.00	42.2	4.23	23.3	0.14	5.9	0.183	3.67	48.0	30.1	1.18	842	1.58	0.04	29.7
RDD308055		18.00	14.2	4.36	24.8	0.15	6.4	0.094	3.73	55.0	35.4	1.58	780	0.45	0.05	33.0
RDD308056		17.65	14.1	3.31	22.5	0.15	6.1	0.089	3.33	59.7	37.3	1.34	187	0.54	0.39	36.7
RDD308057		22.5	45.7	4.44	23.5	0.13	5.6	0.084	3.40	50.2	36.6	1.38	358	0.42	0.34	25.9
RDD308058		20.6	16.0	4.50	22.7	0.15	4.6	0.082	3.92	44.2	20.6	1.04	123	0.47	0.19	22.2
RDD308059		15.05	18.0	3.16	21.3	0.14	6.8	0.081	3.37	54.2	22.6	1.06	206	0.47	0.22	38.5
RDD308060		20.7	29.3	4.95	26.5	0.15	5.5	0.091	4.38	41.4	20.1	0.98	199	0.67	0.23	30.1
RDD308061		17.70	18.8	3.11	23.0	0.13	5.4	0.092	3.76	43.3	23.8	1.12	308	0.67	0.19	23.8
RDD308062		4.50	10.0	3.67	10.45	0.09	3.9	0.055	1.17	32.7	19.2	0.85	468	0.58	0.02	27.4
RDD308063		16.15	41.1	4.29	21.2	0.15	4.8	0.088	3.35	45.9	22.4	0.76	383	0.64	0.15	21.0
RDD308064		1.70	15.2	2.15	4.82	0.06	1.6	0.101	0.60	20.1	8.9	0.30	394	0.57	0.02	8.0
RDD308065																
RDD308066		9.85	29.0	4.20	20.4	0.11	3.9	0.067	2.85	38.9	58.0	1.80	413	0.97	0.77	16.2
RDD308067		5.46	23.9	2.79	12.80	0.08	3.5	0.318	1.81	32.6	11.7	0.48	429	0.60	0.04	19.0
RDD308068		2.15	554	8.14	5.33	0.06	1.1	1.660	0.12	14.6	29.8	0.46	1870	1.38	0.01	4.2
RDD308069		0.06	2.8	0.97	0.24	<0.05	0.4	<0.005	0.01	0.6	1.1	0.01	104	0.61	0.01	1.0
RDD308070		1.69	13.2	2.41	4.91	0.05	1.5	0.269	0.57	23.0	9.3	0.29	416	0.95	0.02	5.9
RDD308071		6.61	16.4	2.88	11.35	0.09	3.3	0.107	1.69	35.5	11.5	0.46	421	0.52	0.03	18.9
RDD308072		1.82	9.7	2.46	5.45	0.05	2.3	0.084	0.66	26.3	10.7	0.36	430	1.16	0.01	11.6
RDD308073		1.99	12.2	2.87	5.62	0.06	2.1	0.298	0.61	24.8	12.7	0.39	639	3.76	0.02	11.1
RDD308074		2.61	2410	11.00	3.60	0.11	0.4	172.0	0.26	18.2	10.2	2.14	23500	0.22	0.01	1.7
RDD308075		0.06	3.1	0.84	0.24	<0.05	0.4	0.021	0.01	0.6	1.3	0.01	98	0.63	0.01	1.3



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 5 - C  
Total # Pages: 6 (A - E)  
Plus Appendix Pages  
Finalized Date: 23-SEP-2025  
Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD308036		17.6	550	13.3	167.0	0.002	1.42	2.32	9.7	<1	3.1	86.6	3.59	<0.05	16.50
RDD308037		15.4	560	9.5	176.5	<0.002	1.02	1.81	10.2	<1	3.3	74.7	3.89	0.06	17.10
RDD308038		10.4	410	6.6	120.0	<0.002	0.19	0.88	7.7	<1	1.7	109.0	1.05	<0.05	9.19
RDD308039		15.8	540	7.5	156.5	<0.002	0.28	1.26	11.2	<1	2.3	92.7	1.16	<0.05	11.95
RDD308040															0.247
RDD308041		18.8	900	25.5	181.0	<0.002	0.13	0.28	9.6	<1	4.8	167.0	1.16	<0.05	16.80
RDD308042		12.4	340	3.8	98.7	<0.002	0.06	0.78	7.4	<1	1.4	164.0	0.55	<0.05	6.96
RDD308043		8.4	350	4.9	82.4	<0.002	0.28	0.89	6.2	<1	1.2	170.5	0.49	<0.05	6.19
RDD308044		12.0	440	4.6	107.0	<0.002	0.06	0.73	8.0	<1	1.6	139.0	0.73	<0.05	8.27
RDD308045		12.0	450	5.6	105.5	0.002	0.28	1.87	8.0	1	1.8	172.5	1.37	<0.05	8.63
RDD308046		11.0	580	11.4	118.5	0.004	0.84	4.71	7.4	1	2.7	225	3.82	<0.05	12.55
RDD308047		18.2	610	5.9	166.5	<0.002	0.23	1.85	11.8	<1	3.3	75.8	3.73	<0.05	16.80
RDD308048		11.2	510	4.5	117.0	<0.002	0.03	0.36	8.5	<1	2.1	191.5	1.45	<0.05	9.63
RDD308049		17.2	570	11.2	120.0	<0.002	0.48	3.64	9.0	<1	1.9	217	1.13	0.05	9.58
RDD308050		21.9	1540	35.4	189.0	<0.002	1.52	6.44	13.6	1	3.3	40.5	2.34	0.05	15.20
RDD308051		27.4	510	29.9	202	0.003	2.51	10.85	14.8	2	3.2	23.3	2.19	0.06	15.00
RDD308052		20.0	810	9.3	183.0	0.002	0.63	4.52	14.2	1	2.8	30.4	1.92	<0.05	14.30
RDD308053		21.3	490	20.8	188.5	0.002	1.74	7.04	13.6	1	3.0	17.2	1.70	0.05	14.50
RDD308054		20.8	580	268	180.5	0.002	1.16	7.11	13.9	1	6.7	20.9	1.92	0.05	14.50
RDD308055		26.6	370	15.2	207	<0.002	0.06	1.62	15.4	<1	3.5	30.3	2.02	<0.05	16.95
RDD308056		23.2	370	9.8	163.5	<0.002	0.04	0.68	13.5	<1	3.2	35.0	2.29	0.05	15.15
RDD308057		20.0	340	4.1	179.0	<0.002	0.03	0.85	15.1	<1	3.2	31.3	1.70	<0.05	15.80
RDD308058		20.5	400	6.2	197.5	<0.002	0.01	1.34	13.7	<1	3.1	34.1	1.46	<0.05	14.50
RDD308059		23.6	330	5.0	180.0	<0.002	0.02	0.90	14.4	<1	3.3	36.8	2.36	<0.05	16.45
RDD308060		23.1	460	8.7	213	<0.002	0.01	1.78	15.4	<1	3.8	41.2	1.92	0.05	16.00
RDD308061		23.8	310	6.3	190.0	<0.002	0.03	1.07	15.4	<1	3.2	40.7	1.48	0.05	14.70
RDD308062		22.5	270	10.4	61.9	<0.002	0.02	0.63	7.0	<1	1.6	16.2	1.54	<0.05	8.48
RDD308063		29.9	350	7.8	179.5	<0.002	0.03	1.53	13.2	<1	3.0	26.3	1.34	<0.05	15.20
RDD308064		8.7	130	4.2	31.9	<0.002	0.02	0.52	2.5	<1	6.8	6.5	0.49	<0.05	4.86
RDD308065															0.111
RDD308066		66.8	770	19.2	161.0	<0.002	0.15	331	15.0	<1	3.5	150.0	1.15	<0.05	15.40
RDD308067		16.6	180	12.6	95.5	<0.002	0.21	1.71	6.6	<1	16.0	12.6	1.21	<0.05	11.10
RDD308068		9.0	100	305	10.0	<0.002	2.82	3.13	2.2	1	338	5.7	0.26	<0.05	3.60
RDD308069		2.1	<10	1.0	0.4	<0.002	<0.01	0.24	0.1	<1	0.2	2.2	0.07	<0.05	0.23
RDD308070		10.5	100	24.3	31.7	<0.002	0.05	0.82	2.5	<1	8.5	7.4	0.38	<0.05	5.10
RDD308071		17.8	160	4.8	86.1	<0.002	0.03	2.59	5.8	<1	5.8	11.8	1.26	<0.05	11.15
RDD308072		11.8	120	5.7	38.2	<0.002	0.01	0.49	3.1	<1	4.9	7.2	0.72	<0.05	6.66
RDD308073		12.3	110	26.5	34.9	<0.002	0.05	0.68	3.0	<1	8.6	8.2	0.65	<0.05	5.92
RDD308074		5.1	40	>10000	25.0	<0.002	9.48	43.8	2.5	10	24.5	45.5	0.11	0.31	1.19
RDD308075		1.2	<10	8.7	0.4	<0.002	0.01	0.23	0.1	<1	0.2	2.3	0.08	<0.05	0.26



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 5 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1
															0.03
RDD308036		0.89	3.2	46	1.7	31.1	21	249	5.15	3.07	1.00	5.62	1.10	0.48	46.3
RDD308037		0.86	2.7	48	2.2	34.8	27	297	5.77	3.48	1.05	6.44	1.26	0.53	50.8
RDD308038		0.60	1.7	36	1.7	22.2	26	141.0	3.65	2.19	0.83	3.94	0.74	0.35	28.3
RDD308039		0.72	3.3	53	2.3	28.8	37	153.5	4.57	2.72	1.08	5.07	0.95	0.45	36.1
RDD308040															10.00
RDD308041		0.98	4.2	63	10.8	17.2	86	64.7	3.80	1.44	1.53	5.83	0.62	0.17	38.0
RDD308042		0.50	1.7	35	1.4	19.6	46	97.3	3.09	1.88	0.75	3.27	0.66	0.30	22.0
RDD308043		0.44	2.0	28	1.3	17.6	37	77.9	2.85	1.74	0.68	3.11	0.59	0.25	18.4
RDD308044		0.53	2.6	35	1.9	22.1	17	109.0	3.48	2.14	0.80	3.88	0.73	0.34	25.0
RDD308045		0.57	1.8	36	1.4	24.8	17	135.5	4.09	2.42	0.79	4.49	1.19	0.36	28.2
RDD308046		0.76	2.9	32	1.0	33.5	50	274	5.89	3.32	0.87	6.62	1.13	0.46	48.5
RDD308047		0.86	3.8	50	1.8	42.2	42	323	7.43	4.31	1.22	8.41	1.45	0.63	57.8
RDD308048		0.54	1.6	38	1.7	27.8	41	140.0	5.55	2.71	0.84	4.88	0.91	0.39	30.3
RDD308049		0.74	2.7	43	1.8	24.1	76	132.5	4.23	2.61	0.93	4.70	0.84	0.38	28.5
RDD308050		1.08	2.8	73	2.3	33.2	38	225	6.19	3.48	1.34	7.64	1.24	0.50	45.6
RDD308051		1.39	3.0	88	1.9	29.9	22	221	5.54	3.22	1.22	6.12	1.06	0.47	44.5
RDD308052		1.06	2.8	83	1.7	30.4	34	203	5.34	3.10	1.34	6.10	1.04	0.46	40.8
RDD308053		1.12	2.9	88	1.9	25.9	23	203	4.86	2.91	1.20	5.46	0.98	0.44	39.9
RDD308054		1.16	3.2	91	2.2	26.6	457	212	5.18	3.00	1.20	5.78	1.00	0.46	40.4
RDD308055		1.08	5.2	108	3.0	34.7	51	225	6.59	3.81	1.41	7.29	1.24	0.55	47.5
RDD308056		0.72	3.3	92	2.1	33.0	75	221	6.21	3.39	1.28	7.36	1.45	0.49	49.8
RDD308057		0.85	2.5	93	2.2	29.3	77	188.5	5.58	3.26	1.41	6.46	1.08	0.54	44.5
RDD308058		0.96	2.5	89	2.0	27.0	59	165.5	5.30	3.00	1.28	6.35	1.03	0.45	41.1
RDD308059		0.82	4.1	97	1.9	34.1	66	257	6.25	3.89	1.40	6.75	1.29	0.56	46.0
RDD308060		1.14	3.4	89	2.6	28.9	62	203	5.46	3.31	1.36	6.60	1.10	0.50	40.4
RDD308061		0.93	4.5	99	2.2	28.9	80	207	5.20	3.33	1.20	5.67	1.06	0.52	38.9
RDD308062		0.34	2.2	67	1.0	19.5	59	160.0	3.34	2.00	0.78	3.91	0.67	0.28	26.8
RDD308063		1.00	3.3	77	2.5	27.2	65	168.5	5.08	2.99	1.42	6.05	0.97	0.47	42.5
RDD308064		0.17	1.0	21	1.6	7.2	18	56.4	1.42	0.82	0.56	2.13	0.27	0.13	17.5
RDD308065															4.74
RDD308066		0.87	2.8	108	2.3	17.6	97	138.0	3.46	1.92	1.36	4.79	0.65	0.30	35.4
RDD308067		0.52	2.7	42	2.2	16.3	25	127.5	3.01	1.76	0.87	3.47	0.57	0.29	27.3
RDD308068		0.35	0.9	13	2.9	7.8	1210	39.8	1.52	0.84	0.45	1.78	0.29	0.11	11.7
RDD308069		<0.02	0.2	2	0.2	0.8	2	12.7	0.14	0.10	<0.03	0.10	0.03	0.02	0.4
RDD308070		0.18	1.2	19	1.6	7.5	83	55.9	1.63	0.80	0.59	2.22	0.27	0.13	19.8
RDD308071		0.48	2.4	38	1.4	16.3	29	119.0	2.93	1.78	0.84	3.77	0.56	0.31	30.1
RDD308072		0.20	1.5	31	0.9	9.6	25	81.6	1.84	1.08	0.64	2.55	0.34	0.16	22.5
RDD308073		0.22	1.3	32	1.5	8.2	414	69.5	1.52	0.88	0.60	2.23	0.30	0.14	21.4
RDD308074		0.66	0.3	8	1.1	18.5	>10000	13.9	3.26	1.52	1.44	3.77	0.58	0.13	16.2
RDD308075		<0.02	0.2	2	0.2	0.9	81	14.8	0.14	0.12	<0.03	0.11	0.03	0.02	0.5



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 5 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD308036		7.31	0.88	0.44	3.01
RDD308037		8.28	1.02	0.50	3.33
RDD308038		5.08	0.65	0.33	2.11
RDD308039		6.52	0.78	0.41	2.75
RDD308040					
RDD308041		7.32	0.79	0.17	1.08
RDD308042		4.08	0.51	0.27	1.78
RDD308043		3.39	0.48	0.24	1.60
RDD308044		4.48	0.60	0.32	2.12
RDD308045		5.40	0.67	0.36	2.28
RDD308046		8.47	0.98	0.47	3.04
RDD308047		10.45	1.21	0.62	4.02
RDD308048		5.95	0.75	0.38	2.67
RDD308049		5.55	0.69	0.37	2.45
RDD308050		8.99	1.08	0.50	3.36
RDD308051		8.10	0.91	0.46	3.08
RDD308052		7.79	0.88	0.44	2.96
RDD308053		7.40	0.84	0.42	2.84
RDD308054		7.51	0.85	0.45	3.01
RDD308055		9.38	1.06	0.55	3.64
RDD308056		9.22	1.05	0.49	3.36
RDD308057		8.48	0.93	0.47	3.22
RDD308058		7.94	0.87	0.44	3.00
RDD308059		8.08	1.04	0.57	3.65
RDD308060		7.64	0.99	0.49	3.29
RDD308061		6.93	0.88	0.49	3.27
RDD308062		4.73	0.60	0.31	1.91
RDD308063		7.52	0.89	0.45	3.01
RDD308064		3.14	0.28	0.13	0.85
RDD308065					
RDD308066		6.52	0.65	0.27	1.82
RDD308067		4.89	0.51	0.27	1.83
RDD308068		2.17	0.26	0.12	0.74
RDD308069		0.08	0.02	0.01	0.10
RDD308070		3.45	0.29	0.12	0.80
RDD308071		5.27	0.53	0.27	1.79
RDD308072		3.96	0.37	0.16	1.04
RDD308073		3.57	0.32	0.14	0.95
RDD308074		3.89	0.60	0.19	1.10
RDD308075		0.09	0.02	0.02	0.12



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 6 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Recvd Wt.	Pass75um	Au	Sn	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr
		kg	%	ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD308076		2.13		<0.001	0.007	0.15	4.84	4.0	270	1.84	0.11	0.25	0.73	38.7	3.0	42
RDD308077		2.47		0.002	0.008	0.37	3.82	6.3	210	1.45	0.45	0.07	1.46	40.8	4.5	34
RDD308078		2.03	96.1	0.003	0.006	0.05	9.38	5.0	470	3.15	0.71	0.12	0.05	85.2	10.4	56
RDD308079		1.97		0.002	0.008	0.04	8.07	8.8	450	3.01	0.68	0.19	0.02	74.7	11.1	56
RDD308080		2.41		0.002	<0.005	0.06	6.89	11.2	380	2.41	0.43	0.34	0.05	82.6	9.9	46
RDD308081		1.95		0.002	0.006	0.43	7.55	11.0	420	2.55	2.24	0.14	0.07	79.8	13.2	51
RDD308082		2.18		0.002	<0.005	0.15	7.37	15.2	370	2.28	0.74	0.19	0.02	100.5	13.8	54
RDD308083		2.04		0.002	<0.005	0.09	5.84	8.2	290	1.99	0.32	0.62	0.11	77.7	7.4	42
RDD308084		1.87		<0.001	0.007	0.53	7.40	10.1	390	2.60	2.80	0.18	0.42	76.7	7.7	53
RDD308085		1.95		0.002	<0.005	0.15	7.67	13.6	430	2.83	1.22	0.17	<0.02	99.6	9.1	61
RDD308086		2.02		0.001	<0.005	0.12	6.21	7.5	390	2.00	0.19	0.06	0.05	100.0	4.5	39
RDD308087		1.90		<0.001	0.005	0.46	2.81	5.8	130	0.82	0.77	0.18	0.93	67.7	3.6	22
RDD308088		2.35		0.002	<0.005	8.12	5.30	11.3	270	1.69	0.59	1.36	8.63	73.7	8.3	33
RDD308089		2.10		0.004	0.011	0.64	6.37	47.9	340	2.11	0.74	1.26	0.75	91.1	16.1	89
RDD308090		<0.02			1.110											
RDD308091		0.07		0.009		0.09	7.78	1.8	1030	2.57	1.14	1.68	0.19	81.2	7.7	49
RDD308092		2.26		0.001	0.005	0.17	6.99	36.6	290	1.98	0.27	6.07	0.03	146.0	50.0	476
RDD308093		0.93		0.001	<0.005	0.14	6.65	11.5	60	1.00	0.03	4.15	0.05	135.0	58.7	541
RDD308094		1.35		<0.001	<0.005	0.13	7.28	4.5	160	1.56	0.02	3.67	0.03	144.5	44.4	419
RDD308095		1.46		0.001	<0.005	0.07	2.44	5.5	230	0.98	0.10	9.97	0.02	40.7	7.7	33
RDD308096		0.99		0.002	<0.005	0.09	3.43	8.8	210	0.92	0.23	7.09	<0.02	77.5	14.7	68
RDD308097		0.70		0.003	<0.005	0.09	7.95	28.1	480	1.96	0.12	2.34	0.02	122.0	35.0	330
RDD308098		1.57		0.001	<0.005	0.05	3.27	4.4	250	1.15	0.18	2.53	<0.02	59.2	7.3	26
RDD308099		1.84		0.003	<0.005	0.03	2.36	4.2	160	0.77	0.16	0.49	<0.02	63.8	5.6	20
RDD308100		1.78		<0.001	<0.005	0.06	7.71	5.6	500	2.48	0.15	0.41	<0.02	87.3	6.2	51
RDD308101		2.18		0.001	<0.005	0.06	6.50	13.2	400	2.00	0.23	3.30	<0.02	87.9	24.6	241
RDD308102		0.62		<0.001	<0.005	0.05	1.33	1.4	30	0.43	0.12	13.55	0.03	17.00	8.3	34
RDD308103		1.84		0.002	0.006	0.10	6.07	7.9	420	1.73	0.30	2.30	<0.02	73.4	16.6	160



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 6 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
RDD308076		5.19	9.0	4.16	13.65	0.05	3.9	0.524	1.70	18.1	24.1	0.80	1570	0.62	0.03
RDD308077		4.55	13.2	2.84	10.45	0.06	3.4	0.608	1.41	19.2	15.1	0.62	641	0.45	0.02
RDD308078		20.6	38.9	4.07	25.5	0.11	4.6	0.102	4.04	38.3	24.2	0.87	204	1.03	0.07
RDD308079		21.0	29.8	3.80	23.1	0.09	4.6	0.083	3.71	32.9	23.4	0.81	416	1.28	0.07
RDD308080		14.85	16.9	3.01	18.15	0.11	4.3	0.087	3.14	37.2	22.3	0.82	698	1.28	0.05
RDD308081		13.70	51.4	3.85	19.65	0.11	4.3	0.096	3.48	37.0	20.3	0.70	630	1.45	0.05
RDD308082		12.00	33.5	4.28	18.90	0.13	4.4	0.106	3.26	47.4	20.5	0.75	710	1.72	0.05
RDD308083		10.05	16.0	3.16	14.75	0.11	3.9	0.119	2.56	36.5	18.8	0.72	925	1.42	0.05
RDD308084		12.35	14.4	3.77	19.00	0.10	4.5	0.210	3.37	35.3	23.4	0.83	774	1.39	0.05
RDD308085		15.55	17.7	3.36	19.35	0.12	4.6	0.096	3.50	47.7	18.9	0.74	407	1.80	0.05
RDD308086		9.68	12.1	2.16	15.85	0.10	4.8	0.079	2.82	47.6	17.5	0.63	413	2.73	0.05
RDD308087		3.09	30.9	3.46	7.21	0.08	2.5	0.416	0.93	32.3	17.4	0.61	959	1.20	0.03
RDD308088		7.23	70.3	5.35	13.80	0.09	3.1	0.518	2.07	35.5	32.8	1.08	2930	0.88	0.04
RDD308089		9.39	44.1	4.41	17.00	0.11	4.0	0.187	2.55	44.4	42.3	1.12	1020	1.27	0.04
RDD308090															
RDD308091		12.05	21.2	2.91	20.5	0.13	1.9	0.069	2.96	38.1	56.0	0.71	358	2.67	2.03
RDD308092		10.55	41.2	6.35	17.60	0.15	4.1	0.093	1.53	81.2	83.4	5.48	1365	1.76	0.41
RDD308093		5.49	36.0	7.54	15.20	0.16	4.5	0.056	0.21	72.4	107.0	6.54	779	2.49	1.03
RDD308094		8.33	34.7	7.38	17.45	0.16	5.2	0.059	0.63	79.8	109.0	6.35	660	3.30	1.02
RDD308095		4.02	9.2	3.30	7.28	0.05	1.9	0.034	1.01	20.3	9.5	5.01	2040	0.89	0.21
RDD308096		4.29	18.6	3.26	8.00	0.07	2.6	0.036	0.85	40.7	15.1	3.35	1100	4.78	1.12
RDD308097		8.63	32.0	3.40	17.70	0.12	5.5	0.050	1.75	58.9	43.1	2.24	275	9.05	2.76
RDD308098		4.72	11.1	2.73	8.85	0.05	2.5	0.040	1.17	28.5	25.0	1.48	523	1.12	0.10
RDD308099		2.83	11.2	1.91	6.36	<0.05	2.1	0.025	0.85	29.1	15.0	0.58	231	0.94	0.07
RDD308100		12.95	14.1	3.86	20.7	0.10	4.0	0.081	3.17	39.7	29.0	0.99	502	0.70	0.13
RDD308101		10.40	22.1	4.55	17.50	0.09	3.8	0.071	1.83	42.8	53.7	4.00	907	1.22	0.34
RDD308102		1.30	15.8	4.57	4.03	<0.05	0.9	0.024	0.13	7.7	17.1	7.63	1825	0.43	0.15
RDD308103		9.39	27.8	4.57	16.45	0.09	3.1	0.066	1.95	33.9	40.8	3.03	710	1.02	0.32



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 6 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD308076		11.4	160	51.4	94.0	<0.002	0.02	1.26	8.3	<1	28.5	12.2	0.78	<0.05	10.60
RDD308077		12.4	190	201	76.3	<0.002	0.03	0.88	6.5	<1	19.9	10.3	0.71	<0.05	9.03
RDD308078		20.4	360	7.3	192.0	<0.002	0.10	1.52	15.6	1	3.7	24.6	0.87	0.05	15.80
RDD308079		21.6	530	7.7	161.0	<0.002	0.55	2.65	11.8	1	3.7	27.1	1.04	<0.05	12.80
RDD308080		19.4	350	9.6	152.5	<0.002	0.54	2.79	10.3	<1	3.3	22.6	0.93	0.06	13.30
RDD308081		27.2	270	48.9	171.5	0.002	1.29	4.34	11.1	1	5.5	19.2	0.82	0.08	13.25
RDD308082		26.3	320	13.3	164.0	0.002	1.42	3.00	11.0	1	5.4	20.9	0.93	0.07	14.65
RDD308083		15.1	320	9.2	127.0	0.002	0.55	1.41	8.2	<1	4.9	23.8	0.90	<0.05	11.80
RDD308084		21.4	350	54.9	167.0	<0.002	0.77	1.84	10.8	<1	7.0	16.6	0.94	0.12	13.75
RDD308085		20.5	610	13.8	183.5	0.004	1.44	4.57	11.0	1	4.5	18.0	1.03	0.08	15.15
RDD308086		14.8	190	11.8	146.5	<0.002	0.09	1.20	8.4	<1	5.9	14.2	1.20	<0.05	14.85
RDD308087		13.6	110	87.0	49.0	<0.002	0.15	1.78	3.8	<1	6.3	11.2	0.56	<0.05	7.97
RDD308088		13.0	260	6550	109.5	<0.002	1.18	9.03	8.0	1	12.4	18.2	0.65	0.10	10.40
RDD308089		66.2	3780	211	148.5	<0.002	0.93	5.05	10.6	<1	15.5	41.2	1.00	<0.05	13.30
RDD308090															
RDD308091		17.0	830	25.7	167.5	<0.002	0.13	0.29	8.0	<1	4.8	157.5	1.10	0.05	15.35
RDD308092		606	3500	16.4	96.0	<0.002	0.21	6.23	18.2	<1	3.9	201	4.59	<0.05	10.10
RDD308093		719	3310	27.6	17.8	<0.002	0.16	3.37	18.9	<1	1.2	221	4.74	<0.05	10.10
RDD308094		452	2970	6.4	40.5	<0.002	0.36	2.83	21.0	<1	2.0	180.0	5.16	<0.05	11.05
RDD308095		40.6	230	6.0	63.7	<0.002	0.37	1.94	4.4	<1	1.2	263	0.61	<0.05	5.72
RDD308096		72.4	4120	8.0	53.2	<0.002	0.52	2.07	7.8	<1	1.3	241	1.38	<0.05	7.05
RDD308097		262	4950	8.1	78.4	<0.002	0.62	3.00	21.5	<1	2.7	173.5	4.52	<0.05	11.55
RDD308098		20.1	120	4.4	65.8	<0.002	0.27	0.95	5.1	<1	1.4	66.8	0.54	<0.05	8.38
RDD308099		12.6	90	3.7	46.4	<0.002	0.12	0.70	3.7	<1	1.0	18.4	0.41	<0.05	7.58
RDD308100		15.0	360	6.9	160.0	<0.002	0.61	1.44	12.0	<1	2.9	23.2	0.83	<0.05	14.15
RDD308101		224	890	6.4	101.5	<0.002	0.69	2.26	13.5	1	2.5	116.0	1.48	<0.05	11.30
RDD308102		37.9	200	4.1	8.8	<0.002	0.41	0.70	5.6	1	0.4	404	0.27	<0.05	2.19
RDD308103		114.5	410	8.5	108.5	0.002	0.89	3.32	12.8	1	2.3	82.9	0.93	<0.05	10.30





Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P1

Page: 6 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 23-SEP-2025

Account: BLUMINJV

## CERTIFICATE OF ANALYSIS BU25257586

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD308076		0.49	2.5	68	4.1	16.5	261	138.5	2.68	1.79	0.66	2.82	0.57	0.31	16.6	4.42
RDD308077		0.43	2.2	51	2.8	14.2	404	116.5	2.47	1.67	0.67	2.82	0.51	0.27	17.4	4.58
RDD308078		1.10	4.3	98	1.9	26.3	54	162.0	4.88	3.10	1.37	5.75	1.01	0.49	37.8	10.35
RDD308079		1.14	3.6	86	2.5	19.8	35	160.5	3.88	2.44	1.12	4.70	0.78	0.41	32.8	8.89
RDD308080		0.89	3.2	75	2.0	21.3	21	150.0	3.98	2.53	1.20	4.86	0.79	0.42	35.2	9.71
RDD308081		1.02	3.2	79	2.2	20.2	36	144.0	3.69	2.38	1.10	4.40	0.74	0.41	34.6	9.44
RDD308082		1.06	3.4	85	2.3	22.5	28	147.5	3.98	2.58	1.23	4.84	0.83	0.42	41.7	11.40
RDD308083		0.74	2.8	59	2.0	20.1	48	139.5	3.53	2.21	1.07	4.15	0.68	0.36	33.8	8.98
RDD308084		0.97	3.3	79	2.7	22.2	140	159.5	3.75	2.50	1.05	4.24	0.78	0.43	33.0	8.68
RDD308085		0.99	3.6	86	2.3	23.0	15	154.0	4.05	2.58	1.28	5.08	0.82	0.43	42.1	11.70
RDD308086		0.83	3.3	53	2.2	21.7	28	162.0	3.85	2.44	1.19	4.84	0.77	0.40	42.4	11.95
RDD308087		0.30	1.6	25	1.7	11.6	293	103.0	2.18	1.26	0.76	2.96	0.43	0.21	28.5	7.76
RDD308088		0.67	2.3	48	2.3	18.6	2200	108.5	3.37	1.92	1.39	4.14	0.66	0.31	31.5	8.52
RDD308089		0.87	3.0	67	2.3	22.3	204	147.0	4.33	2.60	1.72	5.50	0.86	0.40	37.9	10.15
RDD308090																
RDD308091		0.98	4.4	60	10.6	15.7	81	61.5	3.67	1.36	1.49	5.53	0.57	0.16	35.8	9.58
RDD308092		0.85	2.2	152	0.6	18.0	57	194.0	3.86	1.65	2.53	5.74	0.66	0.21	53.0	15.65
RDD308093		0.35	2.2	145	0.4	18.5	66	210	3.84	1.72	2.45	5.53	0.66	0.18	50.4	14.75
RDD308094		0.35	2.5	159	0.4	20.0	61	236	3.96	1.83	2.50	5.62	0.72	0.20	53.2	15.25
RDD308095		0.43	1.2	25	1.0	11.7	11	70.1	2.11	1.26	0.61	2.23	0.42	0.19	16.4	4.45
RDD308096		0.39	2.2	49	2.0	20.0	13	101.5	3.38	1.78	1.36	4.19	0.63	0.23	31.3	8.57
RDD308097		0.66	4.3	167	2.1	27.0	30	248	5.40	2.78	2.24	7.40	1.01	0.31	48.8	13.30
RDD308098		0.40	1.8	29	1.3	12.3	14	84.9	2.33	1.48	0.69	2.98	0.50	0.22	23.2	6.27
RDD308099		0.27	1.6	22	1.0	10.0	12	82.4	2.02	1.17	0.70	2.88	0.57	0.17	25.7	6.85
RDD308100		0.93	2.9	77	1.9	21.1	20	140.0	4.15	2.65	1.26	5.15	0.85	0.42	36.1	9.85
RDD308101		0.64	2.5	99	1.5	20.6	36	151.5	4.09	2.43	1.53	5.18	0.80	0.39	35.5	9.64
RDD308102		0.08	0.4	29	0.4	6.0	18	39.1	1.14	0.63	0.50	1.35	0.22	0.09	7.2	1.81
RDD308103		0.65	2.3	79	1.3	17.2	31	117.5	3.36	2.06	1.19	4.43	0.66	0.31	30.1	8.06

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 23-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P1

## CERTIFICATE OF ANALYSIS BU25257586

### CERTIFICATE COMMENTS

#### ANALYTICAL COMMENTS

Applies to Method:

REEs may not be totally soluble in this method.  
ME-MS61r

#### ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist  
Au-ICP21

#### LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia  
Au-ICP21

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia  
ME-MS61r ME-XRF15b

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.  
BAG-01 BAG-21  
LOG-22 LOG-24  
SPL-21 WEI-21

CRU-21

PUL-23

LEV-01

PUL-QC