



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 1

Total # Pages: 5 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

CERTIFICATE BU25257605

Project: EDGI_29_P2

P.O. No.: 271046

This report is for 125 samples of 1/2 Core submitted to our lab in Burnie, TAS, Australia on 26-AUG-2025.

The following have access to data associated with this certificate:

ESTHER LITTLE

MITCHELL PETERSEN

DECLAN RADFORD

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
SPL-21	Split sample – riffle splitter
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
CRU-21	Crush entire sample
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF15b	Various elements in ores by fusion XRF	XRF
ME-MS61r	4A multi-element ICP-MS + REE	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_29_P2

Page: 2 - A
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 16-SEP-2025
Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-ICP21 Au ppm	ME-XRF15b Sn %	ME-MS61r Ag ppm	ME-MS61r Al %	ME-MS61r As ppm	ME-MS61r Ba ppm	ME-MS61r Be ppm	ME-MS61r Bi ppm	ME-MS61r Ca %	ME-MS61r Cd ppm	ME-MS61r Ce ppm	ME-MS61r Co ppm	ME-MS61r Cr ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD308539		2.39	99.1	0.003	0.005	0.24	3.95	8.5	30	0.97	1.01	4.85	<0.02	46.2	18.6	36
RDD308540		1.92	99.1	0.004	0.006	0.15	5.10	11.2	440	1.20	0.22	6.45	0.03	57.2	10.8	37
RDD308541		2.05	99.1	0.002	0.007	0.18	5.04	8.9	460	1.59	1.16	2.01	0.04	74.2	13.8	43
RDD308542		1.81		0.003	0.009	0.32	7.69	18.6	550	2.28	3.04	1.75	<0.02	80.4	34.2	120
RDD308543		2.06		0.005	0.012	0.42	3.40	7.2	40	1.29	1.38	7.00	<0.02	45.1	19.8	29
RDD308544		2.17		0.007	<0.005	0.41	4.06	37.7	180	1.37	2.13	6.21	0.02	50.9	22.4	33
RDD308545		1.07		0.001	<0.005	0.01	0.04	1.2	10	<0.05	0.04	0.01	<0.02	1.47	0.5	8
RDD308546		2.36		0.005	<0.005	0.33	4.59	28.0	160	1.33	1.05	6.16	<0.02	53.7	16.1	34
RDD308547		1.93		0.005	<0.005	0.32	4.26	37.2	100	1.38	1.04	6.35	0.12	51.8	12.6	31
RDD308548		2.20		0.004	<0.005	1.10	4.34	35.4	160	1.46	2.34	8.48	0.74	54.3	13.4	30
RDD308549		1.64		0.003	<0.005	1.64	3.63	19.8	40	1.01	2.31	9.07	3.37	39.9	13.4	27
RDD308550		1.27		<0.001	<0.005	1.80	4.32	8.1	40	1.09	1.84	5.35	12.20	55.3	32.7	37
RDD308551		<0.02			1.100											
RDD308552		0.06		1.620		0.15	7.93	327	740	2.70	0.33	0.93	0.06	86.5	17.6	134
RDD308553		1.92		0.003	0.005	0.16	8.65	18.4	970	1.89	0.23	1.44	0.11	78.9	27.0	153
RDD308554		1.87		0.002	<0.005	0.09	7.30	15.4	500	1.11	0.15	1.32	0.02	69.9	26.9	85
RDD308555		1.94		0.002	<0.005	0.07	7.67	18.4	680	1.33	0.16	2.05	0.14	47.1	28.1	184
RDD308556		2.30		0.002	<0.005	0.14	4.30	20.1	340	1.04	0.44	7.55	<0.02	49.1	15.2	33
RDD308557		1.21		0.001	<0.005	0.01	0.05	1.2	10	<0.05	0.03	0.01	<0.02	1.72	0.4	7
RDD308558		2.06		0.003	0.007	0.14	3.92	17.0	280	0.95	0.30	8.41	<0.02	43.3	12.8	29
RDD308559		2.03		0.004	0.006	0.15	3.94	15.3	240	0.99	0.22	8.94	0.02	45.9	9.3	30
RDD308560		2.00		0.006	0.007	0.23	4.92	23.7	270	1.49	0.61	7.08	0.03	62.1	11.1	50
RDD308561		1.94		0.004	<0.005	0.11	4.21	7.8	160	1.21	0.54	7.88	0.05	52.5	13.8	36
RDD308562		2.34		0.003	0.007	0.04	6.81	0.8	510	2.54	0.20	2.70	0.02	84.8	9.7	58
RDD308563		2.22		0.002	0.005	0.05	6.00	5.7	550	2.30	0.30	4.82	0.03	69.1	14.2	63
RDD308564		2.32		0.009	0.005	1.64	3.13	68.7	140	1.08	0.27	7.18	0.06	41.1	10.0	30
RDD308565		1.44		0.002	<0.005	0.02	0.04	1.0	10	<0.05	0.02	0.01	<0.02	1.60	0.4	7
RDD308566		1.79		0.006	<0.005	0.23	7.14	20.4	390	2.83	0.40	2.36	0.02	101.0	9.7	56
RDD308567		2.13		0.002	<0.005	0.30	1.79	19.8	130	0.83	0.14	16.25	0.19	36.0	10.2	14
RDD308568		1.95		0.003	<0.005	0.18	1.77	15.0	140	0.96	0.08	16.05	0.03	33.2	7.2	16
RDD308569		2.53		0.010	0.009	1.88	5.21	80.0	120	2.37	0.30	1.78	0.06	98.7	22.4	47
RDD308570		1.10		0.002	<0.005	0.02	0.06	1.2	10	<0.05	0.02	0.01	<0.02	1.40	0.4	7
RDD308571		2.84		0.010	0.005	1.74	4.43	81.1	110	2.00	0.34	4.10	0.18	78.8	24.0	44
RDD308572		1.14		0.002	<0.005	0.01	0.05	1.4	10	<0.05	0.04	0.01	<0.02	1.71	0.4	7
RDD308573		2.41		0.004	0.005	0.19	2.79	13.8	190	1.03	0.08	11.90	0.05	44.5	6.3	18
RDD308574		2.37		0.005	0.009	0.16	7.16	7.0	380	2.82	0.89	1.30	<0.02	88.6	14.4	67
RDD308575		2.26		0.001	0.009	0.86	7.66	15.6	640	2.78	1.77	1.04	2.55	75.4	17.8	81
RDD308576		1.90		0.006	0.007	0.19	6.38	5.1	470	2.32	0.91	4.32	0.02	65.7	19.0	78
RDD308577		<0.02			2.48											
RDD308578		0.06		1.670		0.14	7.50	366	690	2.50	0.31	0.85	0.04	81.5	16.5	124



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 2 - B

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
RDD308539		1.66	87.0	12.40	9.90	0.10	2.4	0.367	0.08	22.1	58.7	5.84	4530	2.05	0.14
RDD308540		8.40	12.4	4.38	13.65	0.08	2.8	0.061	1.58	27.9	18.9	5.06	1305	1.13	0.47
RDD308541		7.92	30.2	3.45	13.10	0.11	3.3	0.192	2.36	36.7	22.7	1.44	919	1.52	0.06
RDD308542		11.20	101.5	6.64	19.55	0.14	3.7	0.436	3.18	39.8	48.2	2.51	1135	3.46	0.13
RDD308543		1.33	188.0	12.10	9.67	0.13	2.0	1.860	0.17	22.9	36.4	3.95	8950	1.94	0.18
RDD308544		4.30	66.0	9.78	12.05	0.10	2.3	0.602	0.95	24.7	25.1	4.49	3010	2.39	0.18
RDD308545		0.08	3.2	0.96	0.29	<0.05	0.4	0.008	0.01	0.8	1.4	0.01	102	0.69	0.01
RDD308546		3.77	40.6	8.09	12.90	0.10	2.6	0.133	0.81	26.4	31.1	5.49	2120	2.19	0.21
RDD308547		4.31	31.1	7.47	12.00	0.09	2.6	0.358	0.49	26.1	38.0	6.63	2820	2.11	0.19
RDD308548		5.77	25.6	5.70	11.40	0.08	2.6	0.472	0.87	27.4	44.8	5.11	3740	2.46	0.10
RDD308549		4.34	42.6	6.78	9.66	0.07	2.2	0.709	0.17	20.1	46.7	5.03	4960	1.28	0.10
RDD308550		2.32	119.0	12.05	12.20	0.12	2.6	2.51	0.16	27.3	57.7	3.65	6680	2.04	0.06
RDD308551															
RDD308552		10.55	31.4	4.43	19.90	0.10	4.0	0.071	2.99	43.4	59.5	1.89	426	1.02	0.80
RDD308553		13.15	10.1	4.73	21.6	0.12	3.5	0.099	2.87	35.3	45.9	2.49	1075	0.87	2.00
RDD308554		7.11	8.3	4.96	16.95	0.10	4.3	0.068	1.44	31.9	33.7	2.25	976	0.74	2.79
RDD308555		8.46	11.0	4.93	19.00	0.10	2.9	0.096	1.91	21.0	42.2	2.72	957	0.57	2.44
RDD308556		4.12	30.9	7.64	12.50	0.09	2.5	0.089	0.84	24.0	38.0	6.32	2300	1.94	0.23
RDD308557		0.08	2.6	0.87	0.29	<0.05	0.4	0.005	0.02	0.9	1.2	0.01	96	0.64	0.01
RDD308558		5.27	30.3	6.25	11.15	0.08	2.3	0.075	1.11	21.4	21.7	6.17	2010	1.94	0.24
RDD308559		5.33	24.0	4.40	10.15	0.07	2.4	0.054	1.18	22.4	18.9	6.62	1725	1.65	0.26
RDD308560		9.89	35.7	5.59	12.45	0.10	3.1	0.063	1.88	30.8	17.6	4.78	1630	3.26	0.21
RDD308561		5.46	58.2	6.38	10.40	0.08	2.5	0.075	1.10	26.2	29.3	5.57	2350	1.99	0.15
RDD308562		14.35	40.5	3.49	18.75	0.11	3.4	0.096	2.77	39.8	30.5	2.16	1430	0.61	0.62
RDD308563		11.10	65.8	4.74	17.25	0.11	2.9	0.126	2.58	33.9	33.1	3.13	1845	1.94	0.23
RDD308564		4.50	81.3	15.75	8.33	0.13	2.1	0.077	1.06	20.7	22.7	4.12	1360	2.57	0.07
RDD308565		0.08	3.5	0.70	0.22	<0.05	0.4	0.005	0.01	0.8	1.1	0.01	74	0.56	0.01
RDD308566		18.55	28.9	4.00	19.60	0.13	4.6	0.083	3.63	49.3	19.9	1.31	500	1.73	0.10
RDD308567		3.60	22.0	4.73	5.28	0.06	1.5	0.200	0.61	18.2	15.1	8.67	2000	3.76	0.03
RDD308568		5.29	15.0	2.89	5.50	0.06	1.2	0.055	0.68	16.2	13.5	9.38	1765	4.60	0.04
RDD308569		17.55	76.7	17.80	17.05	0.20	4.0	0.095	2.71	45.1	17.3	1.40	450	4.87	0.06
RDD308570		0.10	3.0	0.86	0.34	<0.05	0.4	0.007	0.02	0.7	1.2	0.01	89	0.61	0.01
RDD308571		11.10	60.7	17.25	14.10	0.18	3.6	0.104	2.14	36.7	19.0	2.57	769	5.58	0.03
RDD308572		0.12	3.0	0.77	0.29	0.07	0.5	0.007	0.02	0.9	1.1	0.01	79	0.56	0.01
RDD308573		4.70	15.6	3.90	7.62	0.08	2.0	0.062	0.97	21.7	19.5	7.08	1880	3.02	0.03
RDD308574		15.40	52.2	5.63	18.70	0.13	4.0	0.125	3.18	45.8	31.2	1.97	728	6.71	0.04
RDD308575		13.45	87.2	6.66	21.1	0.14	3.5	1.095	2.97	36.5	41.6	2.53	1345	4.58	0.06
RDD308576		13.95	78.0	6.33	17.90	0.14	3.2	0.099	2.41	34.0	35.0	3.11	2470	1.78	0.12
RDD308577															
RDD308578		9.82	29.1	4.11	18.95	0.11	3.9	0.063	2.80	40.2	55.0	1.75	400	0.93	0.76



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 2 - C

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD308539		46.2	280	18.1	5.0	0.004	5.33	3.46	9.9	2	8.6	106.0	0.37	0.06	7.02
RDD308540		22.2	410	18.8	79.5	0.002	2.31	2.85	11.8	<1	6.3	206	0.55	<0.05	8.86
RDD308541		39.9	270	16.0	108.0	0.003	0.93	1.46	10.7	<1	16.8	42.2	0.60	0.05	11.00
RDD308542		80.5	650	16.6	144.0	0.011	2.62	5.50	21.1	1	34.9	50.3	0.63	0.15	13.35
RDD308543		41.6	230	22.9	8.9	0.004	6.25	9.18	10.2	2	28.8	143.0	0.32	<0.05	5.81
RDD308544		40.7	290	23.1	56.2	0.004	6.69	6.65	9.7	1	16.3	213	0.39	0.06	7.51
RDD308545		1.6	10	1.7	0.9	<0.002	0.01	0.28	0.2	<1	0.3	2.5	0.09	<0.05	0.28
RDD308546		29.1	350	23.8	41.1	0.004	5.79	6.82	9.9	1	11.1	233	0.47	0.06	8.30
RDD308547		25.4	330	21.5	35.9	0.003	4.93	5.32	9.3	1	10.0	261	0.48	0.05	7.62
RDD308548		23.9	460	349	54.2	0.006	3.11	5.19	8.9	1	15.2	327	0.41	0.06	7.92
RDD308549		21.9	310	665	12.2	0.002	3.07	3.17	8.2	1	13.1	259	0.39	0.05	6.22
RDD308550		47.9	340	321	9.0	0.004	4.61	8.33	9.8	1	17.9	67.7	0.58	0.06	8.11
RDD308551															
RDD308552		68.6	830	19.2	168.5	<0.002	0.15	343	15.6	<1	3.8	160.0	1.20	<0.05	15.65
RDD308553		62.4	620	20.5	191.5	<0.002	0.89	2.61	27.5	<1	12.0	55.7	1.88	0.21	6.49
RDD308554		50.1	740	10.4	99.5	<0.002	2.36	3.00	24.2	<1	4.1	52.4	1.31	0.18	5.35
RDD308555		60.9	920	10.4	89.3	<0.002	1.73	1.83	27.2	<1	3.2	71.0	1.12	0.16	5.13
RDD308556		33.6	340	15.8	40.0	0.003	4.29	2.69	9.3	1	2.3	344	0.46	<0.05	7.46
RDD308557		1.3	10	2.1	0.8	<0.002	0.01	0.25	0.2	<1	0.4	3.0	0.09	<0.05	0.29
RDD308558		26.1	320	14.6	50.9	0.004	3.66	2.51	8.9	1	2.2	342	0.40	<0.05	6.92
RDD308559		18.8	310	18.4	55.0	0.003	2.91	2.59	8.6	1	1.6	643	0.46	<0.05	6.98
RDD308560		31.2	290	25.6	74.2	0.010	4.07	5.04	9.5	2	2.2	402	0.64	0.08	9.36
RDD308561		29.6	320	16.7	47.6	0.004	3.07	2.66	9.0	1	1.7	279	0.43	0.05	7.44
RDD308562		35.0	570	8.6	137.5	<0.002	0.55	1.02	16.0	<1	4.0	57.4	1.09	0.06	14.30
RDD308563		42.5	490	12.0	134.5	0.004	1.66	1.68	15.3	1	3.8	113.5	0.86	0.10	11.60
RDD308564		32.4	310	213	56.2	0.013	>10.0	12.50	9.2	2	1.6	83.3	0.57	0.26	6.07
RDD308565		1.6	<10	2.3	0.8	<0.002	0.01	0.28	0.2	<1	0.2	2.6	0.05	<0.05	0.28
RDD308566		29.6	1930	38.9	187.5	0.006	3.55	2.94	12.7	1	4.1	47.5	1.60	0.08	15.15
RDD308567		19.0	810	58.2	35.0	0.010	3.78	3.08	4.9	1	1.0	189.5	0.53	0.09	4.06
RDD308568		17.0	290	39.8	41.0	0.015	2.16	1.41	5.5	1	1.3	172.5	0.32	<0.05	3.76
RDD308569		67.3	830	369	139.0	0.017	>10.0	7.13	14.4	3	5.1	38.1	1.14	0.18	10.75
RDD308570		1.4	10	2.4	1.1	<0.002	0.01	0.33	0.2	<1	0.3	2.5	<0.05	<0.05	0.26
RDD308571		66.0	750	272	113.0	0.020	>10.0	21.6	12.4	4	4.5	58.0	1.11	0.22	9.36
RDD308572		1.3	10	2.8	1.2	<0.002	0.02	0.25	0.2	<1	0.5	2.7	<0.05	<0.05	0.31
RDD308573		16.0	460	28.2	51.4	0.008	2.75	4.91	6.0	1	2.1	143.0	0.56	0.05	6.04
RDD308574		48.6	640	19.4	163.0	0.020	3.11	3.44	15.2	3	8.6	26.3	1.01	0.14	14.10
RDD308575		57.4	850	185.0	163.0	0.013	2.01	1.71	17.4	2	24.0	22.9	0.87	0.12	14.75
RDD308576		42.5	830	26.4	139.0	0.004	3.03	2.93	18.0	2	8.5	47.1	0.87	0.06	12.05
RDD308577															
RDD308578		65.1	770	18.6	156.5	<0.002	0.14	321	15.0	<1	3.6	150.5	1.18	<0.05	14.95



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_29_P2

Page: 2 - D
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 16-SEP-2025
Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD308539		0.14	2.0	68	1.4	20.5	41	89.2	3.40	2.01	1.11	3.79	0.68	0.30	21.0	5.47
RDD308540		0.41	2.1	90	1.2	22.3	31	98.5	3.74	2.21	0.93	4.10	0.76	0.32	24.4	6.55
RDD308541		0.48	2.4	60	1.6	18.3	32	127.0	3.20	1.96	0.94	3.80	0.64	0.33	30.1	8.67
RDD308542		0.74	3.5	155	2.2	21.9	37	142.5	3.73	2.37	1.08	4.53	0.77	0.39	33.2	9.32
RDD308543		0.33	1.7	60	4.9	24.8	29	75.0	4.15	2.38	1.11	4.48	0.83	0.35	19.8	5.27
RDD308544		0.38	2.0	72	1.3	20.2	31	93.2	3.40	1.97	0.97	3.94	0.68	0.29	22.1	5.86
RDD308545		<0.02	0.2	2	0.2	1.1	2	15.7	0.17	0.11	<0.03	0.13	0.04	0.02	0.6	0.16
RDD308546		0.30	2.2	79	1.0	20.0	27	96.6	3.44	2.05	1.02	3.91	0.70	0.30	23.4	6.29
RDD308547		0.30	2.1	76	1.4	20.0	64	106.5	3.40	1.97	1.00	3.96	0.69	0.30	22.9	6.14
RDD308548		0.35	2.3	75	1.6	20.2	249	94.0	3.34	1.95	1.18	3.98	0.67	0.29	23.8	6.38
RDD308549		0.14	1.7	64	1.5	18.3	959	80.0	3.08	1.81	1.06	3.50	0.64	0.26	18.2	4.84
RDD308550		0.19	2.1	71	4.7	27.6	3370	97.1	4.76	2.75	1.36	5.12	0.96	0.36	25.1	6.61
RDD308551																
RDD308552		0.80	2.8	115	2.6	18.0	105	168.0	3.34	1.81	1.25	4.66	0.63	0.28	37.1	10.55
RDD308553		1.57	1.0	170	1.7	28.1	60	221	5.21	2.78	1.64	6.36	1.02	0.36	37.7	10.00
RDD308554		0.68	1.0	142	1.0	28.6	27	182.0	5.04	2.84	1.60	5.84	1.01	0.42	33.8	8.86
RDD308555		0.69	1.0	177	0.9	21.8	60	110.0	3.93	2.15	1.21	4.71	0.79	0.32	23.9	5.86
RDD308556		0.26	2.1	76	0.8	20.2	27	91.7	3.43	2.01	0.94	3.91	0.69	0.29	21.5	5.73
RDD308557		<0.02	0.2	3	0.2	1.2	2	16.4	0.21	0.13	0.03	0.17	0.04	0.03	0.7	0.18
RDD308558		0.29	1.9	70	0.8	19.1	17	86.6	3.25	1.85	0.90	3.82	0.65	0.26	19.7	5.17
RDD308559		0.30	1.9	65	0.9	19.0	22	86.5	3.08	1.83	0.83	3.53	0.62	0.27	20.0	5.39
RDD308560		0.45	3.4	90	1.2	22.0	15	111.5	3.68	2.20	0.92	4.16	0.75	0.35	26.9	7.27
RDD308561		0.27	2.1	71	1.0	20.0	26	93.9	3.38	2.00	0.92	3.84	0.68	0.29	23.2	6.18
RDD308562		0.70	2.3	85	3.0	23.9	21	123.0	4.37	2.62	1.34	5.67	0.86	0.40	37.2	10.10
RDD308563		0.64	2.7	104	2.1	22.6	21	109.5	4.09	2.28	1.20	4.94	0.81	0.35	30.8	8.40
RDD308564		1.79	1.2	57	1.5	14.0	28	82.0	2.43	1.36	0.67	2.84	0.49	0.20	17.8	4.81
RDD308565		<0.02	0.2	2	0.2	1.0	2	15.6	0.25	0.11	<0.03	0.13	0.03	0.02	0.6	0.17
RDD308566		0.93	3.9	86	2.0	30.3	17	167.0	5.17	3.03	1.38	6.74	1.04	0.49	45.0	12.05
RDD308567		0.44	2.3	50	0.8	18.1	64	61.0	2.99	1.65	0.93	3.68	0.61	0.23	17.0	4.24
RDD308568		0.45	3.1	70	0.9	15.9	18	48.8	2.64	1.44	0.75	3.22	0.51	0.21	15.9	3.98
RDD308569		2.67	2.7	105	1.1	27.6	23	144.0	6.39	2.67	1.31	6.85	1.01	0.35	45.6	12.15
RDD308570		<0.02	0.2	2	0.7	1.0	2	15.0	0.15	0.12	<0.03	0.13	0.11	0.02	0.6	0.16
RDD308571		2.23	2.9	103	1.3	25.2	52	135.5	4.47	2.49	1.14	5.39	0.89	0.34	36.4	9.77
RDD308572		<0.02	0.2	2	0.2	1.4	2	16.6	0.18	0.11	0.03	0.15	0.04	0.02	0.7	0.19
RDD308573		0.44	2.8	53	1.3	19.4	28	78.8	3.19	1.78	0.93	4.06	0.64	0.26	20.2	5.16
RDD308574		0.94	4.1	144	2.1	26.3	24	152.5	4.41	2.81	1.23	5.57	0.92	0.46	41.8	11.30
RDD308575		0.90	4.6	194	3.5	24.6	771	130.0	4.32	2.55	1.24	5.47	0.85	0.45	34.5	9.32
RDD308576		0.89	3.4	150	2.2	22.7	41	119.5	4.02	3.38	1.33	5.21	0.82	0.36	31.1	8.31
RDD308577																
RDD308578		0.80	2.8	108	2.3	17.3	97	138.5	3.33	1.73	1.18	4.60	0.64	0.29	34.8	9.98



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_29_P2

Page: 2 – E

Total # Pages: 5 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD308539		4.13	0.58	0.30	1.97
RDD308540		4.45	0.62	0.32	2.09
RDD308541		5.12	0.54	0.30	2.06
RDD308542		5.87	0.66	0.53	2.44
RDD308543		4.29	0.72	0.35	2.25
RDD308544		4.36	0.58	0.28	1.81
RDD308545		0.11	0.02	0.02	0.15
RDD308546		4.37	0.58	0.30	1.92
RDD308547		4.33	0.59	0.30	1.95
RDD308548		4.48	0.57	0.28	1.85
RDD308549		3.73	0.54	0.26	1.66
RDD308550		5.19	0.79	0.38	2.38
RDD308551					
RDD308552		6.67	0.62	0.27	1.72
RDD308553		7.47	0.93	0.39	2.41
RDD308554		6.88	0.86	0.42	2.61
RDD308555		5.21	0.69	0.32	2.01
RDD308556		4.15	0.58	0.28	1.82
RDD308557		0.13	0.03	0.02	0.15
RDD308558		4.03	0.57	0.27	1.72
RDD308559		3.88	0.52	0.26	1.71
RDD308560		4.91	0.64	0.34	2.25
RDD308561		4.37	0.59	0.29	1.91
RDD308562		6.93	0.80	0.37	2.51
RDD308563		5.96	0.73	0.33	2.17
RDD308564		3.31	0.43	0.20	1.27
RDD308565		0.11	0.02	0.02	0.13
RDD308566		8.37	0.95	0.46	3.09
RDD308567		3.70	0.54	0.23	1.46
RDD308568		3.23	0.47	0.21	1.36
RDD308569		8.47	0.97	0.38	2.36
RDD308570		0.11	0.02	0.02	0.13
RDD308571		6.59	0.78	0.36	2.25
RDD308572		0.12	0.03	0.03	0.15
RDD308573		4.20	0.58	0.26	1.69
RDD308574		6.91	0.78	0.42	2.86
RDD308575		6.84	0.77	0.39	2.58
RDD308576		6.29	0.73	0.35	2.34
RDD308577					
RDD308578		6.40	0.62	0.27	1.74

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 3 - A

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-ICP21 Au ppm	ME-XRF15b Sn %	ME-MS61r Ag ppm	ME-MS61r Al %	ME-MS61r As ppm	ME-MS61r Ba ppm	ME-MS61r Be ppm	ME-MS61r Bi ppm	ME-MS61r Ca %	ME-MS61r Cd ppm	ME-MS61r Ce ppm	ME-MS61r Co ppm	ME-MS61r Cr ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD308579		1.92		0.007	0.005	0.20	6.90	21.8	440	2.65	0.56	2.00	0.05	74.8	19.4	99
RDD308580		1.96		0.007	0.011	0.26	7.29	42.5	400	3.00	0.71	1.85	0.12	71.9	27.9	104
RDD308581		2.24	95.2	0.004	0.005	0.12	7.63	20.1	620	2.76	0.54	0.63	0.03	79.8	19.0	79
RDD308582		2.04		0.004	0.010	0.17	7.98	22.3	480	3.06	0.46	0.97	0.08	77.0	24.4	95
RDD308583		2.35		0.003	0.012	0.15	6.95	20.6	360	2.38	0.45	2.33	0.06	61.6	19.1	84
RDD308584		1.99		0.004	0.010	0.10	8.27	30.9	670	2.94	0.73	1.82	0.07	78.6	25.3	84
RDD308585		1.95		0.003	0.007	0.13	6.36	4.8	350	2.62	0.49	0.50	<0.02	46.9	24.1	84
RDD308586		2.12		0.002	<0.005	0.06	6.66	18.1	680	2.34	0.82	5.14	0.38	69.2	20.9	52
RDD308587		1.98		0.003	0.006	0.24	6.33	20.4	470	2.12	0.46	1.60	<0.02	67.8	29.4	66
RDD308588		2.13		0.004	0.007	0.05	8.69	50.1	420	1.69	0.26	2.43	<0.02	55.8	39.7	244
RDD308589		2.38		0.005	0.006	0.30	7.33	44.1	580	2.85	3.84	2.48	<0.02	85.5	49.6	91
RDD308590		0.63		0.002	<0.005	0.06	2.40	0.7	70	0.63	0.40	14.80	<0.02	17.80	10.4	18
RDD308591		1.54		0.002	0.005	0.09	4.16	30.3	110	0.88	0.57	11.90	<0.02	25.5	12.4	39
RDD308592		2.63		0.002	0.012	0.41	7.64	49.3	530	2.51	1.01	1.71	0.23	76.3	29.9	94
RDD308593		2.40		0.001	0.009	0.12	6.35	16.0	310	2.01	0.32	4.10	0.05	63.1	14.6	83
RDD308594		1.55		0.002	0.011	0.04	6.76	19.6	560	2.45	0.16	0.45	<0.02	89.2	7.0	43
RDD308595		1.92		0.003	0.011	0.23	7.57	3.4	500	2.79	0.88	2.21	<0.02	85.9	22.8	84
RDD308596		1.94		0.003	0.006	0.11	8.47	15.8	540	2.79	0.41	1.98	0.02	72.3	14.2	85
RDD308597		1.44		0.005	0.010	0.16	7.80	49.1	460	2.54	0.73	2.16	<0.02	78.6	29.5	98
RDD308598		2.38		0.002	0.007	0.13	8.06	10.6	580	2.87	0.48	0.32	<0.02	88.0	13.9	55
RDD308599		1.96		0.002	0.009	0.10	8.61	4.6	630	3.00	0.51	0.20	<0.02	91.6	14.7	56
RDD308600		2.54		0.001	0.011	0.13	7.12	1.2	400	3.35	0.81	0.12	0.17	82.0	4.2	46
RDD308601		2.20		0.017	0.522	4.13	5.09	12.0	50	6.77	27.5	0.16	1.82	109.0	34.0	39
RDD308602		<0.02			1.110											
RDD308603		0.07		0.327		0.13	7.06	16.8	80	0.36	0.05	7.64	0.25	9.77	42.4	107
RDD308604		1.15		0.002	<0.005	0.01	0.03	1.0	10	<0.05	0.02	0.01	<0.02	1.28	0.4	6
RDD308605		2.44		0.006	0.013	0.44	6.06	8.3	370	2.96	5.51	0.14	<0.02	70.5	11.0	54
RDD308606		1.91		0.001	0.013	0.65	7.77	7.3	500	3.08	1.48	0.19	1.30	89.9	8.0	56
RDD308607		1.97		0.020	0.017	6.54	6.60	746	360	2.99	8.09	1.13	21.9	81.4	19.0	48
RDD308608		2.06		0.005	0.011	0.18	8.26	48.3	480	2.77	2.73	0.16	0.02	90.8	14.6	58
RDD308609		2.30		0.002	<0.005	0.04	1.20	2.9	20	0.54	0.29	17.95	0.07	14.90	3.7	9
RDD308610		2.31		0.009	0.007	0.12	8.18	9.6	460	2.74	0.99	0.77	0.03	91.4	8.0	62
RDD308611		1.87		0.005	0.007	0.20	8.74	18.0	450	2.91	1.16	0.17	<0.02	90.3	14.3	57
RDD308612		3.22		0.001	<0.005	0.06	3.95	4.0	200	1.13	0.10	2.95	0.02	63.8	4.3	25
RDD308613		2.00		0.001	<0.005	0.05	5.66	5.8	320	1.89	0.10	0.66	<0.02	75.0	5.6	32
RDD308614		1.90		0.002	<0.005	0.05	5.62	8.2	330	2.11	0.15	2.06	<0.02	76.3	5.3	30
RDD308615		1.87		0.001	0.007	0.08	8.01	24.0	440	2.80	0.32	0.35	<0.02	101.0	11.4	53
RDD308616		1.86		0.001	0.011	0.03	8.41	11.2	490	2.95	0.33	0.28	<0.02	105.0	7.8	51
RDD308617		1.82		0.002	0.013	0.04	8.20	15.7	480	3.10	0.49	1.16	<0.02	99.8	7.1	54
RDD308618		1.98		0.003	0.006	0.05	7.95	21.9	440	3.89	0.57	0.84	<0.02	114.0	11.6	54



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 3 - B

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD308579		17.45	79.2	6.48	19.05	0.12	3.7	0.087	2.81	37.0	33.9	2.12	1035	2.00	0.33	12.7
RDD308580		20.9	79.2	5.93	19.80	0.13	4.0	0.155	3.34	35.5	25.7	1.48	978	4.57	0.36	14.2
RDD308581		16.95	65.8	4.80	20.6	0.14	3.9	0.087	3.16	39.0	33.0	1.77	503	7.66	0.56	15.1
RDD308582		19.90	72.4	6.13	20.8	0.16	3.9	0.089	3.42	38.8	35.6	1.85	678	6.02	0.29	12.8
RDD308583		14.15	83.6	7.05	18.30	0.12	3.4	0.077	2.88	31.2	29.9	2.07	1365	3.44	0.44	11.4
RDD308584		16.75	48.2	5.03	22.2	0.14	3.8	0.085	3.68	39.9	27.2	1.71	919	7.49	0.61	12.7
RDD308585		11.65	118.0	6.30	20.3	0.30	3.3	0.067	3.12	21.9	29.0	1.52	473	10.75	0.73	10.1
RDD308586		10.80	70.1	5.09	17.75	0.11	3.0	0.127	2.70	33.3	28.1	3.56	2040	2.94	0.68	10.9
RDD308587		10.10	117.0	6.03	17.60	0.13	3.0	0.110	2.21	33.7	36.1	1.96	1400	2.14	0.29	11.3
RDD308588		9.02	56.0	8.29	18.75	0.23	1.8	0.105	1.88	26.4	50.2	2.70	1800	0.45	1.95	14.1
RDD308589		13.05	173.0	8.61	19.65	0.18	3.9	0.189	3.43	39.6	28.0	1.90	1670	3.37	0.05	12.1
RDD308590		2.52	54.2	5.73	6.58	0.06	1.4	0.152	0.37	7.2	24.1	6.78	8840	2.02	0.02	5.3
RDD308591		4.91	58.8	6.18	11.65	0.07	2.0	0.179	0.62	12.5	39.3	5.59	7130	9.10	0.03	7.2
RDD308592		13.60	85.6	5.64	18.80	0.14	3.8	0.292	3.21	36.6	29.1	1.61	1395	1.68	0.24	12.6
RDD308593		8.54	49.5	5.37	17.50	0.12	3.4	0.150	2.07	29.9	39.3	2.57	2280	0.97	0.38	14.2
RDD308594		12.55	21.4	2.12	18.15	0.12	4.7	0.142	3.43	42.0	18.4	0.80	357	0.82	0.08	15.8
RDD308595		13.40	119.0	6.14	20.1	0.15	4.2	0.131	3.10	41.4	29.9	2.03	1170	3.36	0.33	15.3
RDD308596		13.65	43.5	4.31	23.4	0.14	4.0	0.091	3.24	34.6	40.4	2.48	1370	1.57	0.85	13.6
RDD308597		15.05	70.1	6.34	20.3	0.15	3.6	0.095	2.96	37.4	35.6	2.18	1450	4.95	0.58	12.8
RDD308598		17.95	40.9	4.15	19.65	0.11	4.4	0.096	3.79	42.8	24.5	1.11	459	1.46	0.12	10.9
RDD308599		17.95	37.2	4.37	21.7	0.12	4.5	0.106	4.12	44.4	21.5	0.96	505	1.52	0.10	11.6
RDD308600		7.78	46.8	5.17	17.60	0.12	3.6	1.135	2.49	39.4	24.2	1.10	1090	1.08	0.13	11.5
RDD308601		2.64	509	16.65	20.0	0.23	2.7	4.78	0.24	54.8	38.6	1.63	3070	1.46	0.13	20.3
RDD308602																
RDD308603		0.37	168.5	7.84	15.10	0.11	1.4	0.070	0.25	3.8	10.8	3.89	1300	0.70	1.63	3.3
RDD308604		0.07	2.3	0.88	0.22	<0.05	0.3	<0.005	0.01	0.6	1.0	0.01	95	0.58	0.01	1.1
RDD308605		9.11	151.5	5.20	15.75	0.13	3.6	1.095	2.44	34.4	19.8	0.86	677	3.11	0.09	11.8
RDD308606		15.75	89.9	3.88	19.90	0.14	4.2	0.614	3.59	43.4	21.9	1.00	2440	0.95	0.05	14.6
RDD308607		13.00	261	7.76	17.50	0.16	3.6	2.52	2.51	39.1	29.4	1.11	13650	1.38	0.04	11.1
RDD308608		18.55	41.5	4.20	20.0	0.15	4.3	0.148	3.99	44.0	19.2	0.81	302	1.66	0.10	13.9
RDD308609		0.93	15.0	2.72	3.16	<0.05	0.8	0.138	0.06	7.0	11.9	9.80	4940	3.01	0.02	3.2
RDD308610		16.20	41.5	3.78	22.8	0.09	4.6	0.164	3.65	44.4	29.0	1.69	721	1.46	0.06	16.1
RDD308611		15.55	33.4	4.09	24.1	0.11	4.8	0.162	4.12	43.9	22.2	0.94	354	1.54	0.18	13.6
RDD308612		7.23	20.1	2.96	10.70	0.08	3.2	0.067	1.53	30.3	18.8	1.19	1715	1.38	0.21	9.2
RDD308613		11.30	27.6	2.61	14.55	0.10	3.6	0.083	2.58	34.4	26.0	0.93	643	0.85	0.10	9.5
RDD308614		11.95	13.4	2.12	14.60	0.10	3.8	0.072	2.73	36.0	23.6	0.74	1585	0.72	0.04	9.8
RDD308615		15.40	32.2	2.87	21.3	0.13	4.8	0.091	3.93	49.4	23.6	0.72	345	2.28	0.06	21.0
RDD308616		14.50	13.4	2.69	22.1	0.13	4.8	0.088	4.06	50.2	27.2	0.81	589	0.82	0.06	22.1
RDD308617		14.35	8.9	2.39	21.7	0.12	4.8	0.099	3.95	48.5	31.2	0.89	906	0.81	0.05	21.0
RDD308618		18.30	17.1	2.63	21.8	0.14	4.9	0.096	4.22	55.9	33.2	1.06	557	1.70	0.05	51.5



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 3 - C

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD308579		58.4	1190	25.2	156.0	0.007	4.48	6.62	20.8	2	7.1	31.8	0.88	0.08	12.20
RDD308580		98.1	530	39.4	190.0	0.018	4.20	6.71	22.8	3	8.2	36.6	0.89	0.13	11.75
RDD308581		84.1	700	15.2	179.5	0.014	3.01	4.43	18.5	2	6.1	27.2	1.10	0.14	14.40
RDD308582		66.1	570	26.7	214	0.013	3.89	2.78	21.4	3	5.5	29.9	0.96	0.05	13.55
RDD308583		64.9	650	18.8	155.0	0.010	4.73	2.72	17.9	3	4.5	49.8	0.85	0.06	11.80
RDD308584		60.8	620	22.5	191.5	0.016	3.52	3.46	19.6	2	5.5	44.9	0.96	0.14	14.20
RDD308585		91.0	550	12.2	105.0	0.017	3.18	1.27	14.6	2	4.7	24.4	0.78	0.06	8.45
RDD308586		48.1	630	9.4	144.5	<0.002	2.80	2.06	14.6	<1	3.7	84.5	0.83	0.08	13.00
RDD308587		64.4	510	12.2	137.0	0.007	1.85	4.41	15.6	2	3.8	30.8	0.80	0.17	10.85
RDD308588		122.0	3780	6.5	65.7	<0.002	0.96	1.58	32.2	1	4.1	55.1	0.87	0.08	4.31
RDD308589		129.0	870	21.9	166.0	0.006	3.69	3.83	21.7	2	13.5	51.7	0.86	0.20	13.20
RDD308590		24.9	330	4.6	19.1	0.013	1.24	0.83	6.2	1	3.3	134.5	0.38	0.05	4.43
RDD308591		32.3	430	5.8	34.9	0.026	1.05	0.92	9.4	1	5.6	80.6	0.53	0.06	7.93
RDD308592		80.0	540	46.7	153.0	0.003	1.92	2.83	18.4	1	24.5	27.2	0.88	0.10	12.30
RDD308593		67.7	770	47.3	116.5	0.003	0.81	1.94	17.6	1	8.6	63.1	0.99	0.06	8.83
RDD308594		18.4	460	6.5	166.5	<0.002	0.43	1.44	11.3	<1	10.1	18.8	1.10	<0.05	14.15
RDD308595		71.2	660	12.5	193.0	0.005	2.18	3.01	18.8	2	9.7	30.9	1.09	0.13	13.55
RDD308596		58.7	680	11.0	132.5	<0.002	1.34	3.00	18.2	1	4.8	48.7	1.02	0.07	12.80
RDD308597		82.3	720	13.7	153.0	0.018	2.41	3.08	21.9	3	4.0	45.6	0.92	0.13	12.40
RDD308598		30.9	350	15.2	180.0	0.002	1.69	4.11	13.7	1	3.9	21.8	0.82	0.10	14.95
RDD308599		26.1	290	7.2	201	0.003	1.52	2.04	14.6	1	5.6	22.8	0.84	0.09	16.50
RDD308600		15.2	460	8.8	111.0	0.002	0.39	1.68	10.8	<1	44.1	21.7	0.84	<0.05	12.40
RDD308601		12.0	360	302	14.9	0.003	4.16	2.27	7.7	1	73.3	19.8	1.08	0.22	10.00
RDD308602															
RDD308603		83.3	400	8.0	6.3	0.002	0.18	0.52	42.0	1	0.8	238	0.20	0.06	0.46
RDD308604		1.3	<10	1.3	0.4	<0.002	<0.01	0.24	0.1	<1	0.2	2.3	0.08	<0.05	0.24
RDD308605		26.2	320	27.0	130.0	0.007	1.43	2.69	10.2	2	47.8	19.0	0.84	0.11	12.15
RDD308606		18.4	350	152.5	188.0	<0.002	0.82	2.57	12.8	1	19.4	18.6	0.98	<0.05	14.65
RDD308607		18.2	4260	2710	140.5	<0.002	1.67	13.20	12.8	2	60.0	48.5	0.79	0.18	12.20
RDD308608		25.5	500	20.6	190.5	0.002	1.81	6.22	13.2	1	12.0	18.9	0.95	0.07	15.80
RDD308609		9.8	190	10.6	4.0	0.007	0.43	0.95	2.4	1	1.5	167.5	0.34	<0.05	2.61
RDD308610		20.8	340	15.2	187.0	0.004	1.12	4.54	13.7	1	14.4	22.5	1.25	0.05	15.75
RDD308611		26.0	290	8.4	197.5	0.004	1.59	4.18	14.8	1	11.0	17.6	0.93	0.18	15.65
RDD308612		7.7	280	3.2	83.1	<0.002	0.13	1.06	6.6	<1	3.0	26.5	0.64	<0.05	8.39
RDD308613		14.5	290	3.3	141.5	<0.002	0.16	2.68	9.5	<1	4.8	18.0	0.68	<0.05	11.30
RDD308614		12.1	260	2.9	158.5	<0.002	0.10	1.96	9.4	<1	5.6	40.7	0.71	<0.05	11.30
RDD308615		25.7	300	5.3	192.0	0.002	0.65	4.05	12.3	1	5.4	18.8	1.41	0.05	16.65
RDD308616		19.3	340	3.3	197.5	<0.002	0.38	1.60	12.9	1	6.1	19.9	1.55	<0.05	17.30
RDD308617		19.3	350	3.9	211	<0.002	0.26	4.14	12.5	<1	11.9	37.7	1.35	0.05	16.60
RDD308618		22.3	590	4.7	259	<0.002	0.58	3.14	10.4	1	11.0	22.2	2.90	0.10	15.10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_29_P2

Page: 3 - D

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD308579		1.02	3.9	164	1.9	26.3	38	141.5	4.83	2.59	1.53	6.81	0.93	0.40	35.3	9.29
RDD308580		1.21	4.4	197	1.9	23.6	52	152.5	4.46	2.43	1.36	5.14	0.87	0.41	33.1	9.13
RDD308581		1.22	4.1	177	1.8	25.0	33	145.5	4.78	2.56	1.24	5.54	0.93	0.41	35.0	9.66
RDD308582		1.36	5.2	197	1.7	24.3	51	142.0	4.30	2.46	1.17	5.20	0.88	0.41	35.6	9.83
RDD308583		0.94	4.9	171	1.6	21.7	43	126.0	3.92	2.19	1.24	4.64	0.77	0.35	27.9	7.52
RDD308584		1.16	5.1	210	1.8	24.8	47	139.0	4.57	2.57	1.18	5.25	0.91	0.41	35.1	9.74
RDD308585		1.02	4.3	205	1.3	16.4	29	121.5	3.33	1.99	0.81	3.85	0.67	0.31	23.6	6.12
RDD308586		0.82	3.5	122	2.3	20.9	149	107.0	3.61	2.01	0.98	4.28	0.72	0.33	28.4	7.81
RDD308587		1.04	2.7	134	1.8	18.5	45	109.5	3.52	1.89	1.22	4.64	0.66	0.31	29.3	8.03
RDD308588		0.64	0.6	208	0.9	19.9	72	64.9	4.52	1.99	1.60	6.24	0.79	0.26	29.0	7.17
RDD308589		1.00	3.8	176	2.1	24.8	23	144.0	4.69	2.61	1.45	5.92	0.93	0.41	35.4	9.95
RDD308590		0.12	1.2	50	1.5	14.0	37	52.2	2.37	1.26	1.00	2.54	0.48	0.17	8.8	2.08
RDD308591		0.22	4.2	121	2.3	17.7	50	74.8	2.77	1.74	0.98	2.96	0.59	0.26	12.0	3.02
RDD308592		0.87	2.9	133	2.8	21.8	107	136.0	3.91	2.32	1.23	4.64	0.78	0.41	32.1	8.97
RDD308593		0.70	2.7	130	2.7	23.2	69	128.0	4.27	2.33	1.38	5.50	0.83	0.34	30.4	7.86
RDD308594		0.97	3.5	68	2.5	22.0	17	157.0	4.17	2.39	1.18	5.29	0.84	0.43	38.3	10.45
RDD308595		1.23	3.1	155	2.1	24.0	33	150.5	4.54	2.55	1.30	6.00	0.89	0.40	35.3	9.72
RDD308596		0.99	2.8	178	2.4	21.6	52	141.5	3.97	2.28	1.15	4.75	0.80	0.39	31.0	8.59
RDD308597		0.96	4.9	190	1.9	23.7	38	137.5	4.26	2.45	1.26	5.33	0.86	0.42	33.7	9.21
RDD308598		1.02	3.5	94	1.9	22.0	26	148.0	4.04	2.38	1.21	5.10	0.81	0.43	37.6	10.70
RDD308599		1.06	3.7	97	2.0	23.1	21	157.5	4.13	2.50	1.22	5.28	0.84	0.46	38.5	10.75
RDD308600		0.57	2.9	71	3.4	20.8	133	130.5	3.71	2.07	1.22	4.71	0.73	0.38	34.9	9.73
RDD308601		0.14	2.4	58	13.7	44.5	409	111.0	7.49	4.27	2.23	7.79	1.55	0.52	46.9	12.95
RDD308602																
RDD308603		0.07	0.1	281	7.3	19.9	101	52.1	3.23	1.99	0.79	2.92	0.69	0.30	7.1	1.45
RDD308604		<0.02	0.2	2	0.3	0.9	2	13.0	0.14	0.10	<0.03	0.11	0.03	0.02	0.5	0.14
RDD308605		0.73	3.5	90	3.4	19.9	118	129.5	3.34	2.12	1.02	4.27	0.68	0.37	29.6	8.31
RDD308606		0.93	3.0	80	2.5	22.5	406	147.5	3.99	2.39	1.15	5.02	0.80	0.43	37.1	10.55
RDD308607		0.80	4.5	72	4.8	32.2	5950	153.5	4.69	2.76	1.58	6.40	0.96	0.47	35.4	9.68
RDD308608		1.02	3.6	88	2.3	26.8	30	151.0	4.85	2.80	1.13	6.18	0.97	0.47	38.5	10.85
RDD308609		0.05	2.5	34	0.7	9.6	42	25.6	1.48	0.85	0.44	1.67	0.31	0.12	7.0	1.75
RDD308610		0.99	3.7	92	2.4	26.2	38	158.0	4.70	2.76	1.16	5.36	0.90	0.47	37.6	10.90
RDD308611		1.00	3.7	93	2.2	27.3	16	159.5	4.98	2.99	1.20	5.53	0.96	0.49	37.6	10.75
RDD308612		0.47	2.2	41	1.3	23.0	19	120.5	3.96	2.50	1.01	4.47	0.81	0.37	27.2	7.41
RDD308613		0.79	2.5	58	1.7	24.6	19	128.5	4.19	2.56	1.02	4.81	0.87	0.42	32.1	8.92
RDD308614		0.91	2.6	60	1.8	23.5	15	131.0	3.96	2.58	1.24	4.69	0.82	0.40	31.3	8.77
RDD308615		0.93	3.3	77	2.9	29.1	17	177.5	5.09	3.08	1.10	5.78	1.05	0.50	41.6	11.85
RDD308616		1.00	3.5	75	2.8	35.8	17	174.0	6.10	3.61	1.33	6.72	1.28	0.55	43.7	12.05
RDD308617		1.04	3.2	76	3.3	32.9	15	175.0	5.25	3.17	1.10	5.96	1.08	0.50	41.2	11.65
RDD308618		1.67	3.7	91	3.0	27.1	18	206	4.75	3.00	1.30	5.72	0.99	0.48	42.8	12.60



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_29_P2

Page: 3 - E

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD308579		7.28	0.87	0.38	2.45
RDD308580		6.39	0.75	0.38	2.45
RDD308581		6.91	0.80	0.39	2.52
RDD308582		6.65	0.75	0.38	2.50
RDD308583		5.35	0.67	0.34	2.26
RDD308584		6.78	0.79	0.39	2.63
RDD308585		4.77	0.58	0.29	1.96
RDD308586		5.41	0.63	0.31	2.09
RDD308587		5.76	0.64	0.29	2.01
RDD308588		6.57	0.89	0.27	1.69
RDD308589		6.89	0.85	0.39	2.56
RDD308590		2.35	0.40	0.17	1.12
RDD308591		2.77	0.45	0.26	1.68
RDD308592		5.80	0.67	0.36	2.46
RDD308593		6.56	0.78	0.34	2.16
RDD308594		6.80	0.75	0.38	2.64
RDD308595		6.85	0.87	0.39	2.50
RDD308596		6.00	0.69	0.36	2.41
RDD308597		6.61	0.76	0.37	2.50
RDD308598		6.84	0.72	0.38	2.70
RDD308599		7.20	0.75	0.41	2.78
RDD308600		6.34	0.66	0.33	2.31
RDD308601		9.22	1.20	0.60	3.64
RDD308602					
RDD308603		2.15	0.50	0.29	1.93
RDD308604		0.09	0.02	0.02	0.12
RDD308605		5.37	0.61	0.32	2.24
RDD308606		6.69	0.69	0.38	2.56
RDD308607		7.22	0.85	0.43	3.96
RDD308608		7.07	0.83	0.44	2.88
RDD308609		1.65	0.25	0.13	0.78
RDD308610		7.08	0.77	0.43	2.91
RDD308611		7.15	0.82	0.46	3.03
RDD308612		5.66	0.67	0.34	2.31
RDD308613		6.09	0.71	0.39	2.63
RDD308614		5.68	0.67	0.38	2.57
RDD308615		7.38	0.85	0.48	3.25
RDD308616		7.96	1.01	0.56	3.61
RDD308617		7.45	0.87	0.50	3.24
RDD308618		7.29	0.79	0.47	3.06



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: 4 - A
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 16-SEP-2025
Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-ICP21 Au ppm	ME-XRF15b Sn %	ME-MS61r Ag ppm	ME-MS61r Al %	ME-MS61r As ppm	ME-MS61r Ba ppm	ME-MS61r Be ppm	ME-MS61r Bi ppm	ME-MS61r Ca %	ME-MS61r Cd ppm	ME-MS61r Ce ppm	ME-MS61r Co ppm	ME-MS61r Cr ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD308619		2.16		0.003	0.007	0.05	7.94	34.3	410	2.95	0.27	1.09	<0.02	90.1	10.0	59
RDD308620		2.30		0.004	0.013	0.17	6.97	8.6	360	3.38	1.98	0.43	<0.02	92.7	10.8	57
RDD308621		2.33	95.2	0.002	0.019	0.59	7.05	36.9	200	4.54	3.19	1.53	<0.02	98.7	13.8	52
RDD308622		0.83		0.009	1.430	8.59	1.75	81.0	10	2.02	26.2	4.64	3.27	83.4	104.0	18
RDD308623		1.27		0.001	<0.005	0.02	0.05	1.3	10	<0.05	0.02	0.01	0.02	1.26	0.4	9
RDD308624		2.24		0.003	1.150	0.36	4.12	20.7	20	2.92	0.36	3.58	2.44	48.7	8.7	28
RDD308625		2.38		0.002	0.016	0.33	6.44	4.9	260	5.35	0.48	0.93	0.31	77.7	9.2	52
RDD308626		2.51		0.002	0.016	0.35	6.61	7.2	120	4.92	0.54	1.01	0.18	69.8	13.4	72
RDD308627		<0.02			2.62											
RDD308628		0.06		0.327		0.13	7.31	17.0	80	0.37	0.02	7.96	0.25	10.45	44.9	105
RDD308629		1.93		0.005	0.026	0.35	7.71	19.9	460	4.56	3.05	0.33	<0.02	86.3	24.9	76
RDD308630		1.84		0.003	0.015	0.60	7.00	4.2	400	4.13	2.49	3.56	1.28	76.0	15.0	73
RDD308631		1.61		0.002	0.014	0.47	7.69	1.3	500	3.82	5.07	0.24	<0.02	93.3	21.7	72
RDD308632		1.82		0.002	0.019	0.60	7.74	1.5	470	4.19	3.68	0.27	<0.02	76.6	21.7	75
RDD308633		2.31		0.001	0.009	0.50	7.25	5.1	220	2.88	0.79	0.27	0.44	89.7	14.0	85
RDD308634		1.38		0.005	0.026	1.28	2.29	0.8	10	2.01	10.40	0.40	<0.02	42.5	87.0	33
RDD308635		1.47		0.002	<0.005	0.02	0.05	1.7	10	<0.05	0.04	0.01	<0.02	1.57	0.6	8
RDD308636		2.08		0.004	1.255	1.80	1.83	0.6	10	4.59	27.3	0.38	0.25	7.53	184.0	13
RDD308637		0.98		0.001	<0.005	0.02	0.05	1.2	10	<0.05	0.03	<0.01	<0.02	1.32	0.4	5
RDD308638		1.98		0.001	0.221	0.35	1.91	0.5	<10	1.12	3.20	0.64	0.21	2.58	21.1	15
RDD308639		2.14		0.001	0.023	0.33	7.46	1.2	430	3.27	2.53	0.56	<0.02	59.0	24.3	103
RDD308640		1.82		0.001	0.010	0.44	7.22	1.9	510	3.38	3.60	0.20	0.33	104.0	19.8	108
RDD308641		1.95		0.002	0.010	0.47	7.19	4.6	510	3.36	2.48	0.55	0.99	80.8	22.5	91
RDD308642		1.94		0.007	0.006	0.34	6.07	19.2	430	2.32	0.44	0.27	0.15	79.6	8.5	66
RDD308643		1.79		0.001	<0.005	0.02	7.68	5.3	470	2.48	0.12	0.16	<0.02	70.9	6.5	46
RDD308644		1.98		0.001	0.006	0.14	8.12	7.7	440	2.95	0.72	0.10	<0.02	86.2	11.5	55
RDD308645		1.76		0.002	<0.005	0.04	2.71	12.6	130	0.75	0.13	0.10	0.03	48.6	5.5	19
RDD308646		1.98		0.005	0.009	0.12	8.98	11.2	480	3.27	0.75	0.13	<0.02	71.3	17.2	57
RDD308647		1.94		0.005	0.008	0.17	9.16	15.7	480	3.33	1.10	0.09	<0.02	93.4	17.0	60
RDD308648		1.78		0.002	<0.005	0.09	3.53	11.8	160	1.47	0.36	0.07	<0.02	51.9	8.9	27
RDD308649		1.92		0.002	0.005	0.05	7.30	3.6	340	2.27	0.17	0.12	<0.02	93.2	10.2	50
RDD308650		1.92		0.001	0.005	0.03	7.67	7.6	360	2.73	0.34	0.21	<0.02	104.5	8.6	53
RDD308651		1.93		0.002	0.010	0.06	8.26	10.9	410	3.23	0.65	0.11	<0.02	93.2	13.0	58
RDD308652		2.04		0.003	<0.005	0.09	7.25	8.0	350	2.18	0.52	0.09	<0.02	74.2	13.6	57
RDD308653		<0.02			2.54											
RDD308654		0.06		1.640		0.15	7.69	352	710	2.48	0.36	0.86	0.03	80.9	17.0	128
RDD308655		1.96		0.002	0.007	0.04	8.53	11.3	410	2.94	0.49	0.16	<0.02	101.5	11.0	62
RDD308656		2.01		0.003	0.009	0.02	8.69	20.6	440	3.21	0.77	0.19	<0.02	109.5	11.4	60
RDD308657		1.92		0.003	0.007	0.03	8.20	7.7	400	3.08	0.32	0.35	<0.02	120.5	13.5	60
RDD308658		1.60		0.002	0.007	0.09	8.77	9.1	390	3.96	0.65	0.55	<0.02	105.0	6.6	64



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 4 - B

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD308619		13.55	21.8	3.29	20.1	0.11	4.4	0.280	3.73	43.7	40.3	1.24	1105	0.99	0.05	19.5
RDD308620		8.35	58.4	4.72	18.00	0.12	4.0	0.941	2.70	44.5	27.4	1.11	817	1.62	0.13	11.9
RDD308621		4.25	125.0	8.84	20.4	0.18	3.9	2.17	1.24	49.2	40.3	1.90	2320	1.78	0.30	12.9
RDD308622		1.03	849	27.3	7.58	0.23	0.8	1.325	0.02	43.8	31.1	0.68	6610	1.84	0.03	2.1
RDD308623		0.08	2.9	1.04	0.28	0.07	0.4	0.008	0.02	0.7	1.0	0.01	110	0.63	0.01	1.1
RDD308624		1.69	33.8	9.62	14.55	0.08	1.9	1.500	0.07	23.8	53.1	2.02	10400	2.03	0.09	6.3
RDD308625		8.11	52.3	7.30	18.15	0.12	3.8	1.060	1.94	37.3	40.4	1.59	6760	2.14	0.09	13.8
RDD308626		4.42	63.7	10.20	18.40	0.20	3.6	2.01	0.84	34.0	49.5	2.24	4000	3.42	0.23	13.3
RDD308627																
RDD308628		0.36	177.5	8.12	16.15	0.11	1.5	0.068	0.26	4.0	11.3	4.03	1355	0.70	1.68	3.4
RDD308629		11.15	135.0	8.30	20.8	0.15	4.4	0.926	3.08	42.7	36.8	1.55	1210	7.00	0.09	17.0
RDD308630		9.55	105.0	6.42	20.0	0.12	3.6	0.825	2.75	37.3	56.7	1.60	4260	4.53	0.05	15.0
RDD308631		11.25	151.5	7.59	21.1	0.16	4.3	0.647	3.32	48.3	33.3	1.55	887	5.92	0.06	15.0
RDD308632		11.90	138.5	8.29	21.6	0.16	4.1	0.860	3.10	39.7	37.3	1.50	1585	7.20	0.06	15.7
RDD308633		7.54	52.5	11.80	20.7	0.22	3.7	1.015	1.39	43.2	59.4	2.93	3710	6.16	0.03	13.9
RDD308634		1.33	639	25.6	9.42	0.18	1.8	0.569	0.01	21.6	17.0	1.78	1745	10.55	0.01	7.4
RDD308635		0.09	3.7	1.08	0.33	<0.05	0.4	0.009	0.02	0.8	0.8	0.01	116	0.68	0.01	1.2
RDD308636		3.06	1315	47.0	9.56	0.50	1.1	0.530	0.03	2.9	9.8	2.32	1405	7.21	0.01	4.0
RDD308637		0.08	2.8	0.71	0.22	<0.05	0.3	0.007	0.02	0.7	1.0	0.01	75	0.50	0.01	1.0
RDD308638		0.76	125.5	7.92	7.54	0.05	1.5	0.186	0.01	0.9	24.5	14.95	1105	8.41	0.02	5.5
RDD308639		8.62	108.5	8.56	22.1	0.16	3.9	0.760	2.51	26.2	57.3	3.59	1575	3.46	0.04	16.3
RDD308640		14.85	112.0	6.23	19.90	0.14	5.0	0.729	3.47	49.9	23.0	0.98	338	9.65	0.05	19.6
RDD308641		14.80	115.5	6.70	19.80	0.14	3.7	1.075	3.32	43.5	35.2	1.69	593	10.40	0.06	13.1
RDD308642		11.90	48.5	3.02	16.60	0.09	3.4	0.149	3.04	38.6	23.5	0.97	315	1.11	0.06	11.7
RDD308643		12.75	13.0	3.11	20.1	0.08	4.3	0.092	3.41	32.3	25.4	1.20	587	0.78	0.20	12.0
RDD308644		15.90	26.5	3.85	20.6	0.12	4.1	0.138	3.79	40.5	19.1	0.84	259	2.13	0.11	9.4
RDD308645		3.45	13.8	2.45	6.48	<0.05	2.5	0.033	1.07	23.8	13.4	0.60	297	0.78	0.09	6.3
RDD308646		13.55	41.7	4.41	23.6	0.10	4.5	0.105	4.43	32.5	20.7	0.88	243	1.32	0.29	10.2
RDD308647		15.75	42.4	4.14	24.9	0.12	4.8	0.114	4.45	44.3	19.9	0.90	226	1.88	0.31	11.3
RDD308648		5.38	20.1	2.87	9.31	0.05	2.6	0.114	1.41	25.6	17.8	0.62	512	1.10	0.03	19.8
RDD308649		13.75	22.4	3.80	19.15	0.10	3.8	0.087	3.20	45.3	21.9	0.89	544	1.04	0.18	13.8
RDD308650		14.70	19.7	3.47	20.2	0.11	4.9	0.132	3.52	49.8	18.2	0.83	533	1.04	0.17	24.5
RDD308651		16.45	20.5	3.19	21.5	0.11	5.1	0.112	3.76	43.6	16.7	0.70	505	1.10	0.27	31.5
RDD308652		16.05	33.4	4.61	18.35	0.09	3.5	0.080	3.32	34.7	22.8	1.05	466	1.02	0.27	13.0
RDD308653																
RDD308654		9.21	26.5	4.15	18.70	0.09	3.7	0.063	2.81	40.3	57.3	1.77	399	0.85	0.76	15.0
RDD308655		20.1	12.7	3.93	22.9	0.11	4.5	0.109	3.88	48.8	30.0	1.40	723	0.87	0.28	31.9
RDD308656		20.9	11.3	3.30	22.4	0.13	4.7	0.113	4.14	56.0	26.1	1.22	685	1.10	0.31	38.4
RDD308657		20.7	23.2	3.99	21.9	0.13	4.7	0.122	3.82	59.0	34.5	1.39	688	0.85	0.24	37.9
RDD308658		15.50	9.6	4.68	22.3	0.12	4.9	0.448	3.49	51.6	44.3	1.60	1085	1.09	0.20	39.9



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_29_P2

Page: 4 - C

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD308619		17.8	400	3.9	247	<0.002	0.48	2.94	12.5	<1	25.9	26.6	1.12	<0.05	15.80
RDD308620		27.6	260	10.2	167.5	0.003	0.96	2.49	11.2	1	58.7	23.5	0.82	0.08	13.80
RDD308621		20.0	350	26.7	72.5	0.003	1.66	1.90	11.0	1	101.0	62.5	0.89	0.16	13.65
RDD308622		71.5	90	1170	2.0	0.003	>10.0	2.94	2.9	7	194.0	66.8	0.14	0.57	2.49
RDD308623		1.3	10	1.8	0.8	<0.002	0.01	0.22	0.2	<1	0.3	2.4	0.05	<0.05	0.27
RDD308624		14.9	320	294	4.6	0.005	0.93	2.24	6.9	1	197.5	81.7	0.42	<0.05	6.54
RDD308625		19.8	440	61.6	119.0	0.002	0.70	4.78	11.2	1	45.7	31.7	0.88	0.06	13.30
RDD308626		40.3	420	111.0	49.9	0.011	0.93	5.84	12.8	1	89.7	43.0	0.89	0.05	12.45
RDD308627															
RDD308628		86.8	420	8.3	6.5	0.002	0.19	0.55	43.2	1	0.8	248	0.20	<0.05	0.48
RDD308629		63.8	970	16.3	203	0.030	2.68	2.42	18.6	4	96.6	21.1	1.20	0.17	14.40
RDD308630		41.4	480	246	210	0.019	1.29	2.77	17.4	3	74.7	79.1	0.99	0.11	13.45
RDD308631		53.4	800	29.6	199.5	0.023	2.61	2.13	18.2	4	61.8	16.5	1.02	0.22	15.45
RDD308632		62.3	890	20.0	203	0.028	2.28	2.62	19.0	4	76.2	17.6	1.08	0.19	14.70
RDD308633		59.7	520	76.1	97.5	0.016	0.65	6.47	18.0	1	46.5	15.4	0.92	0.05	12.65
RDD308634		67.1	290	44.8	1.7	0.030	>10.0	1.22	3.4	6	16.6	9.0	0.45	0.30	5.43
RDD308635		1.6	10	2.4	0.9	<0.002	0.01	0.24	0.2	<1	0.5	2.5	<0.05	<0.05	0.28
RDD308636		65.9	300	42.7	6.3	0.014	>10.0	1.16	2.8	8	39.7	6.6	0.16	0.81	3.19
RDD308637		1.0	<10	1.8	0.7	<0.002	0.01	0.24	0.2	<1	0.3	2.3	<0.05	<0.05	0.24
RDD308638		21.7	310	17.6	0.5	0.018	2.81	2.69	3.1	2	19.6	9.1	0.37	0.23	4.37
RDD308639		70.3	650	52.2	110.5	0.011	1.89	2.77	22.2	3	88.8	21.1	1.14	0.07	10.05
RDD308640		84.3	340	36.6	208	0.024	3.29	4.14	14.0	5	30.4	15.0	1.54	0.17	16.00
RDD308641		96.2	530	45.9	227	0.041	3.17	2.90	20.5	6	34.6	19.2	0.78	0.21	12.70
RDD308642		50.3	610	33.5	159.0	0.004	1.84	6.42	12.4	1	8.3	15.3	0.75	0.11	11.50
RDD308643		18.7	450	3.3	157.5	<0.002	0.40	1.12	12.7	<1	4.1	15.1	0.88	<0.05	12.60
RDD308644		24.4	260	12.4	196.0	0.005	1.82	3.01	13.4	1	5.6	16.5	0.70	0.09	15.05
RDD308645		9.2	120	5.6	51.8	<0.002	0.71	1.17	3.9	<1	1.3	7.5	0.51	0.05	7.08
RDD308646		26.5	420	12.2	193.0	0.002	2.03	3.23	14.2	1	4.2	18.3	0.74	0.11	13.70
RDD308647		28.1	250	17.7	228	0.004	1.92	3.82	15.1	1	4.7	18.6	0.81	0.15	17.10
RDD308648		20.0	180	7.9	81.7	<0.002	0.36	2.84	5.3	<1	6.1	8.8	0.80	0.10	8.25
RDD308649		18.4	290	3.6	166.0	<0.002	0.62	1.55	12.2	1	3.6	21.3	0.97	0.05	14.70
RDD308650		15.8	840	4.0	184.0	<0.002	0.44	1.40	13.1	1	5.9	24.4	1.39	<0.05	15.70
RDD308651		30.0	400	5.7	190.0	<0.002	0.56	1.77	13.3	1	6.3	24.3	1.60	0.07	15.95
RDD308652		27.8	300	6.2	162.0	<0.002	1.12	2.40	11.3	1	3.9	17.9	0.89	0.06	12.60
RDD308653															
RDD308654		65.1	760	18.7	162.0	<0.002	0.14	332	14.6	<1	3.4	151.5	1.04	<0.05	14.40
RDD308655		22.1	390	5.2	222	<0.002	0.26	1.98	14.2	1	5.2	22.2	1.77	0.08	17.60
RDD308656		20.6	450	4.1	231	<0.002	0.26	1.72	13.6	<1	5.9	23.0	2.07	0.08	18.45
RDD308657		19.4	570	4.0	238	0.002	0.49	2.98	13.0	1	6.7	22.9	2.11	<0.05	17.50
RDD308658		23.9	440	16.6	185.5	<0.002	0.13	5.06	13.2	<1	28.7	32.0	2.07	0.07	17.65



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 4 - D

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD308619		1.24	3.4	80	2.8	24.4	40	159.5	3.93	2.62	1.11	5.00	0.84	0.45	36.4	10.60
RDD308620		0.83	3.1	76	3.4	22.3	57	143.5	4.03	2.35	1.31	5.08	0.81	0.50	38.4	10.90
RDD308621		0.41	3.1	77	5.8	23.6	71	137.0	3.86	2.36	1.50	4.89	0.80	0.42	40.6	11.50
RDD308622		0.17	0.8	25	6.3	17.3	1245	29.4	3.00	1.33	1.73	4.61	0.54	0.16	35.1	9.79
RDD308623		<0.02	0.2	2	0.2	0.9	6	13.7	0.14	0.11	<0.03	0.12	0.03	0.02	0.5	0.14
RDD308624		0.05	1.8	53	7.5	23.3	868	69.6	3.71	2.12	1.36	4.10	0.75	0.27	21.3	5.68
RDD308625		0.70	3.0	71	5.5	22.4	217	142.0	3.62	2.30	1.15	4.33	0.76	0.39	31.8	9.11
RDD308626		0.33	3.4	108	7.8	24.8	211	134.5	3.44	2.26	1.16	5.02	0.74	0.40	29.9	8.48
RDD308627																
RDD308628		0.07	0.1	284	7.7	20.6	106	51.5	3.40	2.09	0.87	3.05	0.72	0.30	7.3	1.50
RDD308629		1.29	5.4	161	4.1	26.6	47	157.0	4.49	2.72	1.41	5.73	0.94	0.50	37.9	10.45
RDD308630		1.24	4.4	137	3.3	26.8	576	133.5	4.32	2.82	1.80	5.01	0.87	0.44	32.3	9.20
RDD308631		1.16	5.1	155	2.9	26.7	53	157.5	4.59	2.86	1.22	5.75	0.95	0.56	42.2	11.90
RDD308632		1.18	5.7	164	4.4	28.8	48	154.0	4.63	2.81	1.27	5.53	0.97	0.49	34.0	9.51
RDD308633		0.55	4.2	160	8.3	25.0	309	137.0	3.82	2.36	1.19	4.98	0.80	0.42	36.8	10.60
RDD308634		0.14	2.7	78	10.4	17.9	60	66.6	2.71	1.71	0.90	2.99	0.58	0.27	17.2	4.81
RDD308635		<0.02	0.2	2	0.2	1.0	2	13.6	0.17	0.11	<0.03	0.13	0.03	0.02	0.6	0.17
RDD308636		0.29	2.9	64	5.2	29.3	53	38.9	4.54	2.71	1.20	4.38	0.97	0.34	6.7	1.23
RDD308637		<0.02	0.1	2	0.2	1.0	2	12.8	0.16	0.10	<0.03	0.15	0.03	0.02	0.5	0.15
RDD308638		0.05	5.8	77	1.5	10.9	100	46.9	1.53	1.01	0.31	1.36	0.34	0.16	2.5	0.45
RDD308639		1.10	4.0	182	4.6	21.8	168	142.0	4.59	2.75	1.36	5.22	0.92	0.41	27.1	7.05
RDD308640		1.32	6.7	192	2.3	36.1	154	180.5	6.13	3.81	1.46	7.19	1.26	0.58	44.8	11.95
RDD308641		1.34	5.6	185	2.7	31.4	358	141.5	5.78	3.37	1.50	6.75	1.14	0.50	39.5	10.35
RDD308642		0.82	2.7	66	1.7	33.3	59	123.0	5.11	3.23	1.28	5.98	1.05	0.50	36.0	9.66
RDD308643		0.90	3.2	79	1.8	29.0	25	147.5	5.78	3.38	1.18	5.91	1.16	0.47	31.5	8.34
RDD308644		1.06	3.3	93	1.6	25.0	22	138.5	4.61	2.78	1.18	5.36	0.91	0.42	36.6	9.89
RDD308645		0.24	1.5	23	1.2	12.3	19	76.5	2.40	1.42	0.70	2.79	0.48	0.21	20.2	5.52
RDD308646		1.16	3.4	101	1.8	24.9	14	155.5	4.91	3.11	1.09	5.37	1.01	0.47	33.1	8.57
RDD308647		1.30	3.8	99	1.9	29.3	14	164.0	5.53	3.39	1.36	5.90	1.10	0.51	40.4	10.90
RDD308648		0.49	1.6	33	1.2	15.6	33	93.2	2.98	1.76	0.67	3.97	0.60	0.25	21.5	5.85
RDD308649		0.76	3.1	70	2.4	21.9	22	133.0	4.91	2.42	1.34	5.08	0.81	0.38	38.3	10.60
RDD308650		0.97	3.9	78	2.5	32.1	21	173.0	6.15	3.50	1.48	7.67	1.19	0.49	44.7	12.35
RDD308651		1.01	3.2	89	2.2	30.2	17	172.5	5.64	3.47	1.08	5.67	1.15	0.49	37.7	10.60
RDD308652		1.00	2.7	75	2.1	21.9	26	121.5	4.42	2.48	1.22	4.98	0.84	0.38	31.2	8.52
RDD308653																
RDD308654		0.82	2.7	110	2.1	16.6	98	137.5	3.36	1.82	1.27	4.55	0.63	0.27	34.2	9.29
RDD308655		1.32	3.6	89	2.3	31.3	33	168.0	5.80	3.58	1.38	6.11	1.18	0.50	39.6	11.25
RDD308656		1.24	3.6	92	2.2	33.2	26	183.0	5.99	3.63	1.34	6.29	1.21	0.51	41.8	11.90
RDD308657		1.46	3.8	87	2.3	34.1	29	176.5	6.21	3.59	1.54	7.21	1.25	0.51	46.3	13.10
RDD308658		1.16	3.7	97	2.6	29.2	43	194.0	5.18	3.29	1.30	5.54	1.07	0.48	39.1	11.30



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_29_P2

Page: 4 – E

Total # Pages: 5 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD308619		6.39	0.79	0.42	2.79
RDD308620		6.81	0.71	0.38	2.62
RDD308621		6.81	0.66	0.38	2.64
RDD308622		6.38	0.58	0.19	1.07
RDD308623		0.10	0.02	0.02	0.13
RDD308624		4.48	0.60	0.30	1.89
RDD308625		5.90	0.60	0.37	2.53
RDD308626		5.37	0.58	0.36	2.47
RDD308627					
RDD308628		2.28	0.49	0.31	1.97
RDD308629		6.97	0.77	0.44	2.96
RDD308630		5.70	0.73	0.40	2.72
RDD308631		7.20	0.81	0.46	3.14
RDD308632		6.49	0.78	0.46	3.03
RDD308633		6.70	0.68	0.36	2.46
RDD308634		3.26	0.43	0.27	1.77
RDD308635		0.12	0.02	0.02	0.13
RDD308636		2.92	0.71	0.40	2.48
RDD308637		0.11	0.02	0.02	0.12
RDD308638		0.96	0.22	0.16	1.01
RDD308639		5.66	0.77	0.38	2.59
RDD308640		8.54	1.06	0.55	3.87
RDD308641		7.81	0.98	0.49	3.17
RDD308642		6.95	0.87	0.46	3.03
RDD308643		6.39	0.89	0.48	3.17
RDD308644		6.95	0.78	0.41	2.81
RDD308645		3.62	0.43	0.20	1.33
RDD308646		6.43	0.81	0.45	2.99
RDD308647		7.42	0.89	0.49	3.35
RDD308648		3.93	0.48	0.24	1.63
RDD308649		7.07	0.70	0.35	2.47
RDD308650		8.78	1.05	0.48	3.20
RDD308651		6.99	0.89	0.50	3.27
RDD308652		5.97	0.72	0.35	2.43
RDD308653					
RDD308654		6.41	0.61	0.26	1.69
RDD308655		7.25	0.93	0.51	3.31
RDD308656		7.43	0.97	0.54	3.35
RDD308657		8.61	1.07	0.52	3.28
RDD308658		6.79	0.84	0.48	3.24

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-SEP-2025
Account: BLUMINJV

Project: EDGI_29_P2

CERTIFICATE OF ANALYSIS BU25257605

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

REEs may not be totally soluble in this method.
ME-MS61r

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-ICP21

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia
Au-ICP21

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-MS61r ME-XRF15b

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.
BAG-01 BAG-21
LOG-22 LOG-24
SPL-21 WEI-21

CRU-21
PUL-23

LEV-01
PUL-QC