



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 1

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE BU25257605

Project: EDGI\_29\_P2

P.O. No.: 271046

This report is for 125 samples of 1/2 Core submitted to our lab in Burnie, TAS, Australia on 26-AUG-2025.

The following have access to data associated with this certificate:

ESTHER LITTLE

MITCHELL PETERSEN

DECLAN RADFORD

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
SPL-21	Split sample – riffle splitter
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
CRU-21	Crush entire sample
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF15b	Various elements in ores by fusion XRF	XRF
ME-MS61r	4A multi-element ICP-MS + REE	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 2 - A

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Sn	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
STANDARDS																
AMIS0020			0.652													
AMIS0020			0.650													
AMIS0020			0.651													
AMIS0020			0.659													
AMIS0020			0.647													
AMIS0020			0.643													
Target Range - Lower Bound			0.641													
Upper Bound			0.719													
AMIS0448		1.315														
AMIS0448		1.305														
AMIS0448		1.345														
Target Range - Lower Bound		1.230														
Upper Bound		1.390														
BEG-24		2.52														
BEG-24		2.52														
Target Range - Lower Bound		2.37														
Upper Bound		2.67														
EMOG-17				66.4	4.49	555	440	1.82	5.53	1.84	20.6	45.1	747	66	7.08	8220
EMOG-17				66.5	4.56	582	440	1.84	5.43	1.85	19.25	42.0	761	54	6.68	8340
EMOG-17				67.6	4.67	586	270	1.82	5.78	1.87	19.75	47.2	777	55	6.99	8320
Target Range - Lower Bound				60.9	4.18	522	310	1.60	5.31	1.72	18.15	42.9	686	49	6.56	7750
Upper Bound				74.5	5.13	638	440	2.06	6.51	2.12	22.2	52.5	838	62	8.12	8910
GBM321-8				2.86	7.01	55.4	1110	1.47	1.26	3.70	1.74	103.0	26.2	142	3.74	3690
GBM321-8				2.87	7.35	55.2	1140	1.45	1.30	3.91	1.72	107.5	27.0	146	3.72	3580
Target Range - Lower Bound				2.69	6.40	50.2	930	1.27	1.12	3.33	1.53	99.0	24.0	125	3.44	3350
Upper Bound				3.31	7.84	61.8	1280	1.66	1.39	4.10	1.91	121.0	29.6	155	4.32	3860
GPP-14		0.922														
Target Range - Lower Bound		0.853														
Upper Bound		0.965														
ISA-24		0.311														
ISA-24		0.318														
ISA-24		0.309														
Target Range - Lower Bound		0.296														
Upper Bound		0.336														



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 2 - B  
Total # Pages: 7 (A - E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
		10													
STANDARDS															
AMIS0020															
AMIS0020															
AMIS0020															
AMIS0020															
AMIS0020															
AMIS0020															
Target Range - Lower Bound															
Upper Bound															
AMIS0448															
AMIS0448															
AMIS0448															
Target Range - Lower Bound															
Upper Bound															
BEG-24															
BEG-24															
Target Range - Lower Bound															
Upper Bound															
EMOG-17		4.78	11.80	0.14	1.8	0.892	1.65	23.2	26.7	0.94	722	1105	1.09	14.9	7570
EMOG-17		4.86	11.60	0.13	1.7	0.870	1.66	22.3	26.7	0.95	729	1115	1.11	14.3	7650
EMOG-17		4.93	11.75	0.11	1.7	0.914	1.67	24.3	26.7	0.96	743	1095	1.12	14.1	7670
Target Range - Lower Bound		4.42	10.75	<0.05	1.6	0.823	1.49	20.7	23.9	0.86	670	997	0.99	12.7	6820
Upper Bound		5.42	13.25	0.25	2.2	1.015	1.85	26.4	29.7	1.08	830	1220	1.23	15.7	8330
GBM321-8		5.49	20.0	0.15	3.5	0.070	2.14	53.6	11.0	1.77	790	63.8	2.15	10.8	2260
GBM321-8		5.70	21.4	0.14	3.8	0.075	2.19	56.6	10.9	1.83	821	63.7	2.16	10.8	2200
Target Range - Lower Bound		5.04	18.65	<0.05	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2020
Upper Bound		6.18	22.9	0.24	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480
GPP-14															
Target Range - Lower Bound															
Upper Bound															
ISA-24															
ISA-24															
ISA-24															
Target Range - Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 2 – C  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.1
STANDARDS															
AMIS0020															
AMIS0020															
AMIS0020															
AMIS0020															
AMIS0020															
AMIS0020															
Target Range – Lower Bound															
Upper Bound															
AMIS0448															
AMIS0448															
AMIS0448															
Target Range – Lower Bound															
Upper Bound															
BEG-24															
BEG-24															
Target Range – Lower Bound															
Upper Bound															
EMOG-17		7240	109.5	0.306	3.18	760	8.0	6	2.6	200	0.93	1.20	11.30	0.309	3.2
EMOG-17		7340	105.5	0.293	3.22	769	7.5	6	2.5	203	0.87	1.14	10.55	0.313	2.9
EMOG-17		7320	110.5	0.306	3.27	794	7.8	6	2.4	209	0.85	1.34	11.15	0.319	3.1
Target Range – Lower Bound		6570	98.9	0.286	2.91	643	7.2	4	2.2	184.5	0.78	1.10	10.35	0.285	2.8
Upper Bound		8030	121.0	0.354	3.57	869	9.0	9	3.2	226	1.08	1.46	12.65	0.359	3.7
GBM321-8		2080	163.5	<0.002	0.34	1.68	18.4	<1	3.0	290	0.74	0.06	17.15	0.651	2.2
GBM321-8		2060	171.5	<0.002	0.30	1.62	19.0	<1	3.1	299	0.70	0.06	18.35	0.666	2.3
Target Range – Lower Bound		1845	153.0	<0.002	0.31	1.40	16.7	<1	2.7	258	0.64	<0.05	16.00	0.591	2.0
Upper Bound		2250	187.0	0.005	0.41	2.01	20.7	2	3.9	316	0.92	0.15	19.55	0.733	2.6
GPP-14															
Target Range – Lower Bound															
Upper Bound															
ISA-24															
ISA-24															
ISA-24															
Target Range – Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 2 – D  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01
STANDARDS																
AMIS0020																
AMIS0020																
AMIS0020																
AMIS0020																
AMIS0020																
AMIS0020																
Target Range – Lower Bound																
Upper Bound																
AMIS0448																
AMIS0448																
AMIS0448																
Target Range – Lower Bound																
Upper Bound																
BEG-24																
BEG-24																
Target Range – Lower Bound																
Upper Bound																
EMOG-17		72	3.8	15.9	7500	63.0	2.68	1.51	0.82	3.16	0.55	0.21	19.9	5.38	3.60	0.47
EMOG-17		73	3.5	15.4	7590	59.8	2.56	1.46	0.78	3.03	0.51	0.20	18.2	4.95	3.36	0.43
EMOG-17		77	3.5	16.0	7470	60.5	2.78	1.53	0.86	3.20	0.54	0.21	19.6	5.35	3.68	0.48
Target Range – Lower Bound		67	3.3	14.3	6800	55.6	2.53	1.41	0.71	2.85	0.48	0.19	17.8	4.65	3.40	0.41
Upper Bound		84	4.7	17.7	8320	76.4	3.53	1.97	1.03	3.97	0.68	0.27	24.3	6.37	4.66	0.57
GBM321-8		138	3.1	35.8	1065	136.0	6.28	3.40	1.68	7.05	1.25	0.47	42.9	11.75	7.76	1.05
GBM321-8		140	3.7	38.2	1065	143.0	6.89	3.78	1.88	7.55	1.32	0.50	43.1	12.30	8.28	1.10
Target Range – Lower Bound		123	2.9	33.7	961	117.5	5.70	3.26	1.57	6.49	1.14	0.42	36.2	9.83	7.02	0.99
Upper Bound		153	4.1	41.4	1180	160.5	7.82	4.48	2.19	8.89	1.56	0.60	49.2	13.35	9.56	1.37
GPP-14																
Target Range – Lower Bound																
Upper Bound																
ISA-24																
ISA-24																
ISA-24																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 2 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	
		Tm	Yb
		ppm	ppm
		0.01	0.03
STANDARDS			
AMIS0020			
AMIS0020			
AMIS0020			
AMIS0020			
AMIS0020			
AMIS0020			
Target Range – Lower Bound			
Upper Bound			
AMIS0448			
AMIS0448			
AMIS0448			
Target Range – Lower Bound			
Upper Bound			
BEG-24			
BEG-24			
Target Range – Lower Bound			
Upper Bound			
EMOG-17		0.23	1.41
EMOG-17		0.21	1.39
EMOG-17		0.21	1.37
Target Range – Lower Bound		0.19	1.30
Upper Bound		0.29	1.82
GBM321-8		0.50	3.06
GBM321-8		0.52	3.27
Target Range – Lower Bound		0.46	2.83
Upper Bound		0.64	3.91
GPP-14			
Target Range – Lower Bound			
Upper Bound			
ISA-24			
ISA-24			
ISA-24			
Target Range – Lower Bound			
Upper Bound			



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 3 - A  
Total # Pages: 7 (A - E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Sn	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
STANDARDS																
MRCA-21				8.11	7.65	19.2	1290	2.74	1.43	1.78	2.19	101.5	30.0	43	12.40	963
MRCA-21				8.20	7.52	20.0	1230	2.55	1.44	1.71	2.18	98.3	31.6	44	11.40	918
Target Range - Lower Bound				7.57	6.83	17.2	1050	2.35	1.39	1.58	1.99	92.7	28.0	38	10.75	877
Upper Bound				9.27	8.37	21.4	1440	2.99	1.73	1.96	2.47	113.5	34.4	49	13.25	1010
NCSDC35012		3.94														
NCSDC35012		3.98														
NCSDC35012		4.03														
NCSDC35012		4.03														
NCSDC35012		4.01														
NCSDC35012		3.99														
Target Range - Lower Bound		3.78														
Upper Bound		4.18														
OREAS 130				5.76	5.30	203	230	2.57	2.99	1.77	28.5	59.2	27.5	42	5.98	216
Target Range - Lower Bound				5.90		185.0	<10		2.79	1.65	26.6	52.2	25.6		5.76	211
Upper Bound				7.24		227	20		3.43	2.03	32.6	63.8	31.6		7.16	243
OREAS 243				3.06	6.45	88.1	270	0.58	0.07	5.73	0.77	14.85	38.3	84	1.23	181.0
OREAS 243				3.10	6.51	87.8	270	0.55	0.07	5.71	0.80	15.45	40.8	82	1.25	182.0
OREAS 243				2.96	6.19	82.3	250	0.49	0.08	5.38	0.72	14.10	37.9	82	1.14	167.0
Target Range - Lower Bound				2.73	5.73	76.3	200	0.36	0.05	5.02	0.69	13.40	35.3	76	1.09	160.5
Upper Bound				3.35	7.03	93.7	300	0.60	0.10	6.16	0.89	16.40	43.3	95	1.45	185.5
BLANKS																
BLANK		<0.001														
BLANK		<0.001														
BLANK		<0.001														
BLANK		0.001														
BLANK		<0.001														
Target Range - Lower Bound		<0.001														
Upper Bound		0.002														
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
BLANK				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
BLANK				<0.01	<0.01	<0.2	<10	<0.05	0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
Target Range - Lower Bound				<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
Upper Bound				0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4
BLANK		<0.005														



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 3 - B  
Total # Pages: 7 (A - E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
															10
STANDARDS															
MRCA-21		3.40	20.3	0.12	1.8	0.126	2.93	54.4	60.7	0.73	8230	24.5	2.01	15.0	958
MRCA-21		3.27	21.9	0.12	1.8	0.117	2.88	53.2	60.3	0.71	8110	25.0	1.97	14.8	915
Target Range - Lower Bound		3.05	18.75	<0.05	1.5	0.103	2.58	49.0	54.7	0.65	7330	22.5	1.79	12.9	849
Upper Bound		3.75	23.0	0.23	2.1	0.137	3.18	61.0	67.3	0.82	8970	27.7	2.21	15.9	1040
NCSDC35012															
NCSDC35012															
NCSDC35012															
NCSDC35012															
NCSDC35012															
NCSDC35012															
Target Range - Lower Bound															
Upper Bound															
OREAS 130		7.03	13.40	0.09	3.3	0.199	4.77	26.7	50.3	1.02	1765	8.02	0.19	6.5	33.9
Target Range - Lower Bound			12.55	<0.05	2.9	0.184		23.7				7.74		6.0	32.1
Upper Bound			15.45	0.27	3.7	0.236		30.1				9.57		7.6	39.7
OREAS 243		7.72	15.05	0.06	1.9	0.079	0.65	6.6	13.8	3.27	1275	1.94	2.07	3.8	64.8
OREAS 243		7.79	15.70	0.06	1.8	0.082	0.65	6.6	13.5	3.23	1270	1.98	2.06	3.9	67.7
OREAS 243		7.37	14.65	0.06	1.7	0.078	0.61	6.2	12.2	3.07	1200	1.76	1.97	3.5	63.6
Target Range - Lower Bound		6.79	13.80	<0.05	1.6	0.066	0.57	5.0	11.8	2.86	1130	1.69	1.83	3.2	58.3
Upper Bound		8.32	17.00	0.21	2.1	0.094	0.72	7.7	14.8	3.52	1390	2.17	2.25	4.2	71.7
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
BLANK		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Target Range - Lower Bound		<0.01	<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2
Upper Bound		0.02	0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4
BLANK															





Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 3 - C  
Total # Pages: 7 (A - E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
STANDARDS																
MRCA-21		933	169.0	0.012	0.44	27.1	9.1	1	4.8	178.0	1.11	0.15	15.80	0.364	1.10	3.7
MRCA-21		879	175.0	0.013	0.44	26.3	9.4	1	5.0	171.5	1.06	0.10	15.00	0.357	1.14	3.7
Target Range – Lower Bound		816	154.5	0.008	0.38	22.8	8.0	<1	4.3	156.5	0.98	<0.05	13.95	0.328	0.97	3.7
Upper Bound		998	189.5	0.018	0.49	31.0	10.0	3	5.7	191.5	1.30	0.23	17.05	0.412	1.37	4.8
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
Target Range – Lower Bound																
Upper Bound																
OREAS 130		1255	190.5	0.009	5.73	5.86	8.8	2	1.3	148.5	0.46	0.16	10.15	0.174	32.6	9.6
Target Range – Lower Bound		1170	212	0.005		4.89	7.7	<1	0.9	142.0	0.35	0.09	9.08	0.154	30.1	8.9
Upper Bound		1430	260	0.013		6.73	9.6	4	1.9	174.0	0.59	0.31	11.10	0.200	40.7	11.1
OREAS 243		36.1	17.7	0.003	0.54	2.20	36.4	1	1.2	100.5	0.25	0.12	1.31	0.609	0.29	0.4
OREAS 243		38.3	18.7	0.003	0.54	2.19	37.3	1	1.3	103.0	0.25	0.15	1.34	0.604	0.32	0.4
OREAS 243		36.3	17.7	0.002	0.51	2.08	36.1	1	1.1	97.7	0.24	0.15	1.32	0.580	0.33	0.4
Target Range – Lower Bound		34.0	16.0	<0.002	0.46	1.85	32.2	<1	0.8	88.0	0.15	<0.05	1.19	0.535	0.25	0.2
Upper Bound		42.6	19.8	0.007	0.59	2.63	39.6	2	1.7	108.0	0.37	0.24	1.48	0.665	0.39	0.6
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
BLANK		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
Target Range – Lower Bound		<0.5	<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1
Upper Bound		1.0	0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2
BLANK																



Australian Laboratory Services Pty. Ltd.  
32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 3 - D  
Total # Pages: 7 (A - E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01
STANDARDS																
MRCA-21		63	11.6	17.8	835	58.3	3.82	1.43	1.45	5.98	0.62	0.17	41.6	11.60	7.72	0.80
MRCA-21		61	9.9	17.7	790	60.9	3.92	1.45	1.56	6.09	0.61	0.18	39.7	11.30	7.73	0.81
Target Range – Lower Bound		57	9.3	15.6	740	50.5	3.43	1.28	1.33	5.30	0.53	0.14	35.4	9.83	6.97	0.69
Upper Bound		71	12.9	19.2	908	69.5	4.75	1.81	1.87	7.28	0.74	0.21	48.2	13.35	9.49	0.96
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
NCSDC35012																
Target Range – Lower Bound																
Upper Bound																
OREAS 130		73	2.5	19.3	>10000	117.5	3.33	1.78	0.82	3.89	0.64	0.26	26.1	7.09	4.80	0.55
Target Range – Lower Bound			2.3	17.5		99.8	3.04	1.79		3.72	0.62		23.4		4.30	
Upper Bound			3.3	21.7		136.0	4.22	2.49		5.16	0.86		31.8		5.88	
OREAS 243		266	36.2	20.6	174	66.1	3.38	2.15	0.87	3.19	0.72	0.30	9.2	2.03	2.47	0.52
OREAS 243		257	37.8	21.1	173	61.0	3.31	2.06	0.87	3.13	0.72	0.31	9.2	2.04	2.54	0.51
OREAS 243		252	33.8	19.3	165	60.3	3.46	2.23	0.89	3.15	0.72	0.29	8.7	1.86	2.43	0.52
Target Range – Lower Bound		231	31.9	18.2	142	51.4	3.17	1.93	0.76	2.78	0.67	0.27	7.7	1.72	2.16	0.45
Upper Bound		285	43.5	22.4	178	70.7	4.41	2.68	1.10	3.88	0.93	0.39	10.7	2.40	3.00	0.63
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
Target Range – Lower Bound		<1	<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
Upper Bound		2	0.2	0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02
BLANK																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 3 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r
		Tm	Yb
		ppm	ppm
		0.01	0.03
STANDARDS			
MRCA-21		0.19	1.12
MRCA-21		0.20	1.15
Target Range – Lower Bound		0.15	1.02
Upper Bound		0.23	1.45
NCSDC35012			
NCSDC35012			
NCSDC35012			
NCSDC35012			
NCSDC35012			
NCSDC35012			
Target Range – Lower Bound			
Upper Bound			
OREAS 130		0.26	1.69
Target Range – Lower Bound			
Upper Bound			
OREAS 243		0.31	1.93
OREAS 243		0.31	1.96
OREAS 243		0.29	1.94
Target Range – Lower Bound		0.28	1.84
Upper Bound		0.40	2.56
BLANKS			
BLANK			
BLANK			
BLANK			
BLANK			
BLANK			
Target Range – Lower Bound			
Upper Bound			
BLANK		<0.01	<0.03
BLANK		0.01	<0.03
BLANK		<0.01	<0.03
BLANK		<0.01	<0.03
BLANK		<0.01	<0.03
Target Range – Lower Bound		<0.01	<0.03
Upper Bound		0.02	0.06
BLANK			



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 4 - A

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Sn	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
BLANKS																
BLANK			<0.005													
BLANK			<0.005													
BLANK			<0.005													
BLANK			<0.005													
BLANK			<0.005													
Target Range – Lower Bound			<0.005													
Upper Bound			0.010													
DUPLICATES																
RDD308540		0.004														
DUP		0.004														
Target Range – Lower Bound		0.003														
Upper Bound		0.005														
RDD308548			<0.005	1.10	4.34	35.4	160	1.46	2.34	8.48	0.74	54.3	13.4	30	5.77	25.6
DUP			0.008	1.08	4.32	34.3	160	1.44	2.29	8.29	0.70	54.7	12.9	29	5.60	25.0
Target Range – Lower Bound			<0.005	1.03	4.10	32.9	140	1.33	2.19	7.96	0.66	51.8	12.4	27	5.35	24.2
Upper Bound			0.010	1.15	4.56	36.8	180	1.57	2.44	8.81	0.78	57.2	13.9	32	6.02	26.4
RDD308561		0.004														
DUP		0.003														
Target Range – Lower Bound		0.002														
Upper Bound		0.005														
RDD308569			0.009													
DUP			0.011													
Target Range – Lower Bound			<0.005													
Upper Bound			0.015													
RDD308586				0.06	6.66	18.1	680	2.34	0.82	5.14	0.38	69.2	20.9	52	10.80	70.1
DUP				0.06	6.47	16.9	670	2.32	0.79	5.05	0.37	64.5	19.8	54	10.15	68.3
Target Range – Lower Bound				0.05	6.23	16.4	610	2.16	0.75	4.83	0.34	63.5	19.2	49	9.90	66.6
Upper Bound				0.07	6.90	18.6	740	2.50	0.86	5.36	0.41	70.2	21.5	57	11.05	71.8
RDD308587		0.003														
DUP		0.003														
Target Range – Lower Bound		0.002														
Upper Bound		0.004														



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 4 – B  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
BLANK BLANK BLANK BLANK BLANK Target Range – Lower Bound Upper Bound  RDD308540 DUP Target Range – Lower Bound Upper Bound	BLANKS															
	DUPLICATES															
	RDD308548	5.70	11.40	0.08	2.6	0.472	0.87	27.4	44.8	5.11	3740	2.46	0.10	6.3	23.9	460
	DUP	5.65	10.95	0.10	2.6	0.470	0.85	27.5	44.0	5.07	3690	2.52	0.10	6.2	24.0	450
	Target Range – Lower Bound	5.38	10.55	<0.05	2.4	0.442	0.81	25.6	42.0	4.83	3520	2.32	0.09	5.8	22.6	420
	Upper Bound	5.97	11.80	0.10	2.8	0.500	0.91	29.3	46.8	5.35	3910	2.66	0.12	6.7	25.3	490
	RDD308561															
	DUP															
	Target Range – Lower Bound															
	Upper Bound															
RDD308569																
DUP																
Target Range – Lower Bound																
Upper Bound																
RDD308586	5.09	17.75	0.11	3.0	0.127	2.70	33.3	28.1	3.56	2040	2.94	0.68	10.9	48.1	630	
DUP	5.02	17.25	0.09	2.9	0.131	2.67	31.6	27.7	3.48	2020	2.78	0.67	10.5	48.8	620	
Target Range – Lower Bound	4.79	16.60	<0.05	2.7	0.118	2.54	30.3	26.3	3.33	1925	2.67	0.63	10.1	45.8	580	
Upper Bound	5.32	18.45	0.16	3.2	0.140	2.83	34.6	29.5	3.71	2140	3.05	0.72	11.3	51.1	670	
RDD308587																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 4 - C

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
BLANK BLANK BLANK BLANK BLANK Target Range - Lower Bound Upper Bound		BLANKS														
RDD308540 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
RDD308548 DUP Target Range - Lower Bound Upper Bound		349 343 328 364	54.2 52.8 50.7 56.3	0.006 0.005 0.003 0.008	3.11 3.07 2.93 3.25	5.19 5.03 4.68 5.54	8.9 8.7 8.3 9.3	1 1 <1 2	15.2 14.4 13.9 15.7	327 324 309 342	0.41 0.42 0.34 0.49	0.06 0.07 <0.05 0.10	7.92 7.89 7.50 8.31	0.176 0.178 0.163 0.191	0.35 0.32 0.29 0.38	2.3 2.3 2.1 2.5
RDD308561 DUP Target Range - Lower Bound Upper Bound																
RDD308569 DUP Target Range - Lower Bound Upper Bound																
RDD308586 DUP Target Range - Lower Bound Upper Bound		9.4 9.3 8.4 10.3	144.5 140.0 135.0 149.5	<0.002 <0.002 <0.002 0.004	2.80 2.69 2.60 2.89	2.06 1.99 1.82 2.23	14.6 14.0 13.5 15.1	<1 1 <1 2	3.7 3.6 3.3 4.0	84.5 81.1 78.5 87.1	0.83 0.80 0.72 0.91	0.08 0.09 <0.05 0.10	13.00 12.50 12.10 13.40	0.359 0.355 0.334 0.380	0.82 0.77 0.72 0.87	3.5 3.2 3.1 3.6
RDD308587 DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 4 – D  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
BLANK BLANK BLANK BLANK BLANK Target Range – Lower Bound Upper Bound		BLANKS														
RDD308540 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD308548 DUP Target Range – Lower Bound Upper Bound		75 71 68 78	1.6 1.5 1.3 1.8	20.2 20.2 19.1 21.3	249 247 234 262	94.0 92.6 88.1 98.5	3.34 3.34 3.04 3.64	1.95 1.91 1.76 2.10	1.18 1.19 1.07 1.30	3.98 3.94 3.61 4.31	0.67 0.68 0.61 0.74	0.29 0.28 0.25 0.32	23.8 24.0 22.0 25.8	6.38 6.31 5.84 6.85	4.48 4.44 4.10 4.82	0.57 0.59 0.53 0.63
RDD308561 DUP Target Range – Lower Bound Upper Bound																
RDD308569 DUP Target Range – Lower Bound Upper Bound																
RDD308586 DUP Target Range – Lower Bound Upper Bound		122 121 114 129	2.3 2.1 1.9 2.5	20.9 20.0 19.3 21.6	149 148 139 158	107.0 101.5 98.5 110.0	3.61 3.68 3.32 3.97	2.01 1.97 1.81 2.17	0.98 0.96 0.87 1.07	4.28 4.26 3.90 4.64	0.72 0.70 0.65 0.77	0.33 0.33 0.30 0.36	28.4 27.0 25.5 29.9	7.81 7.32 6.97 8.16	5.41 5.05 4.81 5.65	0.63 0.61 0.56 0.68
RDD308587 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 4 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r Tm ppm 0.01	ME-MS61r Yb ppm 0.03
BLANK BLANK BLANK BLANK BLANK Target Range – Lower Bound Upper Bound		BLANKS	
RDD308540 DUP Target Range – Lower Bound Upper Bound		DUPLICATES	
RDD308548 DUP Target Range – Lower Bound Upper Bound		0.28 0.27 0.24 0.31	1.85 1.78 1.65 1.98
RDD308561 DUP Target Range – Lower Bound Upper Bound			
RDD308569 DUP Target Range – Lower Bound Upper Bound			
RDD308586 DUP Target Range – Lower Bound Upper Bound		0.31 0.30 0.27 0.34	2.09 1.99 1.86 2.22
RDD308587 DUP Target Range – Lower Bound Upper Bound			





Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 5 - A

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	Au-ICP21 ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1	ME-MS61r Cs ppm 0.05	ME-MS61r Cu ppm 0.2
DUPLICATES																
RDD308593			0.009													
DUP			0.011													
Target Range - Lower Bound			<0.005													
Upper Bound			0.015													
RDD308598			0.007													
DUP			0.007													
Target Range - Lower Bound			<0.005													
Upper Bound			0.010													
RDD308608		0.005														
DUP		0.005														
Target Range - Lower Bound		0.004														
Upper Bound		0.006														
RDD308612				0.06	3.95	4.0	200	1.13	0.10	2.95	0.02	63.8	4.3	25	7.23	20.1
DUP				0.05	3.97	4.0	200	1.10	0.09	2.95	<0.02	63.6	4.2	24	7.17	20.2
Target Range - Lower Bound				0.04	3.75	3.6	180	1.01	0.08	2.79	<0.02	60.5	3.9	22	6.79	19.2
Upper Bound				0.07	4.17	4.4	230	1.22	0.11	3.11	0.04	66.9	4.6	27	7.61	21.1
RDD308614			<0.005													
DUP			0.008													
Target Range - Lower Bound			<0.005													
Upper Bound			0.010													
RDD308622				8.59	1.75	81.0	10	2.02	26.2	4.64	3.27	83.4	104.0	18	1.03	849
DUP				8.75	1.77	85.0	10	2.06	27.8	4.65	5.89	85.2	106.5	18	1.05	860
Target Range - Lower Bound				8.23	1.66	78.7	<10	1.89	25.6	4.40	4.33	80.1	99.9	16	0.94	824
Upper Bound				9.11	1.86	87.4	20	2.19	28.4	4.89	4.83	88.5	110.5	20	1.14	885
RDD308638			0.221													
DUP			0.206													
Target Range - Lower Bound			0.203													
Upper Bound			0.224													
RDD308643		0.001														
DUP		0.002														
Target Range - Lower Bound		<0.001														
Upper Bound		0.002														



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 5 - B  
Total # Pages: 7 (A - E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
RDD308593 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD308598 DUP Target Range – Lower Bound Upper Bound																
RDD308608 DUP Target Range – Lower Bound Upper Bound																
RDD308612 DUP Target Range – Lower Bound Upper Bound		2.96 2.95 2.80 3.11	10.70 10.65 10.10 11.25	0.08 0.07 <0.05 0.10	3.2 3.4 3.0 3.6	0.067 0.065 0.058 0.074	1.53 1.53 1.44 1.62	30.3 30.5 28.4 32.4	18.8 19.2 17.9 20.2	1.19 1.18 1.12 1.25	1715 1685 1610 1790	1.38 0.72 0.95 1.15	0.21 0.22 0.19 0.24	9.2 9.0 8.5 9.7	7.7 8.0 7.3 8.4	280 270 250 300
RDD308614 DUP Target Range – Lower Bound Upper Bound																
RDD308622 DUP Target Range – Lower Bound Upper Bound		27.3 27.4 26.0 28.7	7.58 7.79 7.25 8.12	0.23 0.24 0.17 0.30	0.8 0.8 0.7 0.9	1.325 1.370 1.275 1.420	0.02 0.02 <0.01 0.03	43.8 44.2 41.3 46.7	31.1 31.5 29.5 33.1	0.68 0.70 0.65 0.73	6610 6670 6300 6980	1.84 1.98 1.76 2.06	0.03 0.03 0.02 0.04	2.1 2.2 1.9 2.4	71.5 74.2 69.0 76.7	90 100 80 110
RDD308638 DUP Target Range – Lower Bound Upper Bound																
RDD308643 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 5 – C  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r Pb ppm 0.5	ME-MS61r Rb ppm 0.1	ME-MS61r Re ppm 0.002	ME-MS61r S % 0.01	ME-MS61r Sb ppm 0.05	ME-MS61r Sc ppm 0.1	ME-MS61r Se ppm 1	ME-MS61r Sn ppm 0.2	ME-MS61r Sr ppm 0.2	ME-MS61r Ta ppm 0.05	ME-MS61r Te ppm 0.05	ME-MS61r Th ppm 0.01	ME-MS61r Ti % 0.005	ME-MS61r Tl ppm 0.02	ME-MS61r U ppm 0.1
RDD308593 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
RDD308598 DUP Target Range – Lower Bound Upper Bound																
RDD308608 DUP Target Range – Lower Bound Upper Bound																
RDD308612 DUP Target Range – Lower Bound Upper Bound		3.2 3.2 2.5 3.9	83.1 82.6 78.6 87.1	<0.002 <0.002 <0.002 0.004	0.13 0.13 0.11 0.15	1.06 1.11 0.95 1.22	6.6 6.7 6.2 7.1	<1 <1 <1 2	3.0 3.2 2.7 3.5	26.5 27.1 25.3 28.3	0.64 0.65 0.56 0.73	<0.05 <0.05 <0.05 0.10	8.39 8.69 8.10 8.98	0.256 0.253 0.237 0.272	0.47 0.45 0.41 0.51	2.2 2.2 2.0 2.4
RDD308614 DUP Target Range – Lower Bound Upper Bound																
RDD308622 DUP Target Range – Lower Bound Upper Bound		1170 1180 1115 1235	2.0 1.8 1.7 2.1	0.003 0.004 <0.002 0.004	>10.0 >10.0 9.49 10.00	2.94 3.06 2.73 3.28	2.9 3.0 2.7 3.2	7 7 6 8	194.0 78.1 129.0 143.0	66.8 68.5 64.1 71.2	0.14 0.15 0.09 0.20	0.57 0.60 0.51 0.66	2.49 2.60 2.41 2.68	0.063 0.064 0.055 0.072	0.17 0.17 0.14 0.20	0.8 0.8 0.7 0.9
RDD308638 DUP Target Range – Lower Bound Upper Bound																
RDD308643 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 5 - D

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
RDD308593 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
RDD308598 DUP Target Range - Lower Bound Upper Bound																
RDD308608 DUP Target Range - Lower Bound Upper Bound																
RDD308612 DUP Target Range - Lower Bound Upper Bound		41 40 37 44	1.3 1.3 1.1 1.5	23.0 22.7 21.6 24.1	19 19 16 22	120.5 110.5 109.0 122.0	3.96 4.19 3.72 4.43	2.50 2.34 2.21 2.63	1.01 1.01 0.90 1.12	4.47 4.73 4.21 5.00	0.81 0.81 0.74 0.88	0.37 0.35 0.32 0.40	27.2 27.4 25.2 29.4	7.41 7.38 6.81 7.98	5.66 5.61 5.18 6.09	0.67 0.67 0.61 0.73
RDD308614 DUP Target Range - Lower Bound Upper Bound																
RDD308622 DUP Target Range - Lower Bound Upper Bound		25 24 22 27	6.3 6.7 5.9 7.1	17.3 17.8 16.6 18.5	1245 1260 1190 1315	29.4 30.9 28.1 32.2	3.00 3.11 2.78 3.33	1.33 1.36 1.21 1.48	1.73 1.80 1.60 1.93	4.61 4.82 4.31 5.12	0.54 0.55 0.49 0.60	0.16 0.16 0.14 0.18	35.1 34.8 32.2 37.7	9.79 9.84 9.05 10.60	6.38 6.33 5.85 6.86	0.58 0.60 0.54 0.64
RDD308638 DUP Target Range - Lower Bound Upper Bound																
RDD308643 DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 5 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

**QC CERTIFICATE OF ANALYSIS BU25257605**

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r
		Tm ppm 0.01	Yb ppm 0.03
RDD308593 DUP Target Range – Lower Bound Upper Bound		DUPLICATES	
RDD308598 DUP Target Range – Lower Bound Upper Bound			
RDD308608 DUP Target Range – Lower Bound Upper Bound			
RDD308612 DUP Target Range – Lower Bound Upper Bound		0.34 0.35 0.31 0.38	2.31 2.32 2.11 2.52
RDD308614 DUP Target Range – Lower Bound Upper Bound			
RDD308622 DUP Target Range – Lower Bound Upper Bound		0.19 0.19 0.17 0.21	1.07 1.13 0.99 1.21
RDD308638 DUP Target Range – Lower Bound Upper Bound			
RDD308643 DUP Target Range – Lower Bound Upper Bound			



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 6 – A

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Sn	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	%	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
		DUPLICATES														
RDD308648			<0.005	0.09	3.53	11.8	160	1.47	0.36	0.07	<0.02	51.9	8.9	27	5.38	20.1
DUP			<0.005	0.08	3.55	11.2	160	1.48	0.35	0.07	0.02	52.4	8.5	26	5.40	20.0
Target Range – Lower Bound			<0.005	0.07	3.35	10.7	140	1.35	0.33	0.06	<0.02	49.5	8.2	24	5.07	19.1
Upper Bound			0.010	0.10	3.73	12.3	180	1.60	0.38	0.08	0.04	54.8	9.2	29	5.71	21.0
RDD308652		0.003														
DUP		0.002														
Target Range – Lower Bound		<0.001														
Upper Bound		0.004														
RDD308663		0.004														
DUP		0.001														
Target Range – Lower Bound		<0.001														
Upper Bound		0.004														
ORIGINAL		0.002														
DUP		0.003														
Target Range – Lower Bound		<0.001														
Upper Bound		0.004														
ORIGINAL		0.190														
DUP		0.199														
Target Range – Lower Bound		0.184														
Upper Bound		0.205														
ORIGINAL		0.062														
DUP		0.067														
Target Range – Lower Bound		0.060														
Upper Bound		0.069														
ORIGINAL		0.255														
DUP		0.258														
Target Range – Lower Bound		0.243														
Upper Bound		0.270														
ORIGINAL		0.121														
DUP		0.170														
Target Range – Lower Bound		0.137														
Upper Bound		0.154														



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 6 – B

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
		10													
DUPLICATES															
RDD308648		2.87	9.31	0.05	2.6	0.114	1.41	25.6	17.8	0.62	512	1.10	0.03	19.8	20.0
DUP		2.89	8.92	<0.05	2.8	0.115	1.41	26.2	17.7	0.62	512	1.27	0.03	20.0	20.2
Target Range – Lower Bound		2.73	8.61	<0.05	2.5	0.104	1.33	24.1	16.7	0.58	481	1.08	0.02	18.8	18.9
Upper Bound		3.03	9.62	0.10	2.9	0.125	1.49	27.7	18.8	0.66	543	1.29	0.04	21.0	21.3
RDD308652															
DUP															
Target Range – Lower Bound															
Upper Bound															
RDD308663															
DUP															
Target Range – Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range – Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range – Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range – Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range – Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 6 – C

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
DUPLICATES																
RDD308648		7.9	81.7	<0.002	0.36	2.84	5.3	<1	6.1	8.8	0.80	0.10	8.25	0.184	0.49	1.6
DUP		8.5	80.8	<0.002	0.36	2.90	5.0	1	6.2	8.8	0.79	<0.05	8.23	0.184	0.47	1.6
Target Range – Lower Bound		7.3	77.1	<0.002	0.33	2.60	4.8	<1	5.6	8.2	0.71	<0.05	7.82	0.170	0.42	1.4
Upper Bound		9.1	85.4	0.004	0.39	3.14	5.5	2	6.7	9.4	0.88	0.10	8.66	0.198	0.54	1.8
RDD308652																
DUP																
Target Range – Lower Bound																
Upper Bound																
RDD308663																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																





Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 6 – D  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01
		DUPLICATES														
RDD308648		33	1.2	15.6	33	93.2	2.98	1.76	0.67	3.97	0.60	0.25	21.5	5.85	3.93	0.48
DUP		34	1.2	15.8	34	97.0	3.00	1.69	0.70	3.24	0.57	0.24	22.0	5.98	3.91	0.48
Target Range – Lower Bound		31	1.0	14.8	30	89.8	2.72	1.57	0.60	3.28	0.53	0.22	20.0	5.44	3.60	0.43
Upper Bound		36	1.4	16.6	37	100.5	3.26	1.88	0.77	3.93	0.64	0.27	23.5	6.39	4.24	0.53
RDD308652																
DUP																
Target Range – Lower Bound																
Upper Bound																
RDD308663																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 6 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

## QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	
		Tm	Yb
		ppm	ppm
		0.01	0.03
		DUPLICATES	
RDD308648		0.24	1.63
DUP		0.24	1.62
Target Range – Lower Bound		0.21	1.47
Upper Bound		0.27	1.78
RDD308652			
DUP			
Target Range – Lower Bound			
Upper Bound			
RDD308663			
DUP			
Target Range – Lower Bound			
Upper Bound			
ORIGINAL			
DUP			
Target Range – Lower Bound			
Upper Bound			
ORIGINAL			
DUP			
Target Range – Lower Bound			
Upper Bound			
ORIGINAL			
DUP			
Target Range – Lower Bound			
Upper Bound			
ORIGINAL			
DUP			
Target Range – Lower Bound			
Upper Bound			





Australian Laboratory Services Pty. Ltd.  
32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 7 – B  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni
		%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm
		0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2
		10													
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES													
ORIGINAL DUP Target Range – Lower Bound Upper Bound															



Australian Laboratory Services Pty. Ltd.  
32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 7 – C  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES													
ORIGINAL DUP Target Range – Lower Bound Upper Bound															



Australian Laboratory Services Pty. Ltd.  
32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD  
PO BOX 20  
ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 7 – D  
Total # Pages: 7 (A – E)  
Plus Appendix Pages  
Finalized Date: 16-SEP-2025  
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25257605

Sample Description	Method Analyte Units LOD	ME-MS61r V ppm 1	ME-MS61r W ppm 0.1	ME-MS61r Y ppm 0.1	ME-MS61r Zn ppm 2	ME-MS61r Zr ppm 0.5	ME-MS61r Dy ppm 0.05	ME-MS61r Er ppm 0.03	ME-MS61r Eu ppm 0.03	ME-MS61r Gd ppm 0.05	ME-MS61r Ho ppm 0.01	ME-MS61r Lu ppm 0.01	ME-MS61r Nd ppm 0.1	ME-MS61r Pr ppm 0.03	ME-MS61r Sm ppm 0.03	ME-MS61r Tb ppm 0.01
ORIGINAL DUP Target Range – Lower Bound Upper Bound	DUPLICATES															
ORIGINAL DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI\_29\_P2

Page: 7 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 16-SEP-2025

Account: BLUMINJV

**QC CERTIFICATE OF ANALYSIS BU25257605**

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r
		Tm ppm 0.01	Yb ppm 0.03
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES	
ORIGINAL DUP Target Range – Lower Bound Upper Bound			



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 16-SEP-2025

Account: BLUMINJV

Project: EDGI\_29\_P2

QC CERTIFICATE OF ANALYSIS BU25257605

## CERTIFICATE COMMENTS

### ANALYTICAL COMMENTS

Applies to Method:

REEs may not be totally soluble in this method.  
ME-MS61r

### ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist  
Au-ICP21

### LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia  
Au-ICP21

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia  
ME-MS61r ME-XRF15b

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.  
BAG-01 BAG-21  
LOG-22 LOG-24  
SPL-21 WEI-21

CRU-21

PUL-23

LEV-01

PUL-QC