

**DELTA TIN MINES****Boobyalla – No Liability**

Chart of bores north of Watt's Lease, Scale 64" to 1 mile 3 maps

Transparencies held in vertiplan



# DELTA TIN MINES


NO LIABILITY

## BOOBYALLA

### CHART OF BORES NORTH OF WATT'S LEASE

LOT 118 640<sup>ac.</sup>

SCALE 64 INCHES TO ONE MILE



#### PARTICULARS OF BORES

BORE NO.	G1	G2	G3	G4	G5	G6	G7	G8	G9	G10	G11	G12	H1	H2	H3	H4	H5	H6	H7	H8	I1	I2	I3	I4	I5	I6	J1	E4	E6	E8	E13	E17	E18	A17	A14
SURFACE	2.5r	3.5r	4.5r	5.5r	4.5r	4.5r	4.5r	5.5r	4.5r	2.5r	3.5r	2.5r	4.5r	4.5r	4.5r	2.5r	4.5r	3.5r	2.5r																
SOFT CEMENT									7.5r	6.5r	5.5r	5.5r	4.5r	4.5r	4.5r	2.5r	4.5r	2.5r	3.5r	4.5r	5.5r	4.5r	5.5r	8.5r	8.5r	9.5r	9.5r	2.5r			5.5r		4.5r	4.5r	
DRIFT	3.5r	3.5r	2.5r	5.5r	5.5r	8.5r	8.5r		7.5r	20.5r	26.5r	35.5r	42.5r	44.5r	37.5r	8.5r	10.5r	9.5r	6.5r	40.5r	4.5r	5.5r	9.5r	8.5r	32.5r	34.5r	3.5r	7.5r	9.5r	12.5r	12.5r	12.5r	16.5r	49.5r	50.5r
WASH	2.5r	2.5r		3.5r	4.5r	6.5r	10.5r	7.5r	4.5r	15.5r	18.5r	22.5r	20.5r	19.5r	6.5r	4.5r	4.5r	1.5r	25.5r	1.5r	1.5r	2.5r	2.5r	20.5r	21.5r	5.5r	2.5r		3.5r	1.5r	2.5r	5.5r	16.5r	16.5r	
SOFT BOTTOM																																			
TOTAL DEPTH	7.5r	7.5r	4.5r	7.5r	10.5r	14.5r	16.5r	19.5r	22.5r	32.5r	50.5r	62.5r	72.5r	72.5r	62.5r	23.5r	20.5r	18.5r	14.5r	72.5r	15.5r	15.5r	20.5r	20.5r	64.5r	67.5r	15.5r	13.5r	11.5r	17.5r	15.5r	21.5r	23.5r	71.5r	72.5r
VALUE OF STREAM TIN IN lbs Per CUBIC YARD.	1.123	.6705	Trace	Trace	1.237	1.051	.9707	.8533	.7001	.6733	.6993	.7105	.8386	.8916	.8482	.7114	.8191	.729	1.047	.4259	Trace	Trace	.6212	.6128	.8466	5010	Trace	1.64	1.501	1.116	1.035	.6898	.5712	.7925	.7886

SHAFT NO.	1	2
DEPTH	3.5r	10.4r
VALUE OF STREAM TIN IN lbs Per CUBIC YARD	.6652	.7469




SI-112

24/16


MAP 3

521002



# HAND DOG FOR DRILL RODS

JAWS TO FIT FREELY 1" SQ. RODS.



12 Wanted

1049 - M

2 6 48 RIK

7009