



LOCATION		GAMMA RAY			
Company	LAUNCESTON BASIN GETTY OIL DEVELOPMENT	Initial Run	2	3	4
Project		Logged Depth (ft)	0-56'		
Hole No.	0/3 Section	Range	CPS-IN 10		
County	State TAS.	Time Constant (sec)	2		
Weather	FINE, MILD.	Paper Speed (ft/in)	10		
HOLE DATA		Logging Speed (ft/min)	15		
Surface Elev.	Date 6-12-72	Bkgnd Count (cps)	10-15		
Time	T.D. 60' Driller W.G. SHALVIN	Detector No.	12889		
Casing		Size (dial) (in)	1" x 3/4"		
Hole Size	4.5"	ELECTRIC			
Bore Hole Medium	DRY Fluid Level -	Logged Depth (ft)			
Start	Completed	Resist. Scale (ohm/in)			
Sampled Interval	0'-56'	S.P. Scale (mv/in)			
INTERPRETATION DATA		Paper Speed (ft/in)			
Probe No.	302E Type SCINT. Length 5'	Logging Speed (ft/min)			
Standard (cps)	5200	Probe Size (in)			
"K" Factor	.0000180	Type (w/d)			
Dead Time (usec)	10	REMARKS DRY HOLE.			
Ratemeter No.	223				
Datum	GROUND LEVEL Operator W. R. WORRALL.				

GAMMA RAY

S. P.

DEPTH

RESISTIVITY

