

012

## APPENDIX A

637014

## D.D.H.10 - DRILL RUNS AND CORE RECOVERY

Depth			Metric Equivalent			Core Recovery	
						Metres	Per Cent
0	to	10'0"	0	to	3.05	0.33	11
10'0"	"	22'0"	3.05	"	6.71	0.30	8
22'0"	"	32'0"	6.71	"	9.75	0.61	20
32'0"	"	42'0"	9.75	"	12.80	0.41	13
42'0"	"	52'0"	12.80	"	15.85	0.30	10
52'0"	"	60'0"	15.85	"	18.29	0.91	38
60'0"	"	62'6"	18.29	"	19.05	0.76	100
62'6"	"	63'6"	19.05	"	19.35	0.30	100
63'6"	"	66'6"	19.35	"	20.26	0.91	100
66'6"	"	72'4"	20.26	"	22.05	1.27	71
72'4"	"	74'10"	22.05	"	22.81	0.76	57
74'10"	"	81'0"	22.81	"	24.68	1.06	80
81'0"	"	83'0"	24.68	"	25.29	0.61	100
83'0"	"	85'0"	25.29	"	25.90	0.61	100
85'0"	"	90'0"	25.90	"	27.43	1.22	80
90'0"	"	94'0"	27.43	"	28.65	1.22	100
94'0"	"	96'0"	28.65	"	29.26	0.61	100
96'0"	"	97'6"	29.26	"	29.72	0.46	100
97'6"	"	100'0"	29.72	"	30.48	0.76	100
100'0"	"	102'6"	30.48	"	31.24	0.76	100
102'6"	"	104'0"	31.24	"	31.70	0.46	100
104'0"	"	106'0"	31.70	"	32.31	0.61	100
106'0"	"	109'0"	32.31	"	33.22	0.91	100
109'0"	"	110'0"	33.22	"	33.52	0.30	100
110'0"	"	112'0"	33.52	"	34.14	0.61	100
112'0"	"	114'0"	34.14	"	34.75	0.61	100
114'0"	"	117'0"	34.75	"	35.66	0.91	100
117'0"	"	119'0"	35.66	"	36.27	0.61	100
119'0"	"	122'0"	36.27	"	37.19	0.91	100
122'0"	"	124'0"	37.19	"	37.80	0.61	100
124'0"	"	126'0"	37.80	"	38.41	0.61	100
126'0"	"	128'0"	38.41	"	39.02	0.61	100
128'0"	"	133'6"	39.02	"	40.68	1.67	100
133'6"	"	135'0"	40.68	"	41.14	0.46	100
135'0"	"	136'6"	41.14	"	41.60	0.46	100
136'6"	"	141'0"	41.60	"	42.97	1.37	100
141'0"	"	145'0"	42.97	"	44.19	1.22	100
145'0"	"	152'0"	44.19	"	46.33	2.13	100
152'0"	"	162'0"	46.33	"	49.38	2.59	85
162'0"	"	164'0"	49.38	"	49.99	0.61	100
164'0"	"	166'0"	49.99	"	50.60	0.61	100
166'0"	"	168'0"	50.60	"	51.21	0.61	100
168'0"	"	170'0"	51.21	"	51.82	0.61	100
170'0"	"	174'0"	51.82	"	53.04	1.22	100
174'0"	"	177'0"	53.04	"	53.95	0.91	100
177'0"	"	180'0"	53.95	"	54.86	0.91	100
180'0"	"	182'6"	54.86	"	55.62	0.76	100
182'6"	"	185'0"	55.62	"	56.38	0.76	100
185'0"	"	186'9"	56.38	"	56.91	0.53	100
186'9"	"	189'0"	56.91	"	57.59	0.68	100
189'0"	"	191'0"	57.59	"	58.20	0.61	100
191'0"	"	192'0"	58.20	"	58.50	0.30	100
192'0"	"	195'0"	58.50	"	59.41	0.91	100
195'0"	"	197'0"	59.41	"	60.02	0.61	100
197'0"	"	200'0"	60.02	"	60.96	0.91	100
200'0"	"	201'0"	60.96	"	61.26	0.30	100
201'0"	"	202'6"	61.26	"	61.72	0.46	100
202'6"	"	206'0"	61.72	"	62.79	1.07	100
206'0"	"	208'6"	62.79	"	63.55	0.76	100
208'6"	"	210'6"	63.55	"	64.16	0.61	100