

177

Drilling Record Sheets

PAGE 3

Project: EL 7/68

Co-ords. Collar: 47.5N+

Drill: LY 5

Hole No: MzN 4

Bearing: 4.1E+0.3S

Bit Size:

R.L. Site:

Depression:

Core Size: NQ-BQ  
79.24

Geologist: D. Kershaw

Sampler:

Date Logged:  
6/3/73

From m	To m	Length Run Core m	% Rec.	Sludge Wt.	No.	Assay Value	Summary Geological Log
78.18	78.33	0.18		quartzite.			
				27.05-27.45m (88.80'-90.20'): Quartzite			
78.33	79.24	0.98		predominant with disseminated pyrite.			
				At 34.58m; 1mm wide dolomite vein 50° to			
79.24	81.38	2.12		c/a and foliation possibly original bedding			
				@ 30° c/a. After 28.50 the amount of			
81.38	84.43	3.00		pyrite is negligible.			
84.43	87.48	3.01		42-42.42m (137.80'-139.20'): Light grey			
				quartzite and black slate in alternating			
87.48	90.53	2.94		bands. Quartzite is better developed than			
				above with bands (or continuous boudins)			
90.53	93.57	3.00		2cm wide.			
93.57	96.70	2.53		42.42-42.79m (139.20'-140.50'): Slate			
				dominant with slate and quartzite laminae.			
96.70	99.80	3.05					
99.80	102.50	2.63		42.79-43.10m (140.50'-141.4'): Quartzite			
				bands and boudins with slate. Quartzite			
102.50	105.80	3.12		bands @ 18° c/a .			
105.80	109.00	3.12		43.10-55.70m (141.4'-182.50'): Slate			
				dominant but quartzite foliationous bands			
109.00	112.00	3.91		and boudins well developed in places.			