GEOPHOTO RESOURCES CONSULTANTS

611195

Drilling Record Sheets

7.

Project: EL 7/68 | Co-ords. Collar: | Drill: Longyear

Hole No: MzN6 | Bearing: | Bit Size: NQ

R.L. Site: | Depression: | Core Size:

Geologist: A.C. Johnston | Sampler: | Date Logged: 23/3/73

From	To	Length Run	Length Core	% Rec.	Sludge Wt.	No.	Assay Value	Summary Geological Log
328'2"	350'9"				Quartzite; grey, saccharoidal, texture			
					generally highly fractured/disrupted as			
					evidenced by highly contorted thinly			
					interbedded slate and brecciation.			
					Section sampled. (328'2"-333'7")			
		Section sampled 328'2"-333'2".			Section 328'2"-331'7" extensively permeated			
					with network of pyrite rich quartz/carbonate			
					veinlets-silver grey mineral associated			
					with pyrite-arsenopyrite-pyrite also occurs			
					as fine impregnations associated with the			
					quartzite. Remainder of interval			
					328'2"-331'7" as above but to lesser extent.			
350'9"	385'6"				Slate; black graphitic and finely laminated.			
					Section 366'8"-385'6" thinly interbedded			
					with grey quartzite giving coarsely			
					laminated appearance.			
					SECTIONS SAMPLED: a) 349'8"-354'8"			
					b) 381'4"-386'4"			
					Section (350'9"-352'6") highly contorted			
					brecciated and extensively permeated			
					with pyrite/arsenopyrite veinlets -			
					pyrite/arsenopyrite also occurs, fine			
					impregnations.			