



Pb, Cu, Zn  
 250 - 500  
 200 - 400  
 150 - 300  
 100 - 200  
 50 - 100  
 0 - 0




Ni, Sn  
 500 / 5000 - 250  
 400 / 4,000 - 200  
 300 / 3,000 - 150  
 200 / 2,000 - 100  
 100 / 1,000 - 50  
 0 - 0




Note: 200' Electrode Spacing


Limit of complete I.P. Data  
 I.P. Response not fully covered.  
 Deep seated I.P. Response (>30m.) in Serpentine more resistive than its surroundings.



See Quantitative Data 'A'



STRIKE = 100°  
 I $\alpha$  = -72°  
 I $\beta$  = -62,000  $\gamma$   
 k = 16,000 x 10<sup>-6</sup> c.g.s.  
 h = 50 ft.  
 l = 100 ft.  
 d = 80° N




Wh. Dia suggested by magnetics doubtful.

MAGNETICS

GEOCHEMISTRY

--- Magnetics  
 - - - Geochemistry  
 x x Ni (100 Scale)  
 x x Ni (1000 Scale)



RENISON LIMITED 74-1040  
 S.P.L. 129  
 TRIAL HARBOUR AREA  
 LINE N° 4 W 1120  
 SCALE 1:5000 METRES

DRAWN	R.N.L.
TRACED	F.A.C.
DATE	7.3.74
SCALE	1:5000
DRAWING No.	