

- 11.
14. Miyake, H. (1965). Study on genesis of skarns and the related minerals. J. Sci. Hiroshima Univ. Ser. C. Vol.4: 395-428.
 15. Sainsbury, C.L. (1964 a). Association of beryllium with tin deposits rich in fluorite. Econ. Geol. 59, 920-929.
 16. Sainsbury, C.L. (1964 b). Geology of Lost River Mine Area, Alaska. U.S. Geol. Surv. Bull. 1129.
 17. Sainsbury, C.L. (1969). Geology and Ore Deposits of the Central York Mountains, Western Seward Peninsula, Alaska, U.S. Geol. Surv. Bull. 1287.
 18. Shcherba, G.N. (1970). Greisens, Internat. Geology Rev. 12, 114-150 (pt.1) and 12, 239-255 (pt.2).
 19. Stevenson, J.S. and Jeffery, W.G. (1964). Colloform magnetite in a contact metasomatic iron deposit, Vancouver Island, British Columbia. Econ. Geol. 59 1298-1305.
 20. Trustedt, O. (1907). Die Erzlagerstätten von Pitkaranta am Lodoga - see. Bull. Comm. Geol. de Finlande. No.19.
 21. Twelvetrees, W.H. (1913). The Middlesex and Mt. Claude Mining Field. Bull. Geol. Surv. Tas. 14
 22. West, J.P. (1974). Geology, Mineralization and fluid inclusion studies, Mistake Mine, Emuford, North Queensland. Unpublished B.Sc. Hons. thesis, James Cook University of North Queensland.
 23. Zasedatelev, A.M. (1973). The problem of genesis of berylliferous skarns. Internat. Geol. Rev. 15, 213-224