

21S/972	E/	2	-	3	metres
		3	-	4	
		4	-	4.5	
21S/974	E/	2.3	-	3.3	
		3.3	-	4.3	
21S/976	E/	3	-	4	
		4	-	5	
		5	-	6	
		6	-	6.5	
21S/978	E/	1.5	-	2.5	
		2.5	-	3.5	
		3.5	-	4.5	
		4.5	-	5.5	
		5.5	-	6.2	
21S/980	E/	1	-	2	
		2	-	3	(missing)
		3	-	4	
		4	-	4.5	
21S/982	E/	0.7	-	1.7	
		1.7	-	2.7	
		2.7	-	3.7	
		3.7	-	4.7	
21S/954.5E/		1.4	-	2.4	
		2.4	-	3.4	
		3.4	-	4.4	
		4.4	-	5.4	
		5.4	-	5.6	
21S/981	E/	2	-	3	

B. EASTERN COSTEAN.

(a) Sampling method

The method in general was as for the western costean, but this costean is in fresher wriggilite and calc-silicate rock, so some samples are chips gathered from a ripped section in the floor of the costean. These samples are distinguished in the attached list by the lack of depth numbers.

(b) List of samples collected

27S/1036	E/	1	-	1.5	-	2.5	m
1038		1	-	2	-	3	
1040		1	-	2	-	3	- 3.5
1042		1	-	2	-	3	- 3.5
1044		1	-	2	-	3	- 3.5
1046		1	-	2	-	3	- 3.5
1048		1	-	2	-	3	- 3.5
1050		1.4	-	2.4	-	3.4	- 4
1052		1	-	2	-	3	- 3.4
1054		1	-	2	-	2.7	
1056		1	-	2	-	2.2	