

Bore No.	Depth Metres		Log	Pb ppm	W ppm	Bi ppm	Sn ppm	Mo ppm	Cu ppm	Zn ppm	Be ppm	CaF ₂ %	Ag ppm	Au ppm	Remarks
	From	To													
SMD 7	41.00	42.00		6	2300	560	840	55	42	120	200	24.5			221398
7	42.00	43.00		4	540	460	720	24	60	100	200	25.0			
7	43.00	44.00		8	1850	340	540	160	35	120	250	19.0			
7	44.00	45.35		10	660	800	780	26	42	90	250	19.5			
7	45.35	46.15		12	180	410	1050	6	70	55	150	13.5			
7	46.15	47.30		10	370	520	980	12	32	90	150	13.5			
7	47.30	48.55		10	280	640	900	12	75	110	200	15.5			
7	48.55	50.00		20	3400	170	400	55	8	110	200	8.6			
7	50.00	51.00		20	840	42	380	180	8	120	80	5.9			
7	51.00	52.00		30	230	1300	490	14	10	70	200	10.0			
7	52.00	52.75		18	95	2050	420	8	28	85	300	15.0			
7	52.75	54.00		12	290	390	720	-4	18	95	300	16.0			
7	54.00	55.00		18	350	640	720	-4	25	110	300	22.0			
7	55.00	56.00		32	480	180	480	36	8	80	200	4.8			
7	56.00	57.00		28	760	28	420	170	8	75	300	5.3			
7	57.00	58.00		24	110	8	370	42	5	60	150	2.7			
7	58.00	59.00		12	270	12	390	24	8	75	300	3.9			
7	59.00	60.00		18	1200	8	600	140	8	85	300	9.5			
7	60.00	61.00		26	45	6	310	8	8	60	150	5.3			
7	61.00	62.00		26	80	-4	680		8	50	100	3.2			
7	62.00	63.00		26	150	8	740	4	8	70	150	4.4			
7	63.00	64.00		30	160	-4	1150	-4	8	65	100	2.9			
7	64.00	65.00		24	980	4	1000	12	8	65	100	4.0			
7	65.00	65.75		10	200	-4	330	160	5	100	100	7.8			
7	65.75	66.75		14	330	12	660	12	8	95	100	3.4			
7	66.75	67.75		12	480	32	380	42	25	60	100	6.8			
7	67.75	69.00		16	360	10	350	24	5	80	100	3.9			
7	69.00	70.00		-4	420	8	190	42	8	55	100	5.5			
7	70.00	71.50		8	270	-4	180	8	10	55	100	4.5			
DETECTION LIMIT				(4)	(10)	(4)	(4)	(4)			(1)		(1)	(0.05)	
METHOD OF ANALYSIS				X-RAY FLUORESCENCE SCHEME B1				CODE C1				CODE C2	CODE C3		