

160

APPENDIX NO. 12 cont.

SAMPLE NUMBER		Ba ppm	Sn ppm	SAMPLE NUMBER		Ba ppm	Sn ppm
KS	3088	3000	(1	KS	3142	1000	(1
	9	1000	(1		3	1000	(1
	90	1000	(1		4	1000	(1
	1	1000	(1		5	1000	(1
	2*	2000	(1		6	2000	(1
	3	1000	(1		7	2000	(1
	4	1000	(1		8	2000	300
	5)10000	50		9	2000	(1
	6	1000	(1		50	2000	30
	7	1000	(1		1*	2000	20
	8	1000	(1		2	1000	(1
	9	300	(1		3	1000	(1
	100	1000	(1		4	1000	(1
	1*	1000	(1		5	1000	10
	2	1000	(1		6	1000	(1
	3	1000	50		7	1000	(1
	4	1000	(1		8	1000	(1
	5	1000	(1		9	1000	(1
	6	1000	(1		60	1000	(1
	7	1000	100		1*	1000	(1
	8	2000	(1		2	300	(1
	9	1000	50		3	300	(1
	10	1000	(1		4	500	30
	1*)10000	(1		5	500	(1
	2	500	(1		6	300	(1
	3	1000	(1		7	2000	(1
	4	1000	(1		8	2000	(1
	5	1000	(1		9		
	6	1000	(1		70)10000	(1
	7	1000	(1		1*	500	(1
	8)10000	(1		2	500	(1
	9	1000	(1		3	1000	(1
	20	1000	(1		4	1000	(1
	1*	1000	200		5	1000	(1
	2)10000	100		6	1000	(1
	3	500	(1		7		
	4	500	(1		8	100	(1
	5	300	(1		9	2000	(1
	6	500	(1		80	2000	(1
	7	1000	(1		1*	1000	(1
	8	100	(1		2	2000	(1
	9	500	(1		3	3000	(1
	30)10000	(1		4	1000	(1
	1*	1000	(1		5	1000	(1
	2	1000	(1		6	1000	(1
	3	1000	(1		7	300	(1
	4	500	(1		8	2000	(1
	5	500	(1		9	1000	(1
	6	1000	(1		90	3000	(1
	7	1000	(1		1*	2000	(1
	8	2000	(1		2	1000	(1
	9	500	(1		3	1000	(1
	40	1000	(1		4	1000	(1
KS	3141*	500	(1	KS	3195	2000	(1

* Denotes duplicate of previous sample.

** Denotes repeat and check.

(Denotes ...