



- NOTES:**
- Chargeability contours (millivolts/volt) compiled from following Gradient Array surveys:
 - Boco Grid - Scintrex 1976, see report TAS 033, Oct-Nov 1976, Extended Scintrex 1978, see report TAS 05, May 1978.
 - Mt Sale Grid - Scintrex 1979, see reports TAS 065, March 1979 (1), July 1979 (2).
 - Cutty Sark Grid - Scintrex 1978.
 - All dipole-dipole anomalies defined on basis of chargeability or frequency effect values.
 - Dipole-dipole spreads compiled from following surveys:
 - Boco Grid - Scintrex 1978, 1979 (Time domain) see reports TAS 05, May 1978, and TAS 065, August 1979.
 - Farm Creek Grid - Scintrex 1979 (Time domain) see reports TAS 065, Aug 1979 and TAS.
 - Pieman Grid - Geox 1978 (Frequency domain)
 - Cutty Sark Grid - Geox 1978 (Freq. domain)
 - Mt Sale Grid - Scintrex 1979 (Time domain) see report TAS 065, July 1979 (2).

- LEGEND**
- Dipole-dipole spread showing Electrode interval.
 - Location of Definite Anomalies (Primary and/or secondary anomalies)
 - Location of possible Anomalies (Tertiary anomalies)
 - Contours of chargeability mv/v.

1	2
3	4
5	6
7	8
9	10
11	

ELECTROLYTIC ZINC CO OF A ASIA LTD
PROJECT: MT BLACK **TAS**

INDUCED POLARIZATION
111301

SCALE 1:10000 Survey Revised
 Reference Date JUNE '79 REF NO
 Drawn MB Checked A0 525 0037

2783