

104081

065

DIAMOND DRILL RECORD

HOLE NUMBER : B.T. 71

LOGGED BY : A.R.

INTERVAL (m)		RECOVERY		DESCRIPTION	FORM.	% Sn.										
FROM	TO	m	%			FROM	TO	TOTAL	ACID SOL.	% Cu.	% As.	% S.	% Pb.	% Zn.	% Bi.	g/t Ag
0	1.50	0.5	33	Low recovery		0	1	0.70	0.01	0.01	<0.1	0.2	<0.01	0.02	0.006	1
							2	0.37	0.01	0.02	<0.1	0.2	<0.01	0.02	0.006	1
0	60	59	98	FINE GRAINED GRANITE/GREISEN to FINE GRAINED GRANITE			3	1.48	0.01	0.01	<0.1	0.1	<0.01	0.02	0.005	1
				0 - 0.5m: Broken, slightly weathered yellow-grey FGG.			4	0.38	0.01	0.01	<0.1	0.1	<0.01	0.04	0.019	1
				0.5 - 3.6m: Yellow-grey slight green FGG to FGG/Gr			5	0.76	0.01	0.01	<0.1	0.1	<0.01	0.04	0.008	1
				3.6 - 4.4m: Grades into more intense alteration. Dark grey-green FGG/Gr to Greisen. Coarse dark green micas.			6	0.41	0.02	0.05	<0.1	0.2	<0.01	0.02	0.006	1
				Coarse diss. cassiterite.			7	0.26	0.01	0.01	<0.1	0.1	<0.01	0.02	0.006	<1
							8	0.44	0.01	0.01	<0.1	0.1	<0.01	0.02	0.004	<1
				4.4 - 11.2m: Grades into lighter grey to yellow FGG to FGG/Gr.			9	0.42	0.01	0.01	<0.1	0.1	<0.01	0.02	0.005	<1
				Trace cassiterite. Minor kaolin veinlets and on joints to 8.3m			10	0.05	0.01	0.01	<0.1	0.1	<0.01	0.02	0.005	<1
							11	0.01	<0.01	0.01	<0.1	0.1	<0.01	0.02	0.006	1
				11.2 - 12.6m: Increased alteration. More siliceous grey FGG/Gr			12	0.02	<0.01	0.01	<0.1	0.1	<0.01	0.03	0.019	1
				Common amorphous pink alteration of feldspar.			13	0.01	<0.01	0.01	<0.1	0.1	<0.01	0.04	0.022	1
				12.6 - 14.85m: Increasing alteration/ FGG/Gr to Greisen. Very dark green with zones of massive mica. No relict granitic texture. Patches of pale pink brown amorphous mineral. Trace cassiterite. No sharp contacts.			14	0.68	<0.01	0.01	<0.1	0.1	<0.01	0.04	0.023	1
							15	0.01	0.01	0.01	<0.1	0.1	<0.01	0.03	0.008	1
							16	0.10	0.01	0.01	<0.1	0.1	<0.01	0.02	0.007	<1
							17	1.09	0.01	0.01	<0.1	0.3	<0.01	0.02	0.005	<1
							18	0.90	<0.01	0.02	<0.1	0.1	<0.01	0.03	0.005	<1
				14.85 - 20.2m: Grades into lesser alteration. Grey to yellow FGG to FGG/Gr. No vis minxl.			19	2.55	0.01	0.01	<0.1	0.1	<0.01	0.02	0.004	<1
							20	0.75	0.01	0.01	<0.1	0.1	<0.01	0.02	0.004	<1
				20.2 - 22.3m: As above but with common kaolin veinlets.			21	0.85	0.01	0.01	<0.1	0.1	<0.01	0.02	0.005	<1
				22.3 - 24.4m: Yellow grey to cream FGG to FGG/Gr. Minor zones up to 20cm of increased alteration. No contacts			22	0.20	<0.01	0.01	<0.1	0.1	<0.01	0.02	0.006	<1
							23	0.11	<0.01	0.01	<0.1	0.1	<0.01	0.02	0.006	<1
				24.4 - 38.5m: Yellow to grey FGG to FGG/Gr with common low angle kaolinised joints. No vis. minxl.			24	0.47	<0.01	0.01	<0.1	0.1	<0.01	0.02	0.007	1
							25	0.01	<0.01	0.01	<0.1	0.2	<0.01	0.02	0.009	1
				38.5 - 44.5m: Slightly darker grey colour FGG/Gr to FGG. Lesser kaolin joints. Common tendency to coarse dark micas but still retains granitic texture. Sparse kaolin joints.			26	0.05	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.005	<1
							27	0.24	<0.01	0.02	0.1	<0.1	<0.01	0.03	0.007	<1
							28	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.005	<1
							29	<0.01	<0.01	0.03	0.1	<0.1	<0.01	0.02	0.004	<1
				44.5 - 55.2m: Monotonous texture. Greyish FGG/Gr to FGG with equigranular texture. Coarse micas throughout. No viz. minxl.			30	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.008	<1
							31	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.004	1
							32	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.005	1
				55.2 - 60.0m: As above but with zones of lesser alteration FGG up to 80cm wide. Grey FGG/Gr otherwise.			33	0.03	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.004	1
							34	<0.01	<0.01	0.02	0.1	<0.1	<0.01	0.02	0.007	<1
							35	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.004	<1
				END OF HOLE.			36	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.005	<1
							37	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.004	<1
							38	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.004	<1
							39	<0.01	<0.01	0.02	0.1	<0.1	<0.01	0.03	0.006	<1
							40	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.004	<1
							41	<0.01	<0.01	<0.01	0.1	<0.1	<0.01	0.02	0.006	<1
							42	<0.01	<0.01	0.01	0.1	<0.1	<0.01	0.02	0.005	<1
							43	<0.01	0.01	0.01	0.1	<0.1	<0.01	0.02	0.005	<1