

248

058376

| PROJECT | | CO-ORDINATES | | SAMPLED BY | | MATERIAL | | BOOK N° | | | | | | |
|---------------------|--------------|--------------|---------|---------------|------|------------------|----|---------------|-----|----|------------------|----|----|---------------|
| MT. BLACK | | LINE: 8400 S | | B. M. | | SOIL | | SHEET N° | | | | | | |
| DOBSON'S CREEK GRID | | FROM: 00 E | | DATE: 13/5/80 | | DEPTH: C HORIZON | | JOB N° | | | | | | |
| SAMPLE NUMBER | CO-ORDINATES | | Invent. | TO: 2400 E | | | | DATE: 13/5/80 | | | DEPTH: C HORIZON | | | DESCRIPTION |
| | N/S | E/W | | Pb P | Zn P | Cu P | Co | Fe | Mn | Sr | As | Cr | Ni | |
| 36140 | 8400 | 00100 | X | 10 | X | | 5 | 21.50 | 10 | X | 2 | X | X | CS |
| 41 | | 100 | X | 20 | X | | X | 30.00 | 10 | 1 | 2 | X | X | SCS |
| 42 | | 200 | X | 15 | X | | X | 19.50 | 10 | X | X | X | X | SCSAF |
| 43 | | 300 | X | 20 | X | | 5 | 61.50 | 15 | X | 6 | X | X | 10COS |
| 44 | | 400 | X | 35 | 15 | | 10 | 10.5% | 40 | X | 10 | 5 | X | 15COS |
| 45 | | 5 | | 20 | 60 | 30 | 10 | 1.65% | 60 | 1 | 14 | 10 | X | 20CORFSLondon |
| 46 | | 6 | | 5 | 15 | X | 6 | 39.50 | 5 | X | 11 | 10 | X | 10C |
| 47 | | 7 | X | 15 | X | X | X | 34.00 | 10 | X | 14 | 10 | X | 10CRFS |
| 48 | | 8 | | 10 | 15 | X | X | 23.50 | 10 | X | 7 | 5 | X | 10CSO Gullam |
| 49 | | 9 | X | 20 | X | | 5 | 10.0% | 10 | 2 | 15 | 10 | X | 15CSRF |
| 50 | | 1000 | X | 80 | 20 | | 15 | 30.5% | 95 | 2 | 6 | 20 | X | 65CSRF |
| 51 | | 11 | | 5 | 55 | 10 | 10 | 22.0% | 40 | 1 | 10 | 15 | X | 30C |
| 52 | | 12 | | 60 | 45 | 20 | 10 | 47.5% | 55 | X | 27 | 30 | X | 20CO Bhampton |
| 53 | | 13 | | 45 | 20 | 5 | 10 | 24.0% | 10 | X | 32 | 10 | X | 10COS |
| 54 | | 14 | | 25 | 15 | X | X | 23.50 | 10 | X | 4 | 5 | X | 10KFC Gullam |
| 55 | | 15 | X | 5 | X | X | X | 22.00 | 15 | X | 2 | 15 | X | 5COSRF |
| 56 | | 16 | X | 25 | X | X | X | 47.00 | 30 | 1 | 3 | X | X | XCORFBhampton |
| 57 | | 17 | | 45 | 75 | 10 | X | 31.00 | 230 | 2 | 47 | X | X | 5CO Ahampton |
| 58 | | 18 | X | 15 | X | X | X | 25.50 | 30 | 15 | 4 | X | X | XCSRF |
| 59 | | 19 | X | 30 | X | X | X | 25.50 | 25 | X | 3 | X | X | XCREOS |
| 60 | | 2000 | X | 15 | X | X | X | 32.00 | 35 | X | 3 | X | X | XRFCS |
| 61 | | 21 | X | 25 | X | X | 5 | 20.50 | 10 | X | 4 | X | X | XRFCSO |
| 62 | | 22 | | 1500 | 60 | 10 | 6 | 76.00 | 45 | X | 6 | 5 | X | 10CRFB Gullam |
| 63 | | 23 | | 310 | 525 | 45 | 20 | 59.0% | 230 | X | 12 | 15 | X | 70RFCS |
| 36164 | 8400 | 2400 | | 370 | 145 | 35 | 10 | 4.65% | 80 | X | 14 | 50 | X | 20C |