

PORPHYRY RESERVESDrill Indicated for 0.3% Sn Cut-off (S.G. 3.0)

SECTION (E)	BLOCK	DDH	AREA (m ²)	GRADE (% Sn)	TONNES	TONNES X GRADE
840	a	MBD 25	171.5	0.79	10290	8129
860	a	MBD 25	499.4	0.79	29964	23672
	b	MBD 25	727.7	0.79	43662	34493
880	a	B 38	526.6	0.52	31596	16430
	b	B 38	395.5	0.52	23730	12340
900	a	B 38	452.0	0.52	27120	14102
	b	B 38	81.4	0.52	4884	2540
	c	MBD 26	90.4	0.55	5424	2983
920	a	MBD 26	182.1	0.55	10926	6009
	b	MBD 26	81.7	0.55	4902	2696
940	a	B 22	28.2	0.35	1692	592
	b	B 22	93.0	0.35	5580	1953
	c	B 26	96.8	0.41	5808	2381
	d	MBD 26	214.1	0.55	12846	7065
960	a	B 22	203.4	0.35	12204	4271
	b	B 26	61.0	0.41	3660	1501
	c	B 26	542.4	0.41	32544	13343
980	a	MBD 29A	30.5	0.39	1830	714
	b	MBD 29A	72.3	0.39	4338	1692
	c	B 10	165.5	0.38	9930	3773
	d	B 26	241.9	0.41	14514	5951
	e	B 26	127.3	0.41	7638	3132
1000	a	AAB5	79.1	0.52	4746	2468
	b	MBD 29A	72.3	0.39	4338	1692
	c	B 10	74.6	0.38	4476	1701
	d	B 10	194.4	0.38	11664	4432
	e	MBD27/B9	266.7	0.56	16002	8961
1020	a	AAB5	20.4	0.52	1224	636
	b	MBD 15	134.9	0.51	8094	4128
	c	B 10	119.7	0.38	7182	2729
	d	B 9 / MBD 27	415.0	0.56	24900	13944