

Additional Chemical Analyses

Test Product	Assay		
	Cu %	Pb %	CO ₂ %
PC1/BF Sulphide Recl Conc	0.35	0.06	-
PC2/BF Sulphide Recl Conc	0.27	0.16	-
SC1/BF Sulphide Ro Conc	0.29	0.01	-
PC1/BF Sulphide Ro Conc	0.17	0.02	-
PC1/BF Sulphide Recl, Cl, Ro Tail	-	-	1.85
PC2/BF Sulphide Recl, Cl, Ro Tail	-	-	0.45
SC1/BF Sulphide Ro Tail	-	-	3.70
SC2/BF Sulphide Ro Tail	-	-	15.8

Element	Semi-quantitative Spectrographic Analysis g/t			
	PC1 Sulphide Recl Conc	PC2 Sulphide Recl Conc	SC1 Sulphide Ro Conc	SC2 Sulphide Ro Conc
Ba(200)	X	X	X	X
Be(1)	X	2	50	40
Ce(300)	X	X	X	X
Co(5)	15	5	X	10
Cr(20)	50	20	40	50
La(50)	X	X	X	X
Mn(10)	400	30	150	2,500
Mo(3)	3	X	X	X
Nb(20)	X	X	X	X
Ni(5)	20	10	15	10
Sc(3)	X	X	X	X
Sr(50)	X	X	X	X
Ta(100)	X	X	X	X
Th(100)	X	X	X	X
Ti(100)	100	100	X	X
V(10)	X	X	X	X
W(50)	50	50	100	X
Y(10)	60	50	10	X
Yb(1)	7	5	2	X
Zr(10)	200	200	200	60
Ag(0.1)	15	30	2	2
As(50)	10,000	>10,000	>10,000	X
Bi(1)	100	100	100	80
Cd(3)	50	150	50	X