

PC2/BF Sulphide Mid + Tail (0.28% Sn at 96.53% recovery of original head sample)

| Size Fraction µm | Weight % | Assay % | | Distribution % | | Table/Superpanner Test Product | Weight % | | Assay % | | Distribution % | | | |
|---------------------|-------------|----------|------------------|----------------|------------------|-----------------------------------|-------------------------|--------------------------|----------|------------------|----------------------|------------------|-----------------------|------------------|
| | | Total Sn | Acid Solb. Sn | Total Sn | Acid Solb. Sn | | Within Size Fraction | Between Size Fraction | Total Sn | Acid Solb. Sn | Within Size Fraction | | Between Size Fraction | |
| | | | | | | | | | | | Total Sn | Acid Solb. Sn | Total Sn | Acid Solb. Sn |
| +250 | 20.41 | 0.22 | 0.01 | 15.04 | 12.48 | Table/Super. Conc | 4.29 | 0.88 | 2.12 | 0.08 | 47.99 | | 6.51 | |
| | | | | | | Table/Super. Tail | 14.69 | 3.00 | 0.31 | 0.04 | 24.03 | | 3.25 | |
| | | | | | | (Table Conc) | (18.98) | (3.88) | (0.72) | - | (72.02) | | (9.76) | |
| | | | | | | Table Mid | 38.32 | 7.82 | 0.086 | 0.01 | 17.39 | | 2.35 | |
| | | | | | | Table Tail | 42.70 | 8.71 | 0.047 | <0.01 | 10.59 | | 1.43 | |
| Calc Head | 100.00 | 20.41 | 0.19 | | 100.00 | | 13.54 | | | | | | | |
| -250 +150 | 17.11 | 0.29 | 0.02 | 16.61 | 20.93 | Table/Super. Conc | 5.44 | 0.93 | 3.32 | n.d. | 64.42 | | 10.78 | |
| | | | | | | Table/Super. Tail | 12.63 | 2.16 | 0.375 | 0.05 | 16.87 | | 2.83 | |
| | | | | | | (Table Conc) | (18.07) | (3.09) | (1.26) | - | (81.29) | | (13.61) | |
| | | | | | | Table Mid | 28.72 | 4.91 | 0.105 | 0.01 | 10.75 | | 1.80 | |
| | | | | | | Table Tail | 53.21 | 9.10 | 0.042 | <0.01 | 7.96 | | 1.33 | |
| Calc Head | 100.00 | 17.11 | 0.28 | | 100.00 | | 16.74 | | | | | | | |
| -150 +75 | 20.47 | 0.355 | 0.03 | 24.34 | 37.58 | Table/Super. Conc | 4.43 | 0.91 | 6.30 | n.d. | 79.34 | | 20.01 | |
| | | | | | | Table/Super. Tail | 16.46 | 3.37 | 0.265 | 0.06 | 12.40 | | 3.12 | |
| | | | | | | (Table Conc) | (20.89) | (4.28) | (1.55) | - | (91.74) | | (23.13) | |
| | | | | | | Table Mid | 31.99 | 6.55 | 0.057 | 0.01 | 5.18 | | 1.30 | |
| | | | | | | Table Tail | 47.12 | 9.64 | 0.023 | <0.01 | 3.08 | | 0.78 | |
| Calc Head | 100.00 | 20.47 | 0.35 | | 100.00 | | 25.21 | | | | | | | |
| -75 +53 | 5.40 | 0.365 | 0.02 | 6.61 | 6.61 | Table/Super. Conc | 4.51 | 0.24 | 7.34 | n.d. | 89.00 | | 6.15 | |
| | | | | | | Table/Super. Tail | 17.58 | 0.95 | 0.105 | 0.03 | 4.96 | | 0.35 | |
| | | | | | | (Table Conc) | (22.09) | (1.19) | (1.58) | - | (93.96) | | (6.50) | |
| | | | | | | Table Mid | 31.51 | 1.70 | 0.039 | <0.01 | 3.30 | | 0.23 | |
| | | | | | | Table Tail | 46.40 | 2.51 | 0.022 | 0.01 | 2.74 | | 0.19 | |
| Calc Head | 100.00 | 5.40 | 0.37 | | 100.00 | | 6.92 | | | | | | | |
| -53 | 36.61 | 0.305 | 0.01 | 37.40 | 22.40 | Table/Super. Conc | 0.96 | 0.35 | 16.2 | n.d. | 52.61 | | 19.79 | |
| | | | | | | Table/Super. Tail | 8.48 | 3.11 | 0.145 | 0.02 | 4.18 | | 1.57 | |
| | | | | | | (Table Conc) | (9.44) | (3.46) | (1.77) | - | (56.79) | | (21.36) | |
| | | | | | | Table Mid | 5.79 | 2.12 | 0.145 | <0.01 | 2.85 | | 1.07 | |
| | | | | | | Table Tail | 84.77 | 31.03 | 0.14 | 0.01 | 40.36 | | 15.16 | |
| Calc Head | 100.00 | 0.30 | 0.016 | 100.00 | 100.00 | Calc Head | 100.00 | 36.61 | 0.29 | 100.00 | | 37.59 | | |
| Overall Calc Head | | | | | | | 100.00 | 0.29 | | 100.00 | | | | |

Notes: nd = not determined due to insufficient sample

Distribution figures for Acid Soluble Sn not completed due to incomplete assays within size fraction