

SAMPLE NO.	SAMPLE NO	FROM	TO	INTER-VAL	Sn	Sn	Cu	Pb	Zn	Ag	W	Au	Check Sn	Bulked Assays
SPLIT CORE	GROUND CORE	m	m	m	SPLIT	GROUND								
95477		~6.0	~6.7m	0.7	34		32	170	2.7%	5				
78		~6.7	~7.5	0.8	55		180	140	3600	2				
95480		~7.5	~10.0	2.5	310		85	38	2000	2	10			
81		~10.0	12.5	2.5	1250		400'	1400	4900	5				
82		12.5	15.5	3.0	80		25	28	3000	1				
83		110.9	112.5	1.6	14		25	5	80	<1				
84		112.5	116.27	3.77	14		15	5	45	<1				
85		116.27	117.5	1.23	18		30	5	50	<1	<10			
86		117.5	119.4	1.9	38		15	5	110	<1				
87		119.4	122.5	3.1	22		12	5	42	<1				
88		122.5	125.0	2.5	48		15	15	60	1				
89		125.0	127.5	"	18		15	10	45	1				
90		127.5	130.0	"	30		25	8	42	1	15			
91		130.0	132.5	"	16		15	8	32	1				
92		132.5	135.0	"	48		18	12	150	<1				
93		135.0	137.5	"	46		42	10	38	<1				
94		137.5	140.0	"	350		35	10	350	1				
95		140.0	141.12	1.12	880		110	50	190	1	<10			
96		141.12	142.5	1.38	4450		580	75	130	3				
97		142.5	145.0	2.5	540		160	15	65	1				
98		145.0	148.3	3.3	1100		110	15	80	1				
95588		148.3	150.0	1.7	65		20	10	30	1				
89		150.0	152.5	2.5	60		38	15	80	1				
95590		152.5	154.23	1.73	26		145	55	85	2	10			

Notes:— Sn & W by XRF BI METHOD.
Cu, Pb, Zn, Ag by AAS.

METALS EXPLORATION LTD - MT BISCHOFF TIN PROSPECT
ASSAY SUMMARY SHEET HOLE NO. B12.

SAMPLE TYPE : DRILL CORE

FROM ~ 6.0 TO 154.23.

028307