

SAMPLE NO.	SAMPLE NO	FROM	TO	INTER-VAL	Sn	Sn	Cu	Pb	Zn	Ag	W	As	Check Sn	Bulked Assays
SPLIT CORE	GROUND CORE	m	m	m	SPLIT	GROUND								
97327		3.0	7.3	4.3	360									
28		7.3	9.3	2.0	2.76%		110	110	160	41	35	70		
29		9.3	11.3	2.0	5.65%		670	230	65	41	100	80		
330		11.3	13.3	"	1.09%		240	30	250	41	35	X		
31		13.3	15.3	"	5100		400	X	42	41	15	X		
32		15.3	17.3	"	152%		330	55	150	41	55	20		
33		17.3	19.3	"	8700		600	55	180	41	50	30		
34		19.3	21.3	"	1.40%		500	15	85	1	40	120		
35		21.3	23.1	1.8	1.31%		410	25	630	41	50	230		
36		23.1	25.1	2.0	2200									
37		25.1	27.1	"	1000									
38		27.1	29.1	"	450									
39		29.1	31.1	"	800									
340		31.1	33.4	2.3	720								1050	Re check of check Assay
41		33.4	35.7	2.3	2700		130	150	1600	2	30	40		
42		35.7	37.8	2.1	6400		300	50	550	1	50	270		
43		37.8	40.6	2.8	6000		150	50	600	41	25	10		
44		40.6	42.6	2.0	560									

Notes: - Sn by XRF B1 Method.

X mean less than detection limit

METALS EXPLORATION LTD - MT BISCHOFF TIN PROSPECT
ASSAY SUMMARY SHEET HOLE NO. MBD 23

SAMPLE TYPE: DRILL CORE FROM 3.0 TO 42.6

020417