

SAMPLE NO.	SAMPLE NO	FROM	TO	INTER-VAL	Sn	Sn	Cu	Pb	Zn	Ag	W	As	Check Sn	Bulked Assays
SPLIT CORE	GROUND CORE	m	m	m	SPLIT	GROUND								
97387		7.4	7.6	0.2	2650									
88		9.9	11.1	1.2	370									
89		11.1	13.1	2.0	100									
90		15.2	17.2	2.0	250									
91		17.2	19.0	1.8	60									
92		19.0	21.0	2.0	4700									
93		21.0	23.0	"	600									
94		23.0	25.0	"	1250									
95		25.0	27.0	"	1050									
96		27.0	29.0	"	900									
97		29.0	31.0	"	5600		38	50	45	<1	<10	<10		
98		31.0	33.0	"	6300		30	70	290	<1	15	X		
99		33.0	35.0	"	310									
97536		35.0	37.0	"	1000									
37		37.0	39.0	"	1350									
38		39.0	41.0	"	320									
39		41.0	43.0	"	3400									
40		43.0	45.0	"	1600								1550	Re check of check Assay
41		45.0	47.0	"	640									
42		47.0	49.0	"	50									
43		49.0	51.0	"	7000		320	55	2190	<1	50	620		
44		51.0	53.0	"	7900		140	65	110	<1	25	55		
45		53.0	55.0	"	1.19%		190	60	140	<1	10	15		
46		55.0	57.0	"	1200		420	X	50	<1	<10	35		
47		57.0	59.0	"	2000		180	X	14	<1	<10	15		
48		59.0	61.0	"	26		410	X	22	<1	10	25		
49		61.0	63.0	"	70		340	X	26	<1	<10	X		
50		63.0	65.0	"	7300		270	30	75	<1	25	1700		

028430

Notes: — Sn by XRF B. Method.  
 X means less the detection limit

METALS EXPLORATION LTD - MT BISCHOFF TIN PROSPECT  
 ASSAY SUMMARY SHEET HOLE NO. MBD 27A  
 SAMPLE TYPE: DRILL CORE FROM 7.4 TO 65.0