

|     | Matras | Sn  | Cu  | W | Pb  | Zn   | Ag  | As  | Au | Bi |  |  |  |  |  |  | SAMPLE NUMBER |
|-----|--------|-----|-----|---|-----|------|-----|-----|----|----|--|--|--|--|--|--|---------------|
| 135 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 136 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 137 | 136.5  | 25  | 95  |   | 130 | 610  | 0.6 | 12  |    |    |  |  |  |  |  |  |               |
| 138 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 139 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 140 | 139.5  | 7   | 85  |   | 35  | 245  | 0.4 | 2   |    |    |  |  |  |  |  |  |               |
| 141 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 142 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 143 | 142.5  | 5   | 115 |   | 10  | 215  | 0.3 | 8   |    |    |  |  |  |  |  |  |               |
| 144 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 145 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 146 | 145.2  | 25  | 80  |   | 380 | 1450 | 1.4 | 380 |    |    |  |  |  |  |  |  |               |
| 147 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 148 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |
| 149 | 148.3  | BLD | 100 |   | 20  | 160  | 0.5 | 20  |    |    |  |  |  |  |  |  |               |
| 150 |        |     |     |   |     |      |     |     |    |    |  |  |  |  |  |  |               |

COMSTAFF PROPRIETARY LIMITED

ASSAY RESULT SHEET FOR DDH RBE 7

ASSAYED BY Analabs

FROM 135 TO 150

DATE / /

PAGE 10 OF 13