

AMDEX MINING LIMITED

TRIAKO MINES N.L., BUKA MINERALS N.L.,

GIPPSLAND MINERALS N.L., KIBUKA MINES PTY. LTD.

169 MILLER STREET, NORTH SYDNEY, AUSTRALIA 2060

TECHNICAL REPORT

A.P.1/80

REPORT FOR SIX MONTHS

ENDING 27TH JULY 1981

7-9-81

①

SEARCHED	INDEXED
SERIALIZED	FILED
- 7 SEP 1981	
DEPT. OF MINES	
REF. No. 7713/81	

②
DTJ
Process & file

AUTHOR: R. A. A. Munro.

INVESTIGATIONS CONDUCTED BY: R. A. A. Munro.

TYPED BY: G. Tucker.

DATE: 4th September 1981

DISTRIBUTION: Department of Mines, Hobart, Tasmania.
 Australian Anglo American Prospecting Pty. Limited,
 Melbourne, Victoria.
 Australian Anglo American Prospecting Pty. Limited,
 Launceston, Tasmania.
 Triako Mines N.L. Group, North Sydney, New South Wales.
 Amdex Mining Limited, Pioneer, Tasmania.

PROJECT:

1 : 250,000 SHEET INDEX NO.:

CONTENTS

	PAGE NUMBER
INTRODUCTION	1
SCOLOCH REASSESSMENT	
BACKGROUND	2
CURRENT ACTIVITY	2
FUTURE WORK PROGRAMME	5

FIGURES

1. North East Tasmania - Location Map
2. Scoloch Lead - Sheet 6783
3. Scoloch Lead - Sheet 6784
4. Scoloch Lead - Sheet 6883
5. Scoloch Lead - Sheet 6884

TABLES


1. Scoloch Survey Network - Station Details
2. Further Drill Hole Check Survey Results
3. Example - Summary Sheet
4. Scoloch Remapping - Progress Summary Table

1.


INTRODUCTION

This report details progress on the re-evaluation of the Scoloch deep lead system over the six month period to the 27th July 1981.

The Scoloch deposit is situated to the north west of Gladstone. It includes the Scotia and Lochaber deep leads whose unmined portions emanate from abandoned mines bearing the same names. The known Scoloch system lies almost wholly within the ten square kilometre reserve - A.P.1/80. The location of the Authority to Prospect is shown in Figure 1. Its relationship to other licences and leases can be determined from the index map on Figure 2.



Scale 1 : 250000



Amdex Mining Limited

NORTH - EASTERN TASMANIA LOCATION MAP

Author:	Date:	Dwg. No.:	Fig 1
Drafting:	Report No.:	Base Plan.:	

2.

SCOLOCH REASSESSMENT

BACKGROUND

A draft sequence of tasks necessary for a reassessment of drilling data within A.P.1/80 was first outlined in a report dated September 1980. This followed an earlier failure in an attempted re-evaluation of reserves, due mainly to inconsistencies in grade calculation methods (Neale 1980).

The last report (April 1981) was a preliminary reassessment report. It contains discussions about the inadequacies and inaccuracies of the existing information base, together with initial survey details and an analysis of some grade calculation methods used in the past.

CURRENT ACTIVITY

(a) Survey Work

For surveying purposes the network of stations established by G.I. Fisher for B.M.I. Mining has been utilized in conjunction with G.J. Walkem and Company's Amdex road survey. All but one of the G.I. Fisher's stations sought, have been re-established in the field.

Sufficient information to convert the B.M.I. stations to A.M.G. co-ordinates can be obtained from maps in Standard (1971). Reduced surface levels have been converted to metric and changed to the A.H.D. base by using a conversion factor of +25.69 metres. Results are tabulated on Table 1.

The survey network has been extended by stadia methods southwards to the Scotia Mine face and eastwards to link with earlier Amdex surveying at Lochaber.

3.

The main survey network is shown on the drill hole map sheet series ie. part on Figures 2, 3, 4 and 5 of this report.

(b) Drill Hole Surveying

Wherever possible, drill holes located in the field are re-surveyed by stadia using the nearest station listed in Table 1.

Recording the location of the Government holes is regarded as most important. Their positions determine the matching of photo reduced overlays used in the plotting of unlocated drill holes.

The last report discusses the rationale behind this survey exercise, it also documents results for the first 28 discoveries. In the ensuing six month period, a similar number of bores have been found. Data for many of these holes is listed in Table 2.

A summary of the preliminary findings from these surveys is listed below :-

- (1) The accuracy of map drafting and the standard of surveying is better than anticipated for the Government Plans.
- (2) Data transcription mistakes on the Government drilling maps are rare.
- (3) Throughout A.P.1/80, the B.M.I. survey height datum figures are consistently about 1.5 feet (.46m) higher than the original figures. This necessitates the use of additional factors ranging from .45m to .48m (depending on area) when converting data on the Mines Department plans to A.H.D.
- (4) Conflicting sets of data have identified sheet 6684 as a problem area which has not yet been resolved. The earliest series of drill holes in the 1935-44 drilling are the bores involved. Failure to resolve the problem could negate accurate positioning of the Scotia Lead in the interesting but sparsely drilled area ahead of the Scotia Mine face.

4.

(5) A preliminary field examination of the extreme down lead end of the Scoloch Lead suggests the need for further field work. The first three Amdex bores have never been surveyed, their previously estimated position on maps is incorrect. At present, they cannot be meaningfully related to other drilling close by.

(c) Data Treatment

All drilling is being listed on data summary sheets. An example is included as Table 3.

About one hundred of these sheets are in various stages of completion. The primary order of classification is by drilling company name. Each drill hole will be cross-referenced to both the new and old map sheet series. Values will only be recorded in metric units. The degree of confidence the writer has in the accuracy of these results is influenced by a number of factors. Eventually an estimated (it will have a considerable intrinsic component) degree of accuracy will be noted for groups of holes both in the horizontal plane and in elevation.

(d) Map Production

Mapping at 1:1500 scale is proceeding satisfactorily. Maps are being produced directly onto the final copy in order to maintain accuracy of scale. Maintenance of precision of location and the necessity for frequent checking of data are reasons why this task is taking longer than anticipated. Progress to the end of July 1981 is summarized on Table 4.

Four products - Figures 2 to 5 are included in this report as examples. Collectively they cover much of the southern portion of the lead system and contain some 700 drill holes.

5.

Transparencies of all plans will accompany the report closer to the completion of this reassessment.

FUTURE WORK PROGRAMME

At the time of production of this report, the ratification of a joint venture agreement between the Triako Group (includes Kibuka Mines and Amdex Mining Limited) and Australian Anglo American Prospecting Pty. Limited was imminent. The Anglo Group will then become active explorers of A.P.1/80.

Anglo are well informed of the progress and merits of this reassessment. Its continuance is programmed for the next reporting period. Further map sheets down lead from the examples included in this report will be produced.

Priority is given to the production of sheets 7182, 7082 and 7183. This is due to recent discussions concerning a strategy for investigating the geological setting and age relationships of placers north of Mount Cameron. The lower part of the Scoloch Lead and the tract of ground west of A.P.1/80 warrant further investigation that may include drilling. Brief preliminary studies suggest a possible topographical relationship between basement of deeper north east drill holes in Braithwaite (1967) and the gutter of the Scoloch Lead.

REFERENCES

Braithwaite, J. B. 1975 - Great Northern Plain: a possible dredging area. Unpubl. Rep. Dept. Mines Tasmania. 1975/20.

Neale, T. I. 1980 - Ore Reserves of Alluvial Tin Deposits in North East Tasmania. Amdex Mining Ltd.

Scoloch Survey Network - Station Details

TABLE 1

A.M.G. Co-ordinates

Vector	Horizontal Angle - ϕ Cartesian Co-ords.	Horizontal Distance r	Peg	A.H.D.	Northing	Easting
"A" → "B"	90.41	221.96	B	50.43	5468357.58	583912.67
"B" → "C"	104.98	138.69	C	49.84	5468491.56	583876.83
"C" → "D"	87.20	180.4	D	44.20	5468671.74	583885.64
"D" → "E"	-21.01	164.4	E	44.48	5468612.81	584039.11
"E" → (69)	-10.85	182.36	69	43.13	5468578.47	584218.21
(69) → "F"	123.84	394.07	F	43.13	5468905.78	583998.75
"F" → 21E	121.88	282.12	21E	38.56	5469145.35	583849.76
21E → (10)	-120.26	253.59	10	39.84	5468926.31	583721.96
21E → 21D	114.39	293.95	21D	-	5469413.07	583728.39
21D → 21C	117.44	234.70	21C	-	5469621.36	583620.23
21C → Peg X	39.86	180.45	"x"	31.28	5469737.01	583758.74
Peg X → Peg Y	23.86	194.53	"y"	30.09	5469815.71	583936.64
21C → 21B	103.36	243.29	21B	-	5469858.07	583564.03
21B → 21A	76.08	288.25	21A	-	5470137.86	583633.35
21A → 21	48.22	132.53	21	-	5470236.69	583721.65
21 → 20	-16.07	117.46	20	-	5470204.17	583834.52
20 → 15	60.37	107.38	15	21.01	5470297.51	583887.61
15 → 30	137.45	161.42	30	20.49	5470406.66	583768.69
30 → 17	68.37	124.12	17	21.19	5470522.04	583814.44
17 → 17A	107.07	31.89	17A		5470552.53	583805.08
17A → 18	117.40	87.63	18	17.99	5470630.33	583764.75
LOOP 18 to 30						
18 → 33	-162.14	110.76	33	19.88	5470596.36	583659.33
33 → 32	168.67	75.72	32	19.57	5470611.24	583585.08
32 → 31	165.29	114.85	31	20.82	5470640.40	583473.99
31 → 31A	-116.73	72.76	31A	23.78	5470575.42	583441.27
31A → 29	-107.62	70.23	29	26.22	5470508.48	583420.02
29 → 28	-19.14	125.13	28	24.48	5470467.45	583538.23
28 → 27	-6.74	116.22	27	21.83	5470453.80	583653.64
27 → 30	-22.02	124.36	30	20.49	5470407.18	583768.94
	misclose =				_____ .52	_____ .25

Scoloch Survey Network - Station Details

A.M.G. Co-ordinates

Vector	Horizontal Angle - ϕ Cartesian Co-ords.	Horizontal Distance r	Peg	A.H.D.	Northing	Easting
LOOP 29 to 21						
29- 29A	-132.55	148.58	29A	28.11	5470399.02	583319.55
29A- 25	-139.89	72.78	25	28.90	5470352.14	583263.88
25- 24	-16.00	117.56	24	28.90	5470319.73	583376.89
24- 23	-14.19	109.70	23	27.65	5470292.85	583483.24
23- 22	-13.79	126.98	22	25.15	5470262.58	583606.56
22- 21	-12.45	118.11	21		5470237.13	583721.90
				misclose =	<u>.44</u>	<u>.25</u>
LOOP 18 to 15						
18→3	49.80	106.08	3	19.36	5470711.35	583833.22
3- 4	-5.93	118.69	4	20.49	5470699.09	583951.28
4- 5	-14.04	125.39	5	23.47	5470668.68	584072.93
5- 6	-8.56	130.46	6	25.88	5470649.25	584201.93
6- 7	-108.44	171.48	7	29.81	5470486.58	584147.69
7- 8	-102.73	85.78	8	29.02	5470402.90	584128.80
8- 9	-97.08	79.63	9	27.04	5470323.88	584118.99
9- 10	-105.83	165.20	10	22.93	5470164.95	584073.91
10- 11	-101.66	130.46	11	24.42	5470037.18	584047.56
11- 12	-109.31	82.30	12	22.47	5469959.51	584020.35
12- 13	107.32	115.45	13	21.49	5470069.72	583985.97
13- 14	114.67	118.51	14	21.01	5470177.41	583936.5
14- 15	112.33	129.57	15	21.01	5470297.26	583887.26
		misclose =			<u>.20</u>	<u>.35</u>
LOOP 31 to 3						
31- 41	113.10	140.11	41	17.35	5470769.28	583419.03
41- 42	170.13	180.35	42	17.04	5470800.21	583241.35
42- 44	168.18	175.86	44	17.65	5470836.25	583069.22
44- 38	115.18	188.62	38	18.11	5471006.95	582988.99
38- 39	71.69	115.95	39	24.11	5471117.03	583025.42

Scoloch Survey Network - Station Details

A.M.G. Co-ordinates

Vector	Horizontal Angle - ϕ Cartesian Co-ords.	Horizontal Distance r	Peg	A.H.D.	Northing	Easting
LOOP 31 to 3 continued						
39- 40	62.08	104.49	40	25.70	5471209.36	583074.34
40- 48	-36.17	139.15	48	25.82	5471127.22	583186.67
48- 49	56.34	114.44	49	26.19	5471222.48	583250.10
49- 50	-42.32	165.18	50	30.42	5471111.26	583372.23
50- 36A	-119.71	62.36	36A	-	5471057.10	583341.32
36A- 36	-101.26	74.33	36	17.38	5470984.20	583326.81
36- 35	-46.88	156.57	35	16.89	5470869.92	583433.83
35- 34	69.24	125.15	34	19.42	5470986.94	583478.19
34- 46	-36.76	178.22	46	18.20	5470880.28	583620.97
46- 1	-102.22	117.46	1	17.77	5470765.49	583596.10
1- 2	-8.17	121.99	2	19.02	5470748.16	583716.86
2- 3	-17.34	122.17	3	19.36	5470711.75	583833.47
		misclose =			.40	.25
Survey - Main Scotia Survey Line A south to 54e						
A- 57	-141.15	31.98	57	56.12	5468135.63	583914.34
57- 58	-50.59	103.67	58	56.96	5468115.57	583889.33
58- 59	-38.35	106.8	59	57.44	5468035.50	583955.13
58- 54	-38.35	106.8	59	59.99	5467969.24	584038.89
54- 53	-133.89	108.17	54	62.57	5467957.54	583880.14
53- 54A	131.06	124.26	53	58.50	5468051.24	583798.52
54A- 54B	-134.48	67.99	54A	63.00	5467909.03	583832.50
54B- 54C	-135.48	101.63	54B	59.32	5467837.77	583760.04
54C- 54d	-151.80	96.50	54C	56.33	5467792.16	583675.00
54d- 54e	-158.76	62.40	54d	54.35	5467769.56	583616.84
	113.76	158.11	54e	57.37	5467914.27	583553.14
Survey from Mount Cameron Water Race to Scotia Mine Workings						
39C- 43C	-99.88	142.20	39C	50.99	5467367.66	584387.57
43C- P1	-165.95	156	43C	53.04	5467227.57	584363.17
P1- P2	-176.62	156	P1	52.94	5467189.70	584211.84
P2- P3	-176.62	156	P2	53.28	5467180.49	584056.11
P3- P4	-79.95	211.89	P3	47.69	5466971.85	584093.07
P4- P5	-50.43	163.8	P4	50.59	5466845.58	584197.41
P5- P6	-135.53	141.99	P5	48.61	5466746.11	584096.08
	-55.93	103.73	P6	53.57	5466660.19	584154.19

Check Survey Results - Scoloch Lead

TABLE 2

Hole/Point	S.R.L. original	S.R.L. using G.I.F. levels	Difference	Corrected to A.H.D.
P13		214.60		39.72
P12		215.09		39.87
30B	214.48	216.31	+1.83	40.24
32B	212.88	214.66	+1.78	39.74
34B	211.72	213.85	+2.13	39.49
35B	210.95	213.19	+2.24	39.29
39B	209.91	212.11	+2.20	38.96
41B	209.79	211.98	+2.19	38.92
40B	215.73	217.68	+1.95	40.66
38B	215.84	217.68	+1.84	40.66
36B	215.64	217.68	+2.04	40.66
35B	215.72	217.81	+2.09	40.70
31B	215.82	217.94	+2.13	40.74
28B	217.87	218.86	+0.99	41.02
24B	218.71	220.11	+1.40	41.40
25B	218.92	220.70	+1.78	41.58
S8	220.9	221.49	+0.59	41.82
S14	219.1	220.31	+1.21	41.46
86B	217.81	219.09	+1.28	41.09
S13	218.5	219.85	+1.35	41.32
S15?	218.6	219.69	+1.09	41.27
S9	223.7	224.90	+1.20	42.86
93B	217.22	219.06	+1.84	41.08
			$\bar{x} = 1.86$	
			i.e. (0.57m)	

TABLE 2 continued

Peg Hole No.	G.I.F. (ft) survey (original)	G.I.F. (m) survey (Amdex)	A.H.D. m	Direction	Distance	Northing	Easting
	272.6	83.09	57.44				
Peg 58	272.87	83.17				5468035.50	583955.13
Hole 58	272.3	83.00	57.36	135.31	90	5468032.53	583974.90
Peg 59	281.1	85.68	59.89	-38.35	106.8	5467969.23	584038.89
	282.5	86.11					
Hole 59	282.5	86.15	60.44	-49.85	33.0	5467944.01	584060.16
Hole 61	291.8	88.94	63.21	-54.19	149.9	5467847.67	584126.60
Amdex Peg		82.00	56.31	109.03	121	5468047.13	584061.51
Hole 403		85.74	60.05	-35.52	64	5467932.05	584090.98
Hole 404		84.87	59.18	-27.47	116	5467915.72	584141.81
AS4		87.12	61.43				
A		85.43	59.74	-30.45	72	5467932.74	584100.96
AS6		84.02	58.33	-19.45	87.96	5467939.95	584121.83
AS7		82.09	56.40				
AS8		79.57	53.89			5468184.4	583981.9
P103		77.66	51.97				
Peg 57	271.7	82.81	56.96			5468115.7	583889.33
Hole 57		82.49	56.86			5468118.7	583894.6
"A"	268.6	81.87	56.12			5468135.63	583914.24
Hole A399		79.96	54.28			5468157.1	583943.2
Hole A400		79.56	53.87				
M.D. 1B	279.17	85.41	59.72				

942015

TABLE 3

AMDEX MINING LIMITED NORTH EAST TASMANIA - DRILLING SUMMARY

AREA - SCOLOCH LEAD SYSTEM * YEAR- 1937 * DRILLING METHOD -

* EXPL. COMPANY - Tas. Dept. of Mines

Hole No.	Collar Coordinates mN mE	Surface R.L.	Basement R.L.	Depth Drilled (m)	Depth to Basement (m)	Area of influence (m ²)	Volume (m ³)	Total rec. volume to basement [†]	Total rec. SnO ₂ (g)	Grade * (gSnO ₂ /m ³)	Contained SnO ₂ (kg)	Grade + (gSnO ₂ /m ³)	Contained SnO ₂ (kg)	% of hole sampled	Old Sheet Index	A.M.G. Sheet No.	Drilling Company	Date Drilled
1 B		59.72	15.8		43.9					118				85%	S1E1	6784		2/37
2 B		57.68	16.4		41.3					13				"	"	"		"
3 B		56.17	16.1		40.1					8				95%	"	6884		"
4 B		54.82	19.0		35.8					Tr				-	"	"		3/37
5 B		56.19	22.1		34.1					Tr				-	"	"		3/37
6 B		55.5	13.6		41.9					101				S-B	"	"		"
7 B		45.61	12.8		32					28				"	00	6883		4/37
8 B		45.11	16.15		28.65					32				"	"	"		"
9 B		46.36	19.53		26.82					6				"	S1	"		"
10 B		44.90	18.62		27.7 [†]					33				"	00	"		"
11 B		44.60	13.74		32.61					17				"	"	"		"
12 B		44.57	3.73		40.8 [†]					1206				50%	"	"		11/37
13 B		44.32	8.35		35.97					47				45%	"	"		"
14 B		43.98	21.12		22.86					9				40%	"	"		"
15 B		43.43	6.85		36.58					68				45%	"	"		12/37
16 B		43.35	18.05		25.30					16				75%	"	"		"
17 B		43.66	4.04		39.62					936				65%	"	"		"
18 B		44.29	7.41		36.88					120				50%	"	"		"
TOTALS																		

* Grade calculated by relating recorded volume to recovered tin

Author: R. Munro

† Grade calculated by relating Bradford factor volume to recovered tin (See fac = 20%)

Date: 20/8/81

942016


A.P.1/80 - Scoloch REMAPPING - PROGRESS SUMMARY TABLE 30.7.81

TABLE 4

Map Sheet Number	Approx. number of Drill Holes on Map Sheet	% completion of base map	% completion of associated surveying	% treatment of basic hole data	% completion of location/grade/B.R.L. map	% completion basement contour map	% completion geological reserves, map and calculation
6683	5	90	0	50	0	0	0
6684	30	90	40	60	25	0	0
6783	45	100	100	100	100	30	0
6784	450	100	100	100	100	0	0
6785	5	90	60	100	0	0	0
6883	170	100	100	100	100	0	0
6884	60	100	100	100	100	0	0
6983	290	90	60	20	5	0	0
6984	20	80	80	25	5	0	0
7082	20	45	20	10	0	0	0
7083	70	90	20	10	0	0	0
7084	15	45	80	10	0	0	0
7182	55	80	20	10	0	0	0
7183	20	50	30	10	0	0	0
Estimated man hours Period 27.1.81 to 26.7.81		175	75	125	100	4	0


SCOTIA LEAD

LOCHABER LEAD



Hole No	Depth to Basement	Grade B.R.L.	Hole No	Depth to Basement	Grade	Hole No	Depth to Basement	Grade	Hole No	Depth to Basement	Grade	Hole No	Depth to Basement	Grade	
RT10	29.7	4.7	23.4	13	31.4	20.5	125X	31.4	Tr	4.82	30.9	13.7	8.92	23.5	Tr
RT11	30.6	1.5	22.8	1.5	32.0	33	126X	32.3	18.2	4.92	29.7	4.1.5	9.12	26.8	Tr
RT12	30.7	4.8	21.5	2.3	30.5	1.98	127X	31.4	Tr	5.02	29.6	1.85	9.32	27.4	5.6
RT13	30.0	3.6	21.8	2.5	24.2	21	129X	35.7	2.73	5.12	30.2	7.4	9.52	29.0	8.5
RT14	31.7	20.8	20.5	2.7	29.0	2.2	130X	34.1	1.95	5.52	30.0	8	9.62	25.9	Tr
RT15	29.1	1.5	23.4	2.8	29.8	3.71	131X	36.3	10.92	5.62	30.2	8.0	9.72	24.7	10.0
RT16	28.2	-	23.2	6.9	34.1	1.37	132X	32.0	10.0	5.72	26.8	Tr	9.82	24.1	Tr
RT17	31.4	3.6	21.7	7.6	31.9	1.31	134X	30.5	1.50	5.82	26.8	Tr	10.12	24.9	Tr
RT18	29.9	5.6	23.3	1.8	27.8	Tr	135X	30.2	Tr	5.92	26.8	Tr	10.22	32.3	3.3
				2.8X	32.3	8.71	136X	37.4	10.0	6.02	27.4	Tr	10.32	32.3	1.3
				4.6X	30.5	7.4	139X	20.2	Tr	6.12	27.7	1.4.8	10.42	32.6	9.8
				4.9X	33.5	1.85	140X	30.6	3.50	6.22	24.4	Tr	10.52	32.3	3.4
				5.3X	31.4	2.60	142X	29.6	5.0	6.42	27.4	3.29	10.62	31.7	2.8
				5.4X	31.4	1.11	143X	30.2	Tr	6.62	25.8	?	10.72	31.4	Tr
				5.5X	30.8	5.93	144X	30.5	3.7	6.72	25.9	1.4.8	10.92	28.3	Tr
				5.6X	30.8	4.82	145X	31.1	1.80	6.92	26.4	1.85	11.02	32.6	Tr
				5.7X	28.7	Tr	147X	33.2	3.40	7.12	25.0	2.60	11.12	33.2	3.4
				5.8X	29.3	3.7	148X	31.7	Tr	7.22	25.6	7.4	11.22	32.9	4.65
				5.9X	29.3	1.11	149X	33.8	Tr	7.32	23.2	Tr	11.32	32.0	2.46
				6.0X	27.4	Tr	150X	34.1	10.0	7.42	25.8	1.4.8	11.42	32.0	2.23
				6.1X	31.7	Tr	35.2	2.4.7	Tr	7.52	23.6	2.60	11.52	31.9	8.4
				6.2X	31.4	Tr	36.2	2.6.5	3.0	7.72	19.2	Tr	11.82	27.7	Tr
				6.3X	29.0	3.34	4.02	31.1	4.8.2	7.82	20.7	Tr	12.02	32.6	2.35
				6.4X	30.8	Tr	4.22	30.8	1.9.5	7.92	25.3	Tr	12.12	32.0	Tr
				6.5X	29.6	Tr	4.42	30.2	2.9.7	8.32	24.7	-	3.42	26.8	Tr
				1.22X	26.8	Tr	4.52	29.0	Tr	8.52	24.1	Tr	-	-	-
				1.23X	28.5	Tr	4.62	29.9	Tr	8.62	21.3	Tr	-	-	-
				1.24X	29.1	Tr	4.72	31.4	8.10	8.82	17.7	-	-	-	-

INDEX MAP



AMDEX MINING LTD. - SCOLOCH LEAD

SHEET - 6784



LOCATION - N.E. TASMANIA
SCALE - 1:1500
DATE - May 1981
DRAWN - A. MINRO
HEIGHT DATUM - A.H.D.
GRID - A.M.G.
FIG. 3

DRILL HOLE LEGEND

Symbol	Description	Notes	Sampling Method
□	Amdex Mining Ltd.	1978 - 1979	1978 - 1979
○	B.M.I. Mining Ltd.	1971 - 1972	1971 - 1972
●	B.M.I. Mining Ltd.	1970 - 1973	1970 - 1973
▲	Unk. Development Co.	1965 - 66	1965 - 66
△	James Rankin Mining Co. Pty. Ltd.	1964 - 65	1964 - 65
★	Rankin Mining Co. Pty. Ltd.	1962	1962
○	Mines Department	1965 - 66	1965 - 66
△	Mines Department - Scotia Area	1960 - 61	1960 - 61
○	Mines Department - Scotia Area	1960 - 61	1960 - 61
○	Mines Department - Scotia Area	1960 - 61	1960 - 61

- - - - - 1978/79
 - - - - - 1979/80
 - - - - - 1980/81
 - - - - - 1981/82
 - - - - - 1982/83
 - - - - - 1983/84
 - - - - - 1984/85
 - - - - - 1985/86
 - - - - - 1986/87
 - - - - - 1987/88
 - - - - - 1988/89
 - - - - - 1989/90
 - - - - - 1990/91
 - - - - - 1991/92
 - - - - - 1992/93
 - - - - - 1993/94
 - - - - - 1994/95
 - - - - - 1995/96
 - - - - - 1996/97
 - - - - - 1997/98
 - - - - - 1998/99
 - - - - - 1999/00
 - - - - - 2000/01
 - - - - - 2001/02
 - - - - - 2002/03
 - - - - - 2003/04
 - - - - - 2004/05
 - - - - - 2005/06
 - - - - - 2006/07
 - - - - - 2007/08
 - - - - - 2008/09
 - - - - - 2009/10
 - - - - - 2010/11
 - - - - - 2011/12
 - - - - - 2012/13
 - - - - - 2013/14
 - - - - - 2014/15
 - - - - - 2015/16
 - - - - - 2016/17
 - - - - - 2017/18
 - - - - - 2018/19
 - - - - - 2019/20
 - - - - - 2020/21
 - - - - - 2021/22
 - - - - - 2022/23
 - - - - - 2023/24
 - - - - - 2024/25
 - - - - - 2025/26
 - - - - - 2026/27
 - - - - - 2027/28
 - - - - - 2028/29
 - - - - - 2029/30
 - - - - - 2030/31
 - - - - - 2031/32
 - - - - - 2032/33
 - - - - - 2033/34
 - - - - - 2034/35
 - - - - - 2035/36
 - - - - - 2036/37
 - - - - - 2037/38
 - - - - - 2038/39
 - - - - - 2039/40
 - - - - - 2040/41
 - - - - - 2041/42
 - - - - - 2042/43
 - - - - - 2043/44
 - - - - - 2044/45
 - - - - - 2045/46
 - - - - - 2046/47
 - - - - - 2047/48
 - - - - - 2048/49
 - - - - - 2049/50
 - - - - - 2050/51
 - - - - - 2051/52
 - - - - - 2052/53
 - - - - - 2053/54
 - - - - - 2054/55
 - - - - - 2055/56
 - - - - - 2056/57
 - - - - - 2057/58
 - - - - - 2058/59
 - - - - - 2059/60
 - - - - - 2060/61
 - - - - - 2061/62
 - - - - - 2062/63
 - - - - - 2063/64
 - - - - - 2064/65
 - - - - - 2065/66
 - - - - - 2066/67
 - - - - - 2067/68
 - - - - - 2068/69
 - - - - - 2069/70
 - - - - - 2070/71
 - - - - - 2071/72
 - - - - - 2072/73
 - - - - - 2073/74
 - - - - - 2074/75
 - - - - - 2075/76
 - - - - - 2076/77
 - - - - - 2077/78
 - - - - - 2078/79
 - - - - - 2079/80
 - - - - - 2080/81
 - - - - - 2081/82
 - - - - - 2082/83
 - - - - - 2083/84
 - - - - - 2084/85
 - - - - - 2085/86
 - - - - - 2086/87
 - - - - - 2087/88
 - - - - - 2088/89
 - - - - - 2089/90
 - - - - - 2090/91
 - - - - - 2091/92
 - - - - - 2092/93
 - - - - - 2093/94
 - - - - - 2094/95
 - - - - - 2095/96
 - - - - - 2096/97
 - - - - - 2097/98
 - - - - - 2098/99
 - - - - - 2099/00
 - - - - - 2100/01
 - - - - - 2101/02
 - - - - - 2102/03
 - - - - - 2103/04
 - - - - - 2104/05
 - - - - - 2105/06
 - - - - - 2106/07
 - - - - - 2107/08
 - - - - - 2108/09
 - - - - - 2109/10
 - - - - - 2110/11
 - - - - - 2111/12
 - - - - - 2112/13
 - - - - - 2113/14
 - - - - - 2114/15
 - - - - - 2115/16
 - - - - - 2116/17
 - - - - - 2117/18
 - - - - - 2118/19
 - - - - - 2119/20
 - - - - - 2120/21
 - - - - - 2121/22
 - - - - - 2122/23
 - - - - - 2123/24
 - - - - - 2124/25
 - - - - - 2125/26
 - - - - - 2126/27
 - - - - - 2127/28
 - - - - - 2128/29
 - - - - - 2129/30
 - - - - - 2130/31
 - - - - - 2131/32
 - - - - - 2132/33
 - - - - - 2133/34
 - - - - - 2134/35
 - - - - - 2135/36
 - - - - - 2136/37
 - - - - - 2137/38
 - - - - - 2138/39
 - - - - - 2139/40
 - - - - - 2140/41
 - - - - - 2141/42
 - - - - - 2142/43
 - - - - - 2143/44
 - - - - - 2144/45
 - - - - - 2145/46
 - - - - - 2146/47
 - - - - - 2147/48
 - - - - - 2148/49
 - - - - - 2149/50
 - - - - - 2150/51
 - - - - - 2151/52
 - - - - - 2152/53
 - - - - - 2153/54
 - - - - - 2154/55
 - - - - - 2155/56
 - - - - - 2156/57
 - - - - - 2157/58
 - - - - - 2158/59
 - - - - - 2159/60
 - - - - - 2160/61
 - - - - - 2161/62
 - - - - - 2162/63
 - - - - - 2163/64
 - - - - - 2164/65
 - - - - - 2165/66
 - - - - - 2166/67
 - - - - - 2167/68
 - - - - - 2168/69
 - - - - - 2169/70
 - - - - - 2170/71
 - - - - - 2171/72
 - - - - - 2172/73
 - - - - - 2173/74
 - - - - - 2174/75
 - - - - - 2175/76
 - - - - - 2176/77
 - - - - - 2177/78
 - - - - - 2178/79
 - - - - - 2179/80
 - - - - - 2180/81
 - - - - - 2181/82
 - - - - - 2182/83
 - - - - - 2183/84
 - - - - - 2184/85
 - - - - - 2185/86
 - - - - - 2186/87
 - - - - - 2187/88
 - - - - - 2188/89
 - - - - - 2189/90
 - - - - - 2190/91
 - - - - - 2191/92
 - - - - - 2192/93
 - - - - - 2193/94
 - - - - - 2194/95
 - - - - - 2195/96
 - - - - - 2196/97
 - - - - - 2197/98
 - - - - - 2198/99
 - - - - - 2199/00
 - - - - - 2200/01
 - - - - - 2201/02
 - - - - - 2202/03
 - - - - - 2203/04
 - - - - - 2204/05
 - - - - - 2205/06
 - - - - - 2206/07
 - - - - - 2207/08
 - - - - - 2208/09
 - - - - - 2209/10
 - - - - - 2210/11
 - - - - - 2211/12
 - - - - - 2212/13
 - - - - - 2213/14
 - - - - - 2214/15
 - - - - - 2215/16
 - - - - - 2216/17
 - - - - - 2217/18
 - - - - - 2218/19
 - - - - - 2219/20
 - - - - - 2220/21
 - - - - - 2221/22
 - - - - - 2222/23
 - - - - - 2223/24
 - - - - - 2224/25
 - - - - - 2225/26
 - - - - - 2226/27
 - - - - - 2227/28
 - - - - - 2228/29
 - - - - - 2229/30
 - - - - - 2230/31
 - - - - - 2231/32
 - - - - - 2232/33
 - - - - - 2233/34
 - - - - - 2234/35
 - - - - - 2235/36
 - - - - - 2236/37
 - - - - - 2237/38
 - - - - - 2238/39
 - - - - - 2239/40
 - - - - - 2240/41
 - - - - - 2241/42
 - - - - - 2242/43
 - - - - - 2243/44
 - - - - - 2244/45
 - - - - - 2245/46
 - - - - - 2246/47
 - - - - - 2247/48
 - - - - - 2248/49
 - - - - - 2249/50
 - - - - - 2250/51
 - - - - - 2251/52
 - - - - - 2252/53
 - - - - - 2253/54
 - - - - - 2254/55
 - - - - - 2255/56
 - - - - - 2256/57
 - - - - - 2257/58
 - - - - - 2258/59
 - - - - - 2259/60
 - - - - - 2260/61
 - - - - - 2261/62
 - - - - - 2262/63
 - - - - - 2263/64
 - - - - - 2264/65
 - - - - - 2265/66
 - - - - - 2266/67
 - - - - - 2267/68
 - - - - - 2268/69
 - - - - - 2269/70
 - - - - - 2270/71
 - - - - - 2271/72
 - - - - - 2272/73
 - - - - - 2273/74
 - - - - - 2274/75
 - - - - - 2275/76
 - - - - - 2276/77
 - - - - - 2277/78
 - - - - - 2278/79
 - - - - - 2279/80
 - - - - - 2280/81
 - - - - - 2281/82
 - - - - - 2282/83
 - - - - - 2283/84
 - - - - - 2284/85
 - - - - - 2285/86
 - - - - - 2286/87
 - - - - - 2287/88
 - - - - - 2288/89
 - - - - - 2289/90
 - - - - - 2290/91
 - - - - - 2291/92
 - - - - - 2292/93
 - - - - - 2293/94
 - - - - - 2294/95
 - - - - - 2295/96
 - - - - - 2296/97
 - - - - - 2297/98
 - - - - - 2298/99
 - - - - - 2299/00
 - - - - - 2300/01
 - - - - - 2301/02
 - - - - - 2302/03
 - - - - - 2303/04
 - - - - - 2304/05
 - - - - - 2305/06
 - - - - - 2306/07
 - - - - - 2307/08
 - - - - - 2308/09
 - - - - - 2309/10
 - - - - - 2310/11
 - - - - - 2311/12
 - - - - - 2312/13
 - - - - - 2313/14
 - - - - - 2314/15
 - - - - - 2315/16
 - - - - - 2316/17
 - - - - - 2317/18
 - - - - - 2318/19
 - - - - - 2319/20
 - - - - - 2320/21
 - - - - - 2321/22
 - - - - - 2322/23
 - - - - - 2323/24
 - - - - - 2324/25
 - - - - - 2325/26
 - - - - - 2326/27
 - - - - - 2327/28
 - - - - - 2328/29
 - - - - - 2329/30
 - - - - - 2330/31
 - - - - - 2331/32
 - - - - - 2332/33
 - - - - - 2333/34
 - - - - - 2334/35
 - - - - - 2335/36
 - - - - - 2336/37
 - - - - - 2337/38
 - - - - - 2338/39
 - - - - - 2339/40
 - - - - - 2340/41
 - - - - - 2341/42
 - - - - - 2342/43
 - - - - - 2343/44
 - - - - - 2344/45
 - - - - - 2345/46
 - - - - - 2346/47
 - - - - - 2347/48
 - - - - - 2348/49
 - - - - - 2349/50
 - - - - - 2350/51
 - - - - - 2351/52
 - - - - - 2352/53
 - - - - - 2353/54
 - - - - - 2354/55
 - - - - - 2355/56
 - - - - - 2356/57
 - - - - - 2357/58
 - - - - - 2358/59
 - - - - - 2359/60
 - - - - - 2360/61
 - - - - - 2361/62
 - - - - - 2362/63
 - - - - - 2363/64
 - - - - - 2364/65
 - - - - - 2365/66
 - - - - - 2366/67
 - - - - - 2367/68
 - - - - - 2368/69
 - - - - - 2369/70
 - - - - - 2370/71
 - - - - - 2371/72
 - - - - - 2372/73
 - - - - - 2373/74
 - - - - - 2374/75
 - - - - - 2375/76
 - - - - - 2376/77
 - - - - - 2377/78
 - - - - - 2378/79
 - - - - - 2379/80
 - - - - - 2380/81
 - - - - - 2381/82
 - - - - - 2382/83
 - - - - - 2383/84
 - - - - - 2384/85
 - - - - - 2385/86
 - - - - - 2386/87
 -

INDEX MAP



AMDEX MINING LTD - SCOLOCH LEAD

SHEET - 6884

LOCATION - N.E. TASMANIA
SCALE - 1:1500
DATE - July 1981
DATA - R. MUNRO
DRAWN - R. Munro
HEIGHT DATUM - A.H.D.
GRID - A.M.G.
FIG. 5

Symbol	Company	Date	Drilling Method
□	Amdex Mining Ltd.	1978 onwards	Perussion, several Auger
■	L. J. Smees (Mining Department)	1971	Perussion
●	B. M. I. Mining Ltd.	1971-72, 1974	Perussion
○	B. M. I. Mining Ltd.	1978-79	Ruger-run sample
▲	Utah Development Co.	1945-66	Ruger
+	Sitaram's Creek Tin Mining Co. N.L.	1949-60	Perussion
*	River Tinto Plus Expansion Pty Ltd.	1958	Perussion
○	Mines Department	1935-44	Cable Single Handplant
△	Mines Department - Reaches Bore	1916	Handplant
○	Planner Tin Mining Co - Reaches Bore	1916	Handplant
○	Mines Department - Griffins Bore	1902	Handplant

DRILL HOLE LEGEND

○ 01014 B - Drill Hole Number
 ———— grade - surface to base ment - 3 7028 m
 ———— Basement B.L.M.
 ———— Depth to Basement - m

— Current Lease Boundaries
 - - - Old Lease Boundaries
 - - - Scotia survey showing peg positions.

SCOTIA

LOCHABER LEAD