

DIAMOND DRILL RECORD

HOLE NUMBER : BT 104

LOGGED BY : A.F.R.

NWPS

INTERVAL (m)		RECOVERY		DESCRIPTION	FORM.	%		%		%		%		%		
FROM	TO	m	%			FROM	TO	TOTAL	ACID SOL.	% Cu.	% As.	% Mn	% Pb.	% Zn.	% Zn	g/t Ag
				SUMMARISED LOG		3	4	1.53		0.04		0.135		0.037	0.038	5
							5	0.37		0.045		0.160		0.044	0.045	6
0	3.0			LOW RECOVERY, WEATHERED POIMENA ADAMELLITE.			6	0.44		0.029		0.148		0.093	0.085	5
							7	1.07		0.065		0.158		0.046	0.0475	9
		3		CONTACT.			8	1.41		0.16		0.146		0.070	0.069	18
							9	0.10		0.022		0.071		0.031	0.024	4
3.0	8.0			COARSE GRANULAR GREISEN WITH ABUNDANT CASSITERITE.			10	0.39		0.016		0.084		0.042	0.0345	4
							11	0.21		0.0085		0.07		0.026	0.0185	2
8.0	56.0			ANCHOR GRANITE - WEAK GREISEN.			12	0.02		0.003		0.056		0.021	0.0135	1
							13	0.05		0.006		0.068		0.023	0.0165	1
							14	<0.01		0.0025		0.071		0.023	0.0195	1
				DETAILED LOG			15	"		0.0075		0.105		0.034	0.032	3
							16	"		0.015		0.099		0.031	0.0265	3
0	3.0	0.10	3.3	Rubble of quartz, limonitic adamellite fragments. Contact marked by 5cm white aplite.			17	"		0.007		0.09		0.025	0.0225	3
							18	"		0.011		0.091		0.024	0.0215	2
3.0	8.0	5.0	100	Dark grey coarse granular greisen with abundant disseminated coarse cassiterite. Minor limonitic bands. Minor weathered zone 15cms long.			19	"		0.0115		0.088		0.024	0.022	2
							20	"		0.0105		0.078		0.025	0.0225	2
							21	0.02		0.025		0.072		0.026	0.0238	2
							22	"		0.013		0.066		0.025	0.021	3
8.0	19.5	11.3	100	Grades into yellowish grey argillic weathered medium grained granite greisen. Less greisenised. Few zones of intense weathering especially 9 to 11.2m.			23	0.01		0.0065		0.065		0.022	0.017	2
							24	<0.01		0.0085		0.069		0.024	0.021	2
							25	0.04		0.0085		0.057		0.023	0.018	2
							26	"		0.01		0.052		0.022	0.017	2
19.5	34.0	14.5	100	Grades into less weathered but light grey medium grained granite greisen.			27	"		0.011		0.053		0.022	0.017	2
							28	0.03		0.0105		0.049		0.019	0.0125	2
							29	0.04		0.0075		0.046		0.020	0.0125	2
34.0	35.5	1.5	100	Cream medium grained granite. Very weak lime greenish alteration.			30	0.03		0.009		0.051		0.020	0.011	2
							31	0.04		0.013		0.055		0.020	0.0115	2
35.5	36.3	0.8	100	Greyish medium grained granite greisen.			32	0.05		0.0125		0.058		0.021	0.0115	2
							33	"		0.011		0.048		0.020	0.011	2
36.3	46.0	9.7	100	Grades into less altered medium grained granite - weak greisen. Few clayey joints.			34	0.04		0.009		0.049		0.019	0.011	1
							35	0.05		0.01		0.044		0.016	0.011	1
							36	0.02		0.006		0.056		0.022	0.016	1
46.0	56.0	10.0	100	Grades into white granite with common sericitic clay joints, fractures. From 51m to 51.4m is very clayey, also 55 to 55.5m. At 47.6m is peculiar quartz segregation alongside a joint with dark brown cassiterite?			37	0.03		0.0105		0.06		0.021	0.0145	2
							38	0.06		0.006		0.04		0.018	0.0105	1
							39	0.16		0.003		0.048		0.019	0.0115	1
							40	0.15		0.0015		0.045		0.018	0.0105	<1
							41	0.22		0.0015		0.041		0.020	0.01	1
				END OF HOLE 56m.			42	"		0.0015		0.049		0.020	0.011	1
							43	0.17		0.001		0.042		0.018	0.0095	<1
							44	0.18		0.001		0.041		0.017	0.01	<1
							45	0.16		0.001		0.04		0.017	0.0105	<1

892045