

RENISON LIMITED - DRILL CORE RECORD BT 143

HOLE NUMBER	BT 143	SURVEY			From - To	Distance D	VERTICAL		HORIZONTAL	
		Depth	Bearing	Dip			D.Sin,Dip	R.L.	D.Cos,Dip	Prog.Total
PURPOSE	To test for extensions of Anchor mineralization		GRID							
		0	-	-90°						
		34	213.5	-89°						
LOCATION	East of Anchor workings	78	196	-88.25°						
		120	171	-89°						
COLLAR R.L.	293.65									
CO-ORDINATES	5266.55mN 5062.26mE									
LENGTH	120m									
HOLE SIZE	0 - 9m Tricone 9 - 15m NQ 15 - 120m BQ									
DATE DRILLED	3.6.81 to 4.6.81									
SIGNIFICANT CORE LOSS ZONES										
ORE ZONE GROUND CONDITIONS										
LOGGED BY	A.P. ROSS									
COMMENTS	Interval from 43m to 120m assayed, although only every third metre from 84 to 120m. Zone of low grade tin mineralization beneath adamellite, with anomalous levels of Ag. Silver assays are not shown on 1:500 N.E. Section in 1981 report. (AR 4/1/81)									

SUMMARY - ASSAY DATA

LODE NAME	FROM	TO	LENGTH (m)	AVERAGE WEIGHTED ASSAYS											B.C.A.
				Sn.	Acid Sol. Sn.	Cu.	As.	S.	Pb.	Zn.	Bi.	WO ₃	Ag g/t		
0.1% Cut-off (patchy)	47 (246.7RL)	57 (236.7RL)	10	0.12		0.148					0.012			17	

892455