

<u>Hole No.</u>	<u>Water (ft)</u>	<u>Interval (ft)</u>	<u>OMAG No.</u>	<u>Register No.</u>	<u>N (%)</u>	<u>H. Assay (g/t)</u>			<u>Remarks</u>
						<u>Sn</u>	<u>Ti.</u>	<u>Zr</u>	
8	62	28.0 - 30.5	NE 69	663873	0.19	5	9	10	
		30.5 - 32.0	70	4	0.31	3	7	11	
		32.0 - 35	71	5	0.36	T	9	13	
		35 - 37	72 (73)	6	0.32	T	6	7	
No sample recd.									
9	71	0 - 3.5	74	7	0.36	T	68	94	
		3.5 - 6.5	75	8	0.33	T	22	30	
		6.5 - 9	76	9	0.25	T	20	13	
		9 - 11	77	80	0.16	T	31	27	
		11 - 13	78	1	0.47	T	14	21	
		13 - 15.5	79	2	0.15	7	12	18	
		15.5 - 18.5	80	3	0.10	4	24	4	
		18.5 - 20.5	81	4	0.12	22	28	42	
		20.5 - 23	82	5	0.06	8	4	4	
		23 - 25	83	6	0.06	T	1	N	
10	75	0 - 2.5	84	7	1.28	10	31	56	
		2.5 - 4	85	8	0.57	9	36	82	
		4 - 6.5	86	9	0.22	4	20	40	
		6.5 - 9	87	90	0.09	8	12	23	
		9 - 12	88	1	0.26	1	13	35	
		12 - 13.5	89	2	0.44	2	19	39	
		13.5 - 15	90	3	0.10	T	54	56	