

<u>Hole No.</u>	<u>Water (ft)</u>	<u>Interval (ft)</u>	<u>OMAG No.</u>	<u>Register No.</u>	<u>N (%)</u>	<u>H. Assay (g/t)</u>			<u>Remarks</u>		
						<u>Sn</u>	<u>Ti</u>	<u>Zr</u>			
83	94	9 - 12	Ne 616	670164	1.92	13	38	96 *	Duplicate Assay		
		12 - 15	617	5	0.50	13	15	35 *			
		15 - 17	618	6	3.65	11	37	91 *			
		17 - 20	619	7	2.01	6	40	40 *			
		20 - 22	620	8	1.87	12	N	40			
		22 - 25	621	9	1.79	8	19	37 *			
		25 - 28	622	70	1.01	5	18	45 *			
		28 - 32	623	1	0.41	3	10	25 *			
		32 - 34	624	2	0.41	4	8	19 *			
		34 - 37	625	3	2.18	22	55	196 *			
		37 - 40	626	4	0.38	78	10	42 *			
		40 - 44	627	5	0.34	18	9	22 *			
					627	5	0.40	4		8	16 *
		84	115	0 - 5	628	6	0.30	3		17	38 *
5 - 8	629			7	1.12	3	22	39 *			
8 - 12	630			8	0.54	3	19	49 *			
12 - 15	631			9	0.84	160	17	42 *			
							160	17	42		
							139	13	38		
							126	13	29		
							139	13	38		
15 - 18	632			80	2.44	10	49	49 *			
18 - 22	633			1	0.27	4	10	14 *			

*151/152
uncertain*

*in original report of 27 Jan. '67 Ti and Zr reversed. Corrected on 14 May '67.