

<u>Hole No.</u>	<u>Water (ft)</u>	<u>Interval (ft)</u>	<u>OMAG No.</u>	<u>Register No.</u>	<u>(g/t)</u>	<u>H. Assay (g/t)</u>			<u>Remarks</u>	
						<u>Sn</u>	<u>Ti</u>	<u>Zr</u>		
84	115	22 - 26	NE 634	670182	0.30	3	12	21 *		
		26 - 28	635	3	3.56	7	36	71 *		
		28 - 30	636	4	2.03	6	31	41 *		
		30 - 32	637	5	0.31	50	30	70 *		
85	120	0 - 4	638	6	0.67	3	24	47 *		
						4	20	44		Duplicate Assay
		4 - 9	639	7	0.44	4	18	33 *		
		9 - 11	640	8	0.61	64	34	76 *		
						61	31	70		Duplicate Assay
		11 - 13	641	9	0.91	5	23	50 *		
		13 - 16	642	90	2.56	13	51	128 *		
		16 - 18	643	1	0.80	8	28	96 *		
		18 - 22	644	2	0.71	7	25	75 *		
		22 - 26	645	3	1.25	44	42	156 *		
						28				} See Appx. C
						28				
						26				
						28				
		26 - 29	646	4	1.17	134	70	228	} See Appx. B	
						105	82	222		
						76	64	164		
						96	82	222		
						88	70	175		
		29 - 31	647	5	2.18	7	N	33		

*in original report of 27 Jan. '67 Ti and Zr reversed. Corrected on 14 May '67.