

Depth (m)	Interval (m)	Sample No.	Remarks	Element Concentrations (ppm)								
				Bi	Ag	As	Ba	Be	Ta	Zn		
0.00	18.20	18.20	No sample									
18.20	25.00	5.80	405	<1	<0.1	<50	<200	<1	<100	20		
25.00	30.00	5.00	407	<1	0.1	<50	<200	<1	<100	60		
30.00	40.00	10.00	408	<1	<0.1	<50	<200	<1	<100	40		
40.00	50.00	10.00	409	<1	<0.1	<50	<200	<1	<100	60		
50.00	60.00	10.00	410	<1	<0.1	<50	<200	<1	<100	60		
60.00	68.50	8.50	411	<1	0.1	<50	<200	<1	<100	20		
68.50	79.85	11.35	No sample									
79.85	83.60	3.75	412	<1	0.2	<50	<200	<1	<100	<10		
83.60	92.25	8.65	No sample									
92.25	100.00	7.75	413	<1	0.2	<50	<200	<1	<100	50		
100.00	110.00	10.00	414	<1	<0.1	<50	<200	<1	<100	30		
110.00	120.00	10.00	415	<1	<0.1	<50	<200	<1	<100	10		
120.00	130.00	10.00	416	<1	0.1	<50	<200	<1	<100	30		
130.00	140.00	10.00	417	<1	<0.1	<50	<200	<1	<100	20		
140.00	144.13	4.13	418	<1	<0.1	<50	<200	<1	<100	20		
144.13	144.80	0.67	419	<1	0.2	<50	<200	<1	<100	60		
144.80	147.05	2.25	420	<1	0.2	<50	200	<1	<100	100		
147.05	153.56	6.51	421	<1	0.1	<50	<200	<1	<100	30		
153.56	155.00	1.44	422	C1	10	<1	80	<200	10	<100	80	
155.00	156.58	1.58	423		50	<1	260					
156.58	158.68	2.10	424		130	<1	60					
158.68	160.90	2.22	425	C2	10	<1	<20		30	<100	100	
160.90	162.00	1.10	426		230	<1	210					
162.00	163.42	1.42	427		470	<1	40					
163.42	164.68	1.26	428	C3	20	<1	<20	200	10	<100	100	
164.68	166.00	1.32	429		<1	0.2	<50	400	3	<100	150	
166.00	168.00	2.00	430		<1	0.2	<50	200	2	<100	150	
168.00	170.00	2.00	431		<1	0.2	<50	400	2	<100	150	
170.00	172.00	2.00	432		<1	<0.1	<50	200	2	<100	150	
172.00	174.00	2.00	433		<1	0.2	<50	200	1	<100	200	
174.00	176.60	2.60	434		<1	0.2	<50	200	1	<100	150	
END OF HOLE												

806173