



PLAN-84

LEGEND 1977-79 Sampling
 300 / 1000
 200 / 500
 100 / 250
 50 / 100
 10 / 25
 5 / 10
 1 / 2

ANOMALOUS VALUES
 Sn > 20 ppm
 W > 20 ppm
 Fe > 0.7%

ANALYTICAL METHODS:
 Sn determined by Emission Spectrography Scheme ES 2.
 Sn* determined by XRF
 A.C.S. Laboratories Pty Ltd.

1980 Sampling
 Fe A.A.S.
 Sn X.R.F.
 W X.R.F.
 A.L.S. Laboratories, Brisbane.

NOTE: This map has been compiled from enlargements of the Tasmanian Lands Department's 1:5840 scale topographic machine plots.

DATE: June 1978
GEOLOGIST: C.D.S.
DRAWN: J.P.M.
CHECKED: C.M.S.

791254 **GEOPEKO LIMITED**
 KING ISLAND GROUP

SCALE: 1:10,000

E.L. 27/76 032
ELLIOTT BAY, TASMANIA
DRAINAGE GEOCHEMICAL RESULTS
IRON, TIN, TUNGSTEN

No. KT27/76-5E

KT27/76-1	KT27/76-2
KT27/76-3	KT27/76-4
KT27/76-5	KT27/76-6
KT27/76-7	KT27/76-8