

ANALABS

A division of MacDonal Hamilton & Co. Pty. Ltd.
 52 Murray Road, Welshpool, W.A. 6106
 44 Lane Street, Kalgoorlie, W.A. 6430
 15 Traders Way, Mt. Isa, Qld. 4825
 30 Toti Street, Wailada, Suva, Fiji

Phone (09) 458 7999
 Phone (090) 21 1416
 Phone (077) 43 6837
 Phone SUVA 361512

791306

Code No. 83101 1619
 Rack No. 48
 Page No. 4
 Order No. _____

GEOCHEMICAL RESULT SHEET

TUBE No.	SAMPLE No.		C	Pb	Zn	Ag	Fe			
1	TS	6721	10	10	40	X	9150			
2		22	10	35	35	0.5	5350			
3		23	15	20	15	X	5650			
4		24	20	30	10	X	3750			
5		25	25	15	40	1.0	5800			
6		26	TS	15	85	2.0	2.12			
7		27	15	60	55	1.0	5050			
8		28	10	5	15	2.0	3450			
9		29	10	X	15	1.5	2350			
10	TS	6730	15	80	25	30.5	2100			
11		31	S	70	15	2.0	2400			
12		32	S	X	15	2.0	5400			
13		33	S	80	235	X	7.22			
14		34	10	X	30	1.0	1.42			
15		35	X	X	15	0.5	5100			
16		36	20	20	30	2.0	8100			
17		37	S	10	40	2.5	7250			
18		38	S	20	85	1.0	7450			
19		39	10	5	35	8.0	5850			
20	TS	6740	S	X	10	1.5	1850			
21		41	10	X	10	2.0	2400			
22										
23										
Repeat	TS	6696	S	S	125	X	2.42			
Repeat	TS	6721	10	15	40	X	9100			
Detection			S	S	S	0.5	S			
Standard	FS	4	310	110	790	0.5	856			
Digestion			Al							
Method			All							

RESPONSIBLE OFFICER *[Signature]*
 9 / 2 / 8

Results in ppm unless otherwise specified
 T = element present; but concentration too low to measure
 X = element concentration is below detection limit
 - = element not determined