

# ANALABS

A division of MacDonald Hamilton & Co. Pty. Ltd.  
 52 Murray Road, Welshpool, W.A. 6106  
 44 Lane Street, Kalgoorlie, W.A. 6430  
 15 Traders Way, Mt. Isa, Qld. 4825  
 30 Toti Street, Wailada, Suva, Fiji

Phone (09) 458 7999  
 Phone (090) 21 1416  
 Phone (077) 43 6837  
 Phone SUVA 361512

Code No. 83.1.01.6267  
 Rack No. L 76  
 Page No. 1  
 Order No. \_\_\_\_\_

## GEOCHEMICAL RESULT SHEET

210  
 RESPOINABLE OFFICER B. Dean  
 13, 1, 81  
 791478

TUBE No.	SAMPLE No.	Fe	Mn	Cu	Zn	Ag	Pb			
1	6001	2500	25	15	20	1.5	10			
2	02	4850	35	10	15	3.0	5			
3	03	2550	20	x	5	x	5			
4	04	3000	25	x	5	2.5	x			
5	05	2600	25	x	5	x	x			
6	06	3150	30	x	5	x	5			
7	07	2150	30	x	5	x	x			
8	08	5200	65	x	5	0.5	x			
9	09	2300	25	x	5	0.5	x			
10	6010	2450	20	x	5	x	x			
11	11	2650	25	x	5	x	x			
12	12	2550	15	x	5	x	x			
13	13	3200	75	x	5	0.5	x			
14	14	3600	60	x	5	x	x			
15	15	2800	55	x	5	x	x			
16	16	2750	30	x	5	10.0	x			
17	17	2850	30	x	5	x	x			
18	18	3600	40	x	5	0.5	x			
19	19	3500	50	x	5	x	x			
20	6020	3100	30	x	5	2.0	x			
21	21	1950	25	x	5	x	x			
22	22	1.50%	275	x	205	1.5	x			
23	23	2.72%	450	x	425	0.5	x			
24	24	1.38%	260	x	210	x	x			
25	25	1.32%	255	x	185	x	x			
Detection										
Standard										
Digestion										
Method										

esu. s. n. ppm unless otherwise specified  
 T = element present; but concentration too low to measure  
 X = element concentration is below detection limit  
 - = element not determined