

# RESULT SHEET

Order No. KP 2624

275

791543

TUBE No.	SAMPLE No.		As	Sb				
1	KR	7478	14	x	Core No: 83-108184			
2		79	8	3				
3		80	5	x				
4		81	5	x				
5		82	7	x				
6		83	7	x				
7		84	9	x				
8		85	9	1				
9		86	9	x				
10		87	12	x				
11		88	9	x				
12		89	7	3				
13		90	8	1				
14		91	9	1				
15		92	6	1				
16		93	7	1				
17		94	5	1				
18		95	4	x				
19		96	5	x				
20	KR	7497	6	x				
21		98	5	x				
22		99	5	x				
23	KR	7500	7	x				
24		01	6	x				
25		02	6	1				
26		03	6	x				
27		04	6	x				
28		05	5	x				
29		06	4	x				
30		07	4	x				
31		08	6	x				
32		09	5	x				
33		10	5	x				
34		11	6	x				
35		12	5	x				
36		13	6	x				
37		14	5	x				
38		15	7	1				
39		16	12	1				
40	KR	7517	31	9				
Detection			1	1				
Standard								
Repeat -								
Repeat								

POSSIBLE OFFICER B. Brown  
 29.5.81  
 T = element present; but concentration too low to measure  
 X = element concentration is below detection limit  
 = element not determined