

# GEOCHEMICAL RESULT SHEET

Order No. KP 2577

| TUBE No.  | SAMPLE No. |      |   | Cu  | Pb  | Zn  | Ag  |  |  |
|-----------|------------|------|---|-----|-----|-----|-----|--|--|
| 1         | TS         | 9914 | C | S   | 25  | 35  | 0.5 |  |  |
| 2         |            | 15   |   | S   | x   | 15  | x   |  |  |
| 3         |            | 16   |   | x   | 15  | 25  | 0.5 |  |  |
| 4         |            | 17   |   | S   | x   | 30  | x   |  |  |
| 5         |            | 18   |   | S   | 15  | 90  | x   |  |  |
| 6         |            | 19   |   | 10  | x   | 40  | x   |  |  |
| 7         |            | 20   |   | 15  | 10  | 115 | x   |  |  |
| 8         |            | 22   |   | 20  | 25  | 70  | x   |  |  |
| 9         |            | 23   |   | 10  | x   | 30  | x   |  |  |
| 10        |            | 24   |   | S   | 25  | 30  | x   |  |  |
| 11        |            | 25   |   | 10  | 25  | 35  | x   |  |  |
| 12        |            | 26   |   | S   | 25  | 20  | x   |  |  |
| 13        |            | 27   |   | S   | 25  | 100 | x   |  |  |
| 14        |            | 28   |   | S   | 15  | 145 | x   |  |  |
| 15        |            | 29   |   | 15  | 70  | 140 | x   |  |  |
| 16        |            | 30   |   | S   | 30  | 70  | x   |  |  |
| 17        |            | 32   |   | 10  | 30  | 175 | 0.5 |  |  |
| 18        |            | 33   |   | S   | 35  | 35  | x   |  |  |
| 19        |            | 34   |   | 10  | S   | 25  | x   |  |  |
| 20        |            | 35   |   | S   | 35  | 50  | x   |  |  |
| 21        |            | 36   |   | 15  | 160 | 225 | x   |  |  |
| 22        |            | 37   |   | S   | 10  | 35  | x   |  |  |
| 23        |            | 38   |   | S   | 15  | 35  | x   |  |  |
| 24        |            | 39   |   | S   | 40  | 55  | x   |  |  |
| 25        |            | 40   |   | 10  | S   | 40  | x   |  |  |
| 26        |            | 42   |   | 10  | 25  | 15  | 0.5 |  |  |
| 27        |            | 43   |   | 15  | 45  | 85  | x   |  |  |
| 28        |            | 44   |   | 40  | 75  | 30  | 4.5 |  |  |
| 29        |            | 45   |   | 35  | 20  | 45  | 0.5 |  |  |
| 30        |            | 46   |   | 90  | 170 | 55  | 0.5 |  |  |
| 31        |            | 47   |   | 950 | 110 | 55  | 0.5 |  |  |
| 32        |            | 48   |   | 85  | 200 | 270 | x   |  |  |
| 33        |            | 49   |   | 525 | 130 | 275 | 0.5 |  |  |
| 34        |            | 50   |   | 40  | 10  | 35  | x   |  |  |
| 35        |            | 52   |   | 90  | 80  | 140 | x   |  |  |
| 36        |            | 53   |   | 35  | 35  | 55  | x   |  |  |
| 37        |            | 54   |   | 15  | 20  | 255 | x   |  |  |
| 38        |            | 55   |   | 15  | x   | 55  | 0.5 |  |  |
| 39        |            | 56   |   | 10  | 25  | 85  | 0.5 |  |  |
| 40        | TS         | 9957 | C | 125 | x   | 50  | 0.5 |  |  |
| Detection |            |      |   | S   | S   | S   | 0.5 |  |  |
| Standard  |            |      |   |     |     |     |     |  |  |
| Repeat -  |            |      |   |     |     |     |     |  |  |
| Repeat -  |            |      |   |     |     |     |     |  |  |

Copy No: 83-1 of 005

318

791586

RESPONSIBLE OFFICER B. D. ...  
26/3/81

Results in ppm unless otherwise specified  
T = element present; but concentration too low to measure  
X = element concentration is below detection limit  
- = element not determined