

STRAT NAME	SEQ NO.	SEAM NAME	WORK SECT	SAMPLE NUMBER	DEPTH (m)	THICK (m)	ROCK TYPE	GEOLOGICAL DESCRIPTION OF STRATA
TE				C2678	59.54	0.23	LIGNEOUS CLAY	Light to medium brown - grey; firm; low plasticity (organic); good core - unbroken; subfissile; gradational base; abundant ligneous fragments.
TE				C2678	60.04	0.50	CLAY	Light to medium grey; firm; high plasticity (clay); good core - unbroken; gradational base; occasional woody fragments; CONTAINS VERY FINELY DISSEMINATED * COALLY FRAGMENTS
TE				C2678	60.15	0.11	CLAY	Light to medium brown - grey; firm; high plasticity (clay); good core - unbroken; common woody fragments.
TE				C2679	60.20	0.05	INFERIOR LIGNITE	Clayey; medium to dark brown - grey; firm; slickensides on fracture; friable; sparse; oblique joints; angle of joints 40 degrees; good core - unbroken.
TE				C2679	60.55	0.35	CLAY	Light to medium brown - grey; firm; slickensides on fracture; high plasticity (clay); sparse; oblique joints; angle of joints 60 degrees; good core - unbroken; gradational base; occasional woody fragments.
TE				C2680	60.60	0.05	INFERIOR LIGNITE	Clayey; medium to dark brown; firm; friable; good core - unbroken.
TE				C2680	60.74	0.14	LIGNITE	Woody textured; dark brown; firm; friable; good core - unbroken; fissile; occasional resin aggregates.
TE				C2680	61.04	0.30	INFERIOR LIGNITE and CLAY	Interbedded 80:20. INFERIOR LIGNITE: clayey; woody textured; medium to dark brown; firm; friable; good core - unbroken; fissile; occasional resin aggregates; CLAY: light to medium brown - grey; firm; high plasticity (clay); FINELY INTERBANDED, FINELY LAMINAR
TE				C2680	61.09	0.05	LIGNITE	Dark black - brown; firm; friable; good core - unbroken; fissile.

EL2080 LAUNCESTON. C0022