




GROUND MAGNETICS VERTICAL FIELD FLUXGATE 1971




EIP GRADIENT ARRAY (ARRAY 4 1981)



SOIL GEOCHEMISTRY




DRILLING PROFILE LINE 184N Bearing 250° AMG



SOIL ASSAYS

From	To	As	Cu	Pb	Zn	Ag	5%	Mg	Ca
11.0	3.0	120	60	140	-	0.5	890	80	-
12.0	3.0	70	40	300	-	0.3	940	60	-
13.0	3.0	100	200	770	-	0.4	1000	90	-
21.0	3.0	90	600	2500	-	0.8	2000	180	-
23.0	3.0	120	860	2500	-	1.3	2000	250	-
27.0	3.4	50	100	270	-	-	1500	20	-
31.0	3.0	20	10	90	-	0.1	1000	-	-
33.0	3.0	20	-	70	-	-	1300	-	-
35.0	3.0	20	-	50	-	-	1400	-	-
37.0	3.0	20	-	40	-	-	1400	-	-
43.0	3.0	10	-	50	-	-	1400	-	-
45.0	3.0	20	-	40	-	-	1400	-	-
51.0	3.0	10	-	40	-	-	1400	-	-
53.0	3.0	10	-	40	-	0.1	1400	-	-
59.0	3.0	10	-	50	-	-	1200	-	-
59.2	2.2	20	-	40	-	-	1100	-	-
61.2	2.3	20	-	40	-	0.1	1100	-	-
66.2	2.4	20	-	40	-	-	1100	-	-
68.2	1.4	30	-	40	-	-	1700	-	-
71.2	2.0	40	-	40	-	0.1	1700	-	-
74.0	2.8	60	-	40	-	-	1400	-	-
77.0	2.0	30	-	40	-	-	1000	-	-
80.0	3.0	30	-	40	-	-	1000	-	-
83.0	3.0	210	-	40	-	-	910	-	-
86.0	3.0	90	-	30	-	1.1	830	-	-
89.0	3.0	100	-	30	-	-	1000	-	-
92.0	3.0	100	-	30	-	-	1110	-	-
95.0	3.0	160	-	40	-	-	1220	-	-
98.0	3.0	40	-	30	-	-	1000	-	-
101.0	3.0	40	-	40	-	-	1000	-	-
103.0	2.0	80	-	40	-	0.2	1000	-	-
105.0	2.4	20	-	40	-	0.1	970	-	-
108.0	2.4	20	-	30	-	-	890	-	-
111.0	3.0	10	30	50	-	0.1	1020	-	-
114.0	3.0	10	20	40	-	-	900	-	-
117.0	3.0	20	40	60	-	-	840	-	-
120.0	3.0	10	20	70	-	0.1	880	-	-
123.0	3.0	10	20	70	-	0.2	840	-	-
126.0	3.0	10	20	60	-	0.1	920	-	-
129.0	3.0	10	20	90	-	0.2	1000	-	-
132.0	3.0	10	20	80	-	0.1	1190	-	-
135.0	3.0	10	20	60	-	-	1030	-	-
138.0	3.0	10	20	60	-	-	940	-	-
141.0	3.0	-	-	80	-	0.1	1040	-	-
144.0	3.0	-	-	60	-	-	1120	-	-
147.0	3.0	20	-	60	-	-	900	-	-
150.0	3.0	10	10	60	-	0.1	1180	-	-
153.0	3.0	10	10	70	-	-	900	-	-
156.0	3.0	250	110	60	-	-	680	-	-
159.0	3.0	160	70	90	-	-	770	-	-
162.0	3.0	150	30	110	-	-	680	-	-
165.0	3.0	50	20	80	-	-	660	-	-
168.0	3.0	10	10	70	-	-	780	-	-
171.0	3.4	60	20	90	-	0.1	1020	-	-
174.0	3.0	60	20	80	-	-	1020	-	-
177.0	3.0	80	40	180	-	0.2	1320	-	-
180.0	3.0	150	260	120	-	0.4	1120	-	-
183.0	3.0	50	90	100	-	0.2	1190	-	-
186.0	3.0	50	100	110	-	0.3	1160	-	-
189.0	3.0	50	100	110	-	0.2	1190	-	-
192.0	3.0	80	30	140	-	0.1	1190	-	-
195.0	3.0	200	30	140	-	0.3	1170	-	-
198.0	3.0	100	30	200	-	-	2400	-	-
201.0	3.0	60	70	200	-	0.1	1800	-	-
204.0	3.0	70	110	170	-	0.2	1800	-	-
207.0	3.0	100	30	220	-	0.2	2120	-	-
210.0	3.0	40	30	220	-	0.4	1120	-	-
213.0	3.0	100	20	190	-	0.2	1350	-	-
216.0	3.0	100	20	190	-	-	1500	-	-
219.0	3.0	100	20	190	-	-	1500	-	-
222.0	2.5	160	40	210	-	0.7	1350	-	-
225.0	1.0	180	130	130	-	1.2	1120	-	-
228.0	1.0	190	40	130	-	3.1	900	30	-
231.0	1.0	250	220	620	-	1.8	60	310	-
234.0	1.0	250	1150	1400	-	11.7	140	820	-
237.0	4.0	70	100	330	-	0.8	1000	70	-
240.0	5.0	20	100	370	-	0.4	1400	70	-
243.0	5.0	20	40	230	-	0.2	940	60	-
246.0	5.0	20	40	190	-	-	720	-	-
249.0	5.0	20	40	190	-	-	860	-	-
252.0	5.0	20	20	170	-	0.2	860	-	-
255.0	5.0	20	20	170	-	-	1100	-	-
258.0	5.0	20	180	220	-	0.2	1350	-	-
261.0	5.0	20	240	250	-	0.9	1300	90	-
264.0	5.0	20	240	250	-	0.9	1300	90	-
267.0	5.0	20	240	250	-	0.9	1300	90	-
270.0	5.0	20	240	250	-	0.9	1300	90	-
273.0	5.0	20	240	250	-	0.9	1300	90	-
276.0	5.0	20	240	250	-	0.9	1300	90	-
279.0	5.0	20	240	250	-	0.9	1300	90	-
282.0	5.0	20	240	250	-	0.9	1300	90	-
285.0	5.0	20	240	250	-	0.9	1300	90	-
288.0	5.0	20	240	250	-	0.9	1300	90	-
291.0	5.0	20	240	250	-	0.9	1300	90	-
294.0	5.0	20	240	250	-	0.9	1300	90	-
297.0	5.0	20	240	250	-	0.9	1300	90	-
300.0	5.0	20	240	250	-	0.9	1300	90	-
303.0	5.0	20	240	250	-	0.9	1300	90	-
306.0	5.0	20	240	250	-	0.9	1300	90	-
309.0	5.0	20	240	250	-	0.9	1300	90	-
312.0	5.0	20	240	250	-	0.9	1300	90	-
315.0	5.0	20	240	250	-	0.9	1300	90	-
318.0	5.0	20	240	250	-	0.9	1300	90	-
321.0	5.0	20	240	250	-	0.9	1300	90	-
324.0	5.0	20	240	250	-	0.9	1300	90	-
327.0	5.0	20	240	250	-	0.9	1300	90	-
330.0	5.0	20	240	250	-	0.9	1300	90	-
333.0	5.0	20	240	250	-	0.9	1300	90	-
336.0	5.0	20	240	250	-	0.9	1300	90	-
339.0	5.0	20	240	250	-	0.9	1300	90	-
342.0	5.0	20	240	250	-	0.9	1300	90	-
345.0	5.0	20	240	250	-	0.9	1300	90	-
348.0	5.0	20	240	250	-	0.9	1300	90	-
351.0	5.0	20	240	250	-	0.9	1300	90	-
354.0	5.0	20	240	250	-	0.9	1300	90	-
357.0	5.2	40	110	380	-	-	1300	20	-

749338



THE MOUNT LYELL MINING & RAILWAY COMPANY LTD

SELINA GRID
LINE 184 N
DRILLING PROFILE
DDH LS 8

FIG 32

1:1000
20th July 81
AQ-143