

ELECTROLYTIC ZINC CO OF ASIA LTD ROSEBERY - TASMANIA		DIAMOND DRILL CORE RECORD						HOLE No. OCP 235 3 of 9									
Depth (m)		ROCK DESCRIPTION	MINERALISATION	SAMPLE No.	8-13 FROM	14-19 TO	CORE REC'D	ASSAY DATA								CORE REC'D	
FROM	TO							Sample Length	20-25 Cu	26-31 Pb	32-37 Zn	38-43 Ag	44-49 Fe%	50-55 Mn	RUN	SHORT	
40.3	42.9	33.05-33.35 Graded unit, east facing. Lower contact 45	Trace to 1% disseminated fine grained pyrite	56780	28.15	129.60	1.45	1.45	x	320	775	1.0	0.84	575	159.3 161.0 161.4		
		679		29.60	132.30	2.70	2.70	x	450	845	0.5	0.76	840				
		680		32.30	133.25	0.95	0.95	x	660	1250	x	0.82	345				
		681		33.25	136.00	2.75	2.75	25	600	1800	0.5	0.76	300				
		682		36.00	138.70	2.70	2.70	35	615	1300	x	0.79	260				
		683		38.70	139.30	0.60	0.60	45	540	1150	0.5	0.99	280				
		684		39.30	142.0	2.35	2.70	15	435	765	x	0.96	260				
		685		42.00	143.90	1.70	1.90	60	200	500	x	0.94	360				
		686		43.90	145.80	1.90	1.90	70	35	185	x	0.93	230				
		687		45.80	146.75	0.95	0.95	20	35	170	x	1.60	425				
42.9	52.8	44.75-45.3 Graded unit, east facing, lower contact 35	46.8-49.1 Weak limonite staining on joint faces.	688	46.75	149.00	2.25	2.25	10	35	100	x	1.95	670			
		689		49.00	151.20	2.20	2.20	15	20	85	x	2.10	510				
		5690		51.20	155.00	3.80	3.80	25	25	590	x	2.25	785				
		691		55.00	158.00	3.00	3.00	25	45	150	x	2.30	695				
		692		58.00	161.40	3.40	3.40	10	35	110	x	2.20	440				
		46.8-49.1 Core moderate to strongly broken.		Rare thin carb veins carry up to 30% fine grained disseminated pyrite. Total sulphide less than 1%.	1-2% Pyrite overall, associated with carbonate veins. Up to 40% pyrite in 2mm veins.	59.9-60 5% fg disseminated pyrite in zone of strong carbonate veins and clots.	60-63.4 Fine grained disseminated pyrite in carbonate veins and as trace trails along the cleavage. Total sulphides										
		49.1-52.8 Units more regularly interbedded, 4 graded units, all indicate east facing. Lower contact diffuse 30															
		52.8 54.3 Thinly interbedded gray and dark gray siltstones. Bedding 35. Incipient cleavage 5, rare carbonate veins or ?bands parallel bedding.															
		54.3 60.0 Dark grey to black siltstone with thin (2-5mm) carbonate rich bands. Bedding 25. Incipient cleavage subparallel to core 57.1-57.2 Thicker pale grey carbonate rich band. Lower contact ?healed breccia with carbonate veins and clots.															
		60.0 62.8 Black Siltstone possibly carbonaceous with thin carbonate veinlets and bands. Weak bedding 30. Weak cleavage 10. Lower contact gradational															