

APPENDIX L Continued

524027

Sample No.	-10# +80# Hydroxylamine/Hydrochloride Digestion 20 g/40 ml					
	Cu	Pb	Zn	Mn	Fe	Co
27572	-	-	2.3	120	30	2.2
27573	-	0.1	0.9	36	33	0.8
27574	-	0.1	0.8	83	50	0.8
27576	-	0.2	0.8	16	34	0.4
27577	-	-	1.4	68	40	1.4
27578	-	0.1	1.0	25	28	0.5
27579	-	0.2	1.5	108	47	1.6
27580	-	0.2	0.8	53	36	1.2
27581	-	0.3	0.7	14	38	0.4
27582	-	0.4	1.0	58	62	0.5
27583	-	-	0.2	7	16	0.1
27584	11.6	0.3	2.1	31	96	1.7
27585	0.5	0.3	2.3	117	66	1.3
27586	-	0.1	0.9	22	36	0.7
27587	0.2	0.2	3.1	27	41	0.7
27588	-	-	0.9	103	23	1.7
27589	-	-	0.8	118	32	1.4
27590	-	-	1.1	71	22	1.1
27591	-	-	0.7	78	25	1.2
27592	-	-	0.4	6	23	0.2
27593	-	-	0.3	25	35	0.6
27594	-	0.1	1.2	9	38	-
27595	0.7	-	0.5	19	46	0.1
27596	-	-	0.8	150	54	1.2
27597	-	-	0.6	33	40	0.4
27598	-	0.1	0.6	2	17	-
27599	0.1	0.2	1.1	16	50	0.4
27600	-	-	0.9	16	22	0.4
27601	-	-	0.8	57	15	0.4
27602	-	0.1	1.5	69	25	0.4
27603	-	-	2.0	17	17	0.2
27604	-	0.1	0.7	69	11	0.2
27605	-	-	0.6	41	19	0.7
27606	-	-	0.6	45	21	0.4

Detection
Limit

0.1 0.1 0.1 0.1 0.1 0.1

Values are in ppm unless otherwise stated